



Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

#### www.interface.com

#### **United States Headquarters**

1280 West Peachtree Street NW Atlanta, GA 30309 1.800.634.6032

#### Canadian Headquarters

233 Lahr Drive Belleville, ON K8N 5S2 1.800.267.2149 ext.52128

#### **Latin American Headquarters**

Montes Urales # 415 Piso 6 Col. Lomas de Chapultepec Mexico City, CDMX, C.P. 11000 Mexico

+ 52 55 2791 6812

CIM # IFS00886 11/2020



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.





The Stargazing™ LVT Collection was designed with the specific needs of school facilities, with two patterns that cleverly hide dirt and wear over time. Look to the skies for complementary square products in 18 different colorways: Scorpio™ delivers a multi-directional geometric design that transitions well into the dynamic textures of Aries™. And, you'll find exact coordinates for Stargazing styles in Studio Set™ and Walk on By™ LVT — all of which work together to create flexible design opportunities for K-12 schools.

Stargazing LVT is fully recyclable through our **ReEntry™** program and contains a significant percentage of recycled content. As part of Interface's commitment to Climate Take Back™, all of the products we sell are carbon neutral across their full life cycle through the **Carbon Neutral Floors™** program.







### Aries<sup>™</sup> Colorline









A01803 ORANGE




A01804 RED












A01805 DEEP FUCHSIA














A01817 PEWTER

A01818 SLATE



### Scorpio<sup>™</sup> Colorline

A01705 DEEP FUCHSIA


A01709 AQUA











A01707 ROYAL BLUE

A01703 ORANGE



A01704 RED

A01708 ELECTRIC BLUE















A01717 PEWTER

A01713 PEBBLE

A01718 SLATE



### Specifications

Product Number

A018 A017

High Performance Luxury Vinyl Tile Class III Printed Vinyl Tile

Scorpio Product Construction Class / ASTM F1700

Wear Layer Thickness 22 mil Total Thickness 4.5mm

Backing Class Commercial Grade

Finish Ceramor™ Coating

Nominal Dimensions Aries & Scorpio 50cm x 50cm (19.69in x 19.69in)

Indoor Air Quality GREENGUARD Gold FloorScore® Certified

Carbon Offsets Carbon Neutral Floors™ NSF/ANSI 332 Silver Environmental Certifications

End of Life Fully Recyclable into Carpet Tile Backing

through ReEntry™

CDPH 01350 Compliant

Installation Methods Aries & Scorpio


Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn

Now with Recycled Content. View the full product

specification on interface.com for details



 $\label{eq:local_product} \mbox{ All product specifications reflect averages derived from product sample testing,}$ are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see our full LVT product disclaimer at interface.com.



### Why Our Modular Resilient Sound Choice<sup>™</sup> LVT?

## Integrated System.

Say goodbye to transition strips and doubling up. Our Sound Choice LVT is made to work as a system with our modular carpet. The compatible size and height of our products allows you to integrate modular carpet for an inset rug or an adjacent field – no transition strip required. You'll avoid doubling up on materials and save money.

## Real Flexibility.

Create a unique look that lasts. Interface modular resilient LVT extends the life of your floor. From simple maintenance like damp mopping to selectively replacing damaged tiles, your flooring investment will stand the test of time - beautifully and effortlessly.

## Circular System.

Keep flooring out of the landfill. Our modular resilient LVT is produced with a controlled material stream so it can be reclaimed and recycled into our CQuest™GB recycled content carpet backing through our ReEntry™ program.

### Noise Reduction.

Silence distractions. Interface is helping create +Positive spaces™ with our LVT with Sound Choice backing. Sound Choice is a specially formulated backing developed for superior noise reduction, offering you best-in-class performance for reduced impact sound and floor to floor sound transmission.



# High Performance from Top to Bottom.

- **1.** Ceramor™ Coating. Minimizes everyday scratching and scuffing.
- **2.** Wear Layer. High quality layer enabling 15 years of resilience and performance.
- **3.** *Print Film.* Provides outstanding visuals of natural materials and Interface innovative designs.
- **4.** Core Sheet. Creates a thickness for a stronger core and reduces telegraphing from beneath.
- **5.** Fiberglass. Adds dimensional stability and controlled flexibility.
- **6.** Core Sheet. Creates a thickness for a stronger core and reduces telegraphing from beneath.
- **7.** Sound Choice Backing. Provides comfort and superior acoustic performance.

## Third Party Certifications.

Carbon Neutral Floors. The flooring products that we sell - carpet tile, LVT, and nora rubber - are carbon neutral across their full product life cycle. We've taken a holistic approach to achieve carbon neutrality, first through reducing the carbon footprint of our products and then using carbon offsets for the remainder.

Environmental Product Declaration (EPD). Interface LVT products are covered by an EPD. An EPD provides a comprehensive statement of product ingredients and environmental impacts based upon life cycle assessment performed to ISO standards.

Sustainable Assessment. Interface LVT meets the certification standards of the NSF/ANSI 332 Sustainability Assessment for Resilient Floor Coverings. This standard evaluates the environmental impact of resilient floor covering for its entire life cycle.

Indoor Air Quality. All Interface modular flooring products meet the highest standards for indoor air quality. Interface LVT is GREENGUARD Gold and FloorScore® Certified and CDPH 01350 compliant, assuring very low emissions of VOCs.

Third Party Certification Our Carbon Neutral Floors program is annually verified by a third party.







