

interface.com

United States Headquarters

1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters

233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.52128

Brazilian Headquarters

Av. Das Nações Unidas 14261
25 andar, sala 25 - 122, Brooklin Paulista
São Paulo 04578 - 000
Brasil
+ 5511.2196.0900

Latin American Headquarters

Montes Urales # 415 Piso 6
Lomas de Chapultepec
Miguel Hidalgo, CDMX
11000 Mexico
+ 52.55.2791.6812

CIM # IFS00778 11/2021



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.

Human Connections Collection

Flagstone
Kerbstone
Moss
Moss in Stone
Paver
Sett in Stone

FLOR®
Rue
Stone Course

Interdeco™

Interface®

Human Connections™ Collection


Today, we are both more connected as a society and, ironically, increasingly less connected, shielded from each other and the natural world by our screens, our cars, our homes and the buildings in which we work. But when we walk outside, our pathways reveal the importance of reconnection: the choices we make in our destinations, how we get there and the unexpected gathering places that we happen upon. Invariably we are also drawn to areas of respite where nature is present, nurtured to grow in the environment or simply there by its own persistence.

Human Connections is literally the intersection of the sensory cues that we seek to include in our fast paced lives, supporting the idea that the most positive spaces offer variability and choice. Eight different styles fit together in unique ways to create paths, intersections, collision zones and destinations. Sett in Stone™, Kerbstone™, Paver™ and Flagstone™ are four textures that recall the well-worn streets of the city, while Moss™ and Moss in Stone™ attach seamlessly to Sett in Stone to introduce the greenery we crave in a very organic way.

To complete the collection we have included two styles from FLOR®; Rue™ and Stone Course™. These highly patterned and colorful styles add a lively graffiti-like impact.

Create your path to +Positive spaces with Human Connections.

(COVER) **PRODUCT** MOSS IN STONE **COLOR** 105565 SLATE EDGE
PRODUCT MOSS **COLOR** 105561 SLATE/MOSS **INSTALLED** PATTERN BY TILE




CARPET PRODUCT FLAGSTONE **COLOR** 105577 SLATE **FLOR PRODUCT** STONE COURSE
COLORS 105581 TEAL/STONE, 105584 ORANGE/STONE, 105587 PURPLE/STONE
LVT PRODUCT LEVEL SET™ | **TEXTURED STONES** **COLOR** A00302 COOL POLISHED CEMENT **INSTALLED** NON DIRECTIONAL




Moss Colorline




105560 GRANITE/MOSS



105561 SLATE/MOSS



105562 FLINT/MOSS



105563 ONYX/MOSS

Specifications **i2**

Modular, 50cm x 50cm	12861
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.117 in, 3.0 mm
Pile Density	8,308
Total Recycled Content	Up to 84%
Indoor Air Quality	CRI Green Label Plus #GLP0820

View the full product specification on [interface.com](https://www.interface.com)

Installation Methods



NON DIRECTIONAL



BROWSE IMAGES
ORDER SAMPLES



PRODUCT MOSS COLOR 105562 FLINT/MOSS INSTALLED NON DIRECTIONAL




interface.com

PRODUCT SETT IN STONE COLOR 105570 FLINT PRODUCT MOSS IN STONE COLOR 105566
FLINT EDGE PRODUCT MOSS COLOR 105562 FLINT/MOSS INSTALLED PATTERN BY TILE


Sett in Stone Colorline




105568 GRANITE



105569 SLATE



105570 FLINT




105571 ONYX


Moss in Stone Colorline



105564 GRANITE EDGE



105565 SLATE EDGE



105566 FLINT EDGE



105567 ONYX EDGE

Sett in Stone Specifications

Modular, 50cm x 50cm	12863
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.078 in, 2.0 mm
Pile Density	10,154
Total Recycled Content	Up to 84%
Indoor Air Quality	CRI Green Label Plus #GLP0820

View the full product specification on interface.com

Installation Methods



NON DIRECTIONAL



BROWSE IMAGES
ORDER SAMPLES

Moss in Stone Specifications

Modular, 50cm x 50cm	12862
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.094 in, 2.4 mm
Pile Density	9,574
Total Recycled Content	Up to 84%
Indoor Air Quality	CRI Green Label Plus #GLP0820

View the full product specification on interface.com

Installation Methods



NON DIRECTIONAL




BROWSE IMAGES
ORDER SAMPLES

Kerbstone Colorline




105572 GRANITE



105573 SLATE



105574 FLINT



105575 ONYX

Specifications **i2**

Modular, 50cm x 50cm	12864
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protek2®
Pile Thickness	0.080 in, 2.0 mm
Pile Density	9,900
Total Recycled Content	Up to 84%
Indoor Air Quality	CRI Green Label Plus #GLP0820

View the full product specification on [interface.com](https://www.interface.com)

Installation Methods



NON DIRECTIONAL



BROWSE IMAGES
ORDER SAMPLES



Interdeco

LVT PRODUCT LEVEL SET | TEXTURED STONES COLOR A00302 COOL POLISHED CEMENT | INSTALLED NON DIRECTIONAL
CARPET PRODUCT KERBSTONE COLOR 105574 FLINT



Paver Colorline



105556 GRANITE



105557 SLATE



105558 FLINT



105559 ONYX

Specifications **i2**

Modular, 50cm x 50cm	16324
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.075 in, 1.9 mm
Pile Density	9,120
Total Recycled Content	Up to 83%
Indoor Air Quality	CRI Green Label Plus #GLP0820

View the full product specification on interface.com

Installation Methods



NON DIRECTIONAL



BROWSE IMAGES
 ORDER SAMPLES

Flagstone Colorline



105576 GRANITE



105577 SLATE



105578 FLINT



105579 ONYX



Specifications **i2**

Modular, 50cm x 50cm	12865
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protek12®
Pile Thickness	0.085 in, 2.2 mm
Pile Density	9,741
Total Recycled Content	Up to 84%
Indoor Air Quality	CRI Green Label Plus #GLP0820

View the full product specification on [interface.com](https://www.interface.com)

Installation Methods



NON DIRECTIONAL



BROWSE IMAGES
ORDER SAMPLES

PRODUCT FLAGSTONE **COLORS** 105578 FLINT, 105579 ONYX
PRODUCT SETT IN STONE **COLOR** 105571 ONYX **INSTALLED** NON DIRECTIONAL



interface.com

FLOR PRODUCT RUE COLORS 105593 RED, 105592 ORANGE FLOR PRODUCT STONE COURSE COLORS 105584 ORANGE/STONE, 105580 GREY/STONE INSTALLED PATTERN BY TILE

Rue Colorline | FLOR®



105588 GREY



105589 TEAL



105590 GREEN



105591 YELLOW




105592 ORANGE



105593 RED




105594 PINK*



105595 PURPLE

Stone Course Colorline | FLOR®




105580 GREY/STONE



105581 TEAL/STONE




105582 GREEN/STONE



105583 YELLOW/STONE



105584 ORANGE/STONE



105585 RED/STONE



105586 PINK/STONE*



105587 PURPLE/STONE



Rue Specifications **i2**

Installation Methods

Modular, 50cm x 50cm	12867
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.132 in, 3.4 mm
Pile Density	7,364
Total Recycled Content	Up to 84%
Indoor Air Quality	CRI Green Label Plus #GLP0820



NON DIRECTIONAL



BROWSE IMAGES
ORDER SAMPLES

*Custom color with 100 yd2 minimum.

View the full product specification on interface.com

Stone Course Specifications **i2**

Installation Methods

Modular, 50cm x 50cm	12866
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.094 in, 2.4 mm
Pile Density	10,340
Total Recycled Content	Up to 84%
Indoor Air Quality	CRI Green Label Plus #GLP0820



NON DIRECTIONAL





BROWSE IMAGES
ORDER SAMPLES



*Custom color with 100 yd2 minimum.

View the full product specification on interface.com


Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.





PRODUCT MOSS IN STONE **COLORS** 105564 GRANITE EDGE, 105565 SLATE EDGE, 105566 FLINT EDGE, 105567 ONYX EDGE **PRODUCT** MOSS **COLORS** 105560 GRANITE/MOSS, 105561 SLATE/MOSS, 105562 FLINT/MOSS, 105563 ONYX/MOSS **INSTALLED** PATTERN BY TILE



PRODUCT SETT IN STONE **COLOR** 105570 FLINT **PRODUCT** MOSS IN STONE **COLOR** 105566 FLINT EDGE **PRODUCT** MOSS **COLOR** 105562 FLINT/MOSS **INSTALLED** PATTERN BY TILE





CARPET PRODUCT FLAGSTONE **COLOR** 105577 SLATE **FLOOR PRODUCT** STONE COURSE **COLORS** 105581 TEAL/STONE, 105584 ORANGE/STONE, 105587 PURPLE/STONE **LVT PRODUCT** LEVEL SET | TEXTURED STONES **COLOR** A00302 COOL POLISHED CEMENT **INSTALLED** NON DIRECTIONAL





PRODUCT HUMAN NATURE | HN840 **COLOR** 104223 SLATE **PRODUCT** MOSS **COLORS** 105561 SLATE/MOSS, 105563 ONYX/MOSS **PRODUCT** MOSS **IN STONE** **COLOR** 105567 ONYX EDGE **INSTALLED** PATTERN BY TILE



Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.





**PRODUCT PAVER COLOR 105559 ONYX PRODUCT SETT IN STONE COLOR 105568 GRANITE
PRODUCT URBAN RETREAT | UR501 COLOR 103611 GRASS INSTALLED PATTERN BY TILE**



**PRODUCT MOSS COLOR 105561 SLATE/MOSS PRODUCT PAVER COLOR 105557 SLATE PRODUCT SETT IN STONE COLOR 105569 SLATE
PRODUCT KERBSTONE COLOR 105573 SLATE INSTALLATION PATTERN BY TILE**



PRODUCT SETT IN STONE COLOR 105571 ONYX FLOR PRODUCT STONE COURSE COLOR 105581 TEAL/STONE FLOR PRODUCT RUE COLOR 105589 TEAL INSTALLED PATTERN BY TILE




**PRODUCT KERBSTONE COLOR 105573 SLATE PRODUCT MOSS IN STONE COLOR 105565 SLATE EDGE PRODUCT MOSS COLOR 105561 SLATE/MOSS PRODUCT HUMAN NATURE | HN830 COLOR 104242 KIVI PRODUCT HUMAN NATURE | HN840 COLOR 104224 LIMESTONE
INSTALLATION PATTERN BY TILE**

Why Our Modular Flooring?




i2® Modular Carpet

Minimize waste & save money. Interface's i2® styles have mergeable dye lots. That means i2 tiles from different dye lots always blend with tiles of the same color, even when individual tiles are selectively replaced years later. This minimizes the need for attic stock and saves money. And i2 styles that install non directionally generate an average of only 1.5% installation waste as compared to 3-4% for typical modular carpet and an average of 14% for traditional roll carpet.



TacTiles™

No glue installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that “floats” for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives. TacTiles are approved for use on GlasBac™, GlasBacRE, CQuest™GB, Graphlar™ and Graphlex™.



Intersept®

Mold protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria—guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde. Intersept is standard in Interface carpet tile products backed with GlasBac, GlasBacRE, CQuestGB, ReadyBac™, and CushionBac Renew™.



ReEntry™

Recyclable. Through our ReEntry program, we reclaim all Interface carpet tile. The result? Carpet tile products with up to 85% total recycled content, including as much as 25% post-consumer content.



Sustainability Transparency

Transparency and certified sustainability leadership come standard on Interface products, including published ingredients in HPDs (Health Product Declarations) and published EPDs (Environmental Product Declarations), which are based on full life cycle assessment (LCA). And, Interface carpet products are certified to the NSF 140 Sustainable Carpet Assessment Standard. Additionally, Interface flooring and recommended adhesives are 3rd party certified for low VOC emissions in compliance with California Department of Public Health (CDPH) Standard Method v1.2–2017. Carpet products made in our US facilities are made with 99% renewable energy.



Third Party Verification

The flooring products that we sell, including carpet tile, are carbon neutral across their full product life cycle through our third party verified Carbon Neutral Floors™ program. To find out more, visit interface.com/carbonneutral



Environmental Product Declaration (EPD) –

A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



NSF Certified
140 Sustainable Carpet
Assessment Standard

Sustainable Assessment for Carpet – The

only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



CRI Green Label Plus – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.



RECYCLED
Paper made from
recycled material
FSC® C009723



PLEASE RECYCLE

Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

FLOR®

FLOR by Interface offers lush textures and bold patterns that are anything but business as usual. FLOR carpet tiles are the perfect design accent for offices, conference rooms and high-profile collaborative spaces – as area rugs or wall-to-wall installations. With all the performance benefits of Interface products, including the 15-year commercial warranty, they'll get the job done for years to come.

Samples

Order samples at interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500
Canada 1.866.398.3192

Brazil + 5511.2196.0900
Latin America + 52.55.2791.6812

interface.com

Register at interface.com to:

- Browse products and order samples
- View carpet in a variety of room scenes
- Browse floor designs, change colors, view as a grid or in a room, download and share
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

InterCircle Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see interface.com/disclaimer.