



Art Exposure

Adaptable · Academic View · Enlivened



Art, in any form, has the power to advance human connection in an increasingly fragmented world. As a universal language and change agent, art intervenes to inspire, heal and unite. Mohawk Group celebrates the interconnectivity of artistic form and expression with an imaginative collection of products with universal appeal. Representing a truly global product launch, the patterns, textures and colors originate from unexpected art interventions. Manufactured in our facilities around the world, these products are globally accessible.

Adaptable
Academic View
Enlivened

Expose your creative potential with the three elegant textures in Art Exposure. Academic View reveals a subtle mash up of organic and urban reflections. Adaptable lives up to its name with a rich and comforting solid tweed to coordinate with the collection's diverse pattern offerings, and Enlivened's geometric motif is inspired by architectural elements. Mohawk Group believes design can be transformative, and we invite you to create your own art intervention with Art Exposure.








Adaptable Colorways



Adaptable 569 Cadet



Adaptable 853 Fallow



Adaptable 924 Platinum



Adaptable 958 Ecrú



Adaptable 959 Slate



Adaptable 989 Charcoal

Academic View Colorways



Academic View 569 Cadet



Academic View 853 Fallow



Academic View 924 Platinum



Academic View 958 Ecrú



Academic View 959 Slate




Academic View 989 Charcoal


Enlivened Colorways



Enlivened 569 Cadet



Enlivened 853 Fallow



Enlivened 924 Platinum



Enlivened 958 Ecrú



Enlivened 959 Slate



Enlivened 989 Charcoal







Interdeco

Academic View 959 Slate, Adaptable 924 Platinum (Multi-Directional) and Living Local 829 Sandy

Living Local

CLIC AND GLUE DOWN ERT

Living Local ERT celebrates the vibrant, versatile spirit of our local communities. Proudly manufactured in the US, the collection draws inspiration from natural wood visuals and features colors ranging from rich, warm browns to cool grays. The aesthetically flexible shades and textures are designed to fit any interior, providing a core collection of ERT styles that you can use to bring homegrown appeal to a wide variety of projects.



FEATURES

- M-Force™ Enhanced Urethane finish and 20 mil wear layer protect against commercial traffic
- Wood textures emulate natural materials
- No polish maintenance reduces occupied costs
- Designed to coordinate with a variety of Mohawk Group carpet collections
- Diverse color line spans from traditional to contemporary influences
- Glue down installation
- Living Local carries a 10 year commercial warranty
- Made in America



Living Local, 812 Tan Tone





Installation Inspirations


The installation ideas featured here are a small sampling of the infinite possibilities offered in the Art Exposure Collection.



Adaptable 924 Platinum, 959 Slate, 989 Charcoal (Half-Lap)




Academic View 959 Slate, Adaptable 924 Platinum (Multi-Directional)






Academic View 958 Ecrú (Vertical Ashlar)



Enlivened 958 Ecrú (Brick Ashlar)





Colorstrand FIBER

For over 15 years, Colorstrand fiber has continually exceeded the demanding expectations of our customers for their projects. With the design flexibility and color intensity of solution dyed fiber, Colorstrand delivers lasting beauty and value. And, Colorstrand has the added benefit of third party SCS Global Services certified 30% recycled content.



PERFORMANCE

- Unsurpassed colorfastness to light, atmospheric contaminants, and harsh cleaning agents in Colorstrand SD
- EcoSentry Plus Soil and Stain protector keeps your investment looking newer longer
- Can be engineered to achieve the most severe TARR ratings

BUDGET

- Internally extruded fiber allows cost control of products
- Numerous broadloom and modular products available at value engineered budgets

SUSTAINABILITY

- Colorstrand contains a minimum of 30% pre-consumer recycled content by total weight*
- Mohawk products tufted with Colorstrand are CRI Green Label Plus® certified for VOC emissions
- Recyclable through Mohawk's ReCover Program

DESIGN

- A wide variety of colors for excellent design flexibility

SERVICE

- Quickship Styles available within 10 days providing what you need when you need it
- 100% vertically integrated providing unsurpassed lead times and service reliability

*Recycled content claim third party verified by SCS Global Services



EcoFlex™ Matrix SUSTAINABLE CARPET TILE BACKING

Mohawk Group continues its dedication to sustainable solutions with EcoFlex™ Matrix, the next generation in carpet tile backing. Using advanced materials and patent pending engineering, EcoFlex Matrix lowers environmental impact without sacrificing performance. EcoFlex Matrix simplifies floor preparation and installation, greatly reduces sub-floor moisture concerns, and is easier to ship and handle.



PERFORMANCE


- Provides permanent dimensional stability
- Tiles are impervious to moisture damage from spills and water extraction cleaning
- Up to Lifetime Limited Carpet Tile Warranty for: Wear, Static Protection, Edge Raveling/Zippering, Delamination, Dimensional Stability*
- Seamless transitions between carpet and hard surface flooring with Mohawk Group's 2.5mm ERT resilient products

INSTALLATION

- Simplifies complex floor preparation with no need to encapsulate old adhesives**
- Greatly reduces sub-floor moisture concerns and saves money on mitigation
- Worry free installation with no visible moisture present using our Flexlok Tab System
- Superior construction offers reliability for the life of your installation

SUSTAINABILITY

- EcoFlex Matrix is manufactured using less energy than other carpet tile products
- Polyolefin backing contains no plasticizers
- Contains a minimum of 40% pre-consumer recycled content based on total product weight***
- CRI Green Label Plus certified
- Declare Red List Free
- Recyclable through Mohawk's ReCover program
- Able to ship more per box resulting in a lower environmental impact from transportation



* Lifetime or 10 Year Limited Warranty varies by fiber type. Please see specifications for details
 **Consult Mohawk Group Installation Instructions for any applicable restrictions
 ***Recycled content claim third party verified by UL (Underwriters Laboratory)

Transparency SUSTAINABLE LEADERSHIP

Mohawk Group leads the building products industry in transparency with the largest selection of products with Declare Labels, Health Product Declarations (HPDs), and Environmental Product Declarations (EPDs). What's more, we offer over 500 Red List Free Declared products.




OUR COMMITMENT

As a Gaia sponsor of the International Living Future Institute (ILFI), we are committed to revolutionary programs that are redefining the green building movement. These include the ILFI's Living Building Challenge and Declare programs.

Declare Labels are a 'nutrition label' for the building industry, providing ingredients, source and manufacturing locations. We offer you:

- The most products with Declare Labels
- The most Red List Free products

We have eliminated the mystery of product ingredients so you get total product transparency.*



Nylon Modular Tile on EcoFlex Matrix
Mohawk Group

Final Assembly: Glasgow, VA, USA
Life Expectancy: 15 Years
End of Life Options: Take Back Program (Various Locations), Recyclable

Ingredients:

Coating: Ethylene-Propylene Copolymer, Butadiene Acrylate, Ammonium Lauryl Sulfate, Carbon Black Amorphous, Calcium Carbonate, Limestone, Polypropylene, Tris(2,4-Di-Tert-Butylphenyl) Phosphite, Sodium Polyacrylate Thickner, 2,5-Furandione, Polymer with Ethene and 1-Propene; **Primary:** Polyethylene Terephthalate, Propylene Homopolymer; **Scrim:** Filament Glass Fibers, Polyester, Nylon 6, Carbon Black Amorphous; **Yarn:** Nylon 6, Nylon 6,6, Titanium Dioxide; **Topical:** 2-Propenoic Acid, 2-Methyl-, Butyl Ester, Polymer with Butyl 2-Propenoate and Methyl 2-Methyl-2-Propenoate, Potassium Lauryl Phosphate, 4,4-Dihydroxydiphenylsulfone-Formaldehyde-p-Phenolsulfonic Acid Copolymer

Living Building Challenge Criteria:

| | |
|---------------------------|---|
| MHK-0016 | EXP: 01 NOV 2018 |
| VOC Content: N/A | VOC Emissions: CDPH Compliant |
| Declaration Status | <input checked="" type="checkbox"/> LBC Red List Free |
| | <input type="checkbox"/> LBC Compliant |
| | <input type="checkbox"/> Declared |

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
INTERNATIONAL LIVING FUTURE INSTITUTE™ declareproducts.com

Mohawk Group utilizes multiple platforms for disclosing our transparency information, including Mindful Materials and the Declare Database.*



*Transparency documentation can be found at mohawkgroup.com



Visual Interactive Studio


Mohawk Group's VISUAL INTERACTIVE STUDIO (VIS) offers a suite of design services to help you craft and perfect every aspect of your flooring selection.

Visit our website to customize the colors of a range of carpet patterns with our Ready to Design tool, or create striking layouts in carpet tile with the DesignFlex Visualizer. The VIS can provide hi-res renderings of 2D floor perspectives and 3D room scenes for all your design needs.

The Ready to Design color customization tool provides you with the creative flexibility you want, the ability to order the quantity you need—without excessive minimum purchase requirements—and speedy delivery options!

Interdeco™

At our showrooms, you can explore your flooring options in photorealistic environments with our state-of-the-art, fully immersive virtual reality system. Contact your local Mohawk Group sales representative to experience this amazing VR tool for yourself.



To learn more or to get started on your next project, visit us at mohawkgroup.com

Specifications

Art Exposure Collection
Academic View / BT433 / QB433
Adaptable / BT432 / QB432
Enlivened / BT455 / QB455



DESIGN

| | |
|----------------------|--|
| Size | 24" x 24" (.6096m x .6096m) |
| Surface Appearance | Textured Patterned Multi-Colored Loop |
| Fiber Type | Colorstrand® SD Nylon |
| Dye Method | Solution Dyed |
| Installation Methods | |
| Adaptable | Vertical Ashlar, Quarter Turn, Multi-Directional |
| Academic View | Quarter Turn, Vertical Ashlar, Brick Ashlar, Monolithic, Multi-Directional |
| Enlivened | Quarter Turn, Vertical Ashlar, Brick Ashlar, Monolithic, Multi-Directional |
| Colors Available | |
| Adaptable | 6 |
| Academic View | 6 |
| Enlivened | 6 |

PERFORMANCE

| | |
|------------------------------|----------------------------------|
| Construction | Tufted |
| Gauge | 1/12" (47.00 rows per 10cm) |
| Stain Release Technology | EcoSentry Plus Stain Protection |
| GSA Stain Release Technology | Passes |
| Soil Release Technology | EcoSentry Soil Protection |
| Backing Material | EcoFlex Matrix |
| Flammability | ASTM E 648 - Class 1 (Glue Down) |
| Smoke Density | ASTM E 662 - Less than 450 |
| Static Propensity | AATCC - 134 Under 3.5 KV |


SUSTAINABILITY

| | |
|--------------------|------------------------|
| Certification | Declare Red List Free |
| Indoor Air Quality | Green Label Plus #1171 |
| NSF 140 | Gold |

SERVICE

| | |
|------------|--|
| Warranties | Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static |
|------------|--|

Installation Instructions:



Mohawk Group warrants its adhesives for the life of the original installation only when a Mohawk Group style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Group adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit www.mohawkgroup.com



Produced with recycled materials




Adaptable

| | |
|--------------|--|
| Collection | Art Exposure |
| Style Name | Adaptable |
| Style Number | BT432 |
| Product Type | Carpet Tile |
| Size | 24" X 24" |
| Construction | Tufted |
| Installation | Vertical Ashlar, Quarter Turn, Multi-Direc |




| Feature | Description |
|----------------------|---|
| Backing Material | EcoFlex Matrix |
| Fiber Type | ColorStrand® SD Nylon |
| Dye Method | Solution Dyed |
| Installation Methods | Vertical Ashlar, Quarter Turn, Multi-Direct |
| Stitches per Inch | 12 (47.24 per 10cm) |
| Density | 6181 |
| Tufted Pile Weight | 17.00 oz/yd2 (576 g/m2) |
| Surface Texture | Textured Patterned Multi-Colored Loop |

Recommended Installation Methods



Multi-Directional



Quarter Turn



Vertical Ashlar

Colorways



Cadet

Color code: 569
Style number: BT432



Fallow

Color code: 853
Style number: BT432



Platinum

Color code: 924
Style number: BT432



Ecru

Color code: 958
Style number: BT432



Slate

Color code: 959
Style number: BT432



Charcoal

Color code: 989
Style number: BT432

Performance

| Feature | Description |
|----------------------------------|--------------------------------|
| Gauge | 1/12 (47.00 rows per 10 cm) |
| Foot Traffic Recommendation TARR | Heavy |
| Flammability | ASTM E 648 Class 1 (Glue Down) |
| Smoke Density | ASTM E 662 Less than 450 |
| Static Propensity | AATCC-134 Under 3.5 KV |
| Soil Release Technology | EcoSentry Soil Protection |



Sustainability

| Feature | Description |
|---------------------------------|---|
| Embodied Carbon | 1.14 |
| Beyond Carbon Neutral | -0.057 |
| Pre-Consumer Recycled Content | 0.52 |
| Total Recycled Content | 52 |
| NSF 140 | EcoFlex Matrix - NSF 140 Gold |
| Indoor Air Quality | GLP 1171 |
| TVOC Range | 0.5 mg/m3 or less |
| Red List Free | True |
| Declare Label | Nylon Modular Carpet on EcoFlex Matrix |
| Mindful Materials | Participates in Mindful Materials Library |
| Take Back Program | ReCover Program |
| Health Product Declaration | HPD 2.1 EcoFlex Matrix - 1000 ppm |
| Environmental Claims Validation | EPD EcoFlex Matrix |
| LEED Credit Potential | LEED Eligible |

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static

Academic View

| | |
|--------------|---|
| Collection | Art Exposure |
| Style Name | Academic View |
| Style Number | BT433 |
| Product Type | Carpet Tile |
| Size | 24" X 24" |
| Construction | Tufted |
| Installation | Quarter Turn, Vertical Ashlar, Brick Ashlar |




| Feature | Description |
|----------------------|--|
| Backing Material | EcoFlex Matrix |
| Fiber Type | ColorStrand® SD Nylon |
| Dye Method | Solution Dyed |
| Installation Methods | Quarter Turn, Vertical Ashlar, Brick Ashlar |
| Stitches per Inch | 12 (47.24 per 10cm) |
| Density | 6725 |
| Tufted Pile Weight | 17.00 oz/yd ² (576 g/m ²) |
| Surface Texture | Textured Patterned Multi-Colored Loop |


Recommended Installation Methods




Brick Ashlar




Monolithic



Multi-Directional



Quarter Turn



Vertical Ashlar

Colorways



Cadet

Color code: 569
Style number: BT433



Fallow

Color code: 853
Style number: BT433



Platinum

Color code: 924
Style number: BT433



Ecru

Color code: 958
Style number: BT433



Slate

Color code: 959
Style number: BT433



Charcoal

Color code: 989
Style number: BT433

Performance

| Feature | Description |
|----------------------------------|--------------------------------|
| Gauge | 1/12 (47.00 rows per 10 cm) |
| Foot Traffic Recommendation TARR | Heavy |
| Flammability | ASTM E 648 Class 1 (Glue Down) |
| Smoke Density | ASTM E 662 Less than 450 |
| Static Propensity | AATCC-134 Under 3.5 KV |
| Soil Release Technology | EcoSentry Soil Protection |



Sustainability

| Feature | Description |
|---------------------------------|---|
| Embodied Carbon | 1.14 |
| Beyond Carbon Neutral | -0.057 |
| Pre-Consumer Recycled Content | 0.52 |
| Total Recycled Content | 52 |
| NSF 140 | EcoFlex Matrix - NSF 140 Gold |
| Indoor Air Quality | GLP 1171 |
| TVOC Range | 0.5 mg/m3 or less |
| Red List Free | True |
| Declare Label | Nylon Modular Carpet on EcoFlex Matrix |
| Mindful Materials | Participates in Mindful Materials Library |
| Take Back Program | ReCover Program |
| Health Product Declaration | HPD 2.1 EcoFlex Matrix - 1000 ppm |
| Environmental Claims Validation | EPD EcoFlex Matrix |
| LEED Credit Potential | LEED Eligible |

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static

Enlivened

| | |
|--------------|---|
| Collection | Art Exposure |
| Style Name | Enlivened |
| Style Number | BT455 |
| Product Type | Carpet Tile |
| Size | 24" X 24" |
| Construction | Tufted |
| Installation | Quarter Turn, Vertical Ashlar, Brick Ashlar |




| Feature | Description |
|----------------------|---|
| Backing Material | EcoFlex Matrix |
| Fiber Type | ColorStrand® SD Nylon |
| Dye Method | Solution Dyed |
| Installation Methods | Quarter Turn, Vertical Ashlar, Brick Ashlar |
| Stitches per Inch | 12 (47.24 per 10cm) |
| Density | 6580 |
| Tufted Pile Weight | 17.00 oz/yd2 (576 g/m2) |
| Surface Texture | Textured Patterned Multi-Colored Loop |


Recommended Installation Methods




Brick Ashlar




Monolithic



Multi-Directional



Quarter Turn



Vertical Ashlar

Colorways



Cadet

Color code: 569
Style number: BT455



Fallow

Color code: 853
Style number: BT455



Platinum

Color code: 924
Style number: BT455



Ecru

Color code: 958
Style number: BT455



Slate

Color code: 959
Style number: BT455



Charcoal

Color code: 989
Style number: BT455

Performance

| Feature | Description |
|----------------------------------|--------------------------------|
| Gauge | 1/12 (47.00 rows per 10 cm) |
| Foot Traffic Recommendation TARR | Heavy |
| Flammability | ASTM E 648 Class 1 (Glue Down) |
| Smoke Density | ASTM E 662 Less than 450 |
| Static Propensity | AATCC-134 Under 3.5 KV |
| Soil Release Technology | EcoSentry Soil Protection |



Sustainability

| Feature | Description |
|---------------------------------|---|
| Embodied Carbon | 1.14 |
| Beyond Carbon Neutral | -0.057 |
| Pre-Consumer Recycled Content | 0.52 |
| Total Recycled Content | 52 |
| NSF 140 | EcoFlex Matrix - NSF 140 Gold |
| Indoor Air Quality | GLP 1171 |
| TVOC Range | 0.5 mg/m3 or less |
| Red List Free | True |
| Declare Label | Nylon Modular Carpet on EcoFlex Matrix |
| Mindful Materials | Participates in Mindful Materials Library |
| Take Back Program | ReCover Program |
| Health Product Declaration | HPD 2.1 EcoFlex Matrix - 1000 ppm |
| Environmental Claims Validation | EPD EcoFlex Matrix |
| LEED Credit Potential | LEED Eligible |

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static