

Criterion Classic™
Collection | LVT



Criterion Classic™ Woodgrains Colorline
12.5 cm x 1 m



C00101 MADAGASCAR



C00102 CHESTNUT



C00103 SAND DUNE



C00104 WASHED MAPLE



C00105 CEDAR



C00106 ANTIQUE LIGHT OAK



C00107 ANTIQUE GRAY OAK



C00108 MUSHROOM

Criterion Classic™ Stones Colorline
50 cm x 50 cm



C00201 MARONE DARK MARBLE



C00202 POLISHED CEMENT

Criterion Classic™ Wovens Colorline
50 cm x 50 cm



C00301 FLAX



C00302 TWINE



(COVER) **LVT PRODUCT** CRITERION CLASSIC WOODGRAINS **COLOR** C00104 WASHED MAPLE **INSTALLED** ASHLAR
(THIS PAGE) **LVT PRODUCT** CRITERION CLASSIC WOODGRAINS **COLOR** C00108 MUSHROOM **INSTALLED** ASHLAR
LVT PRODUCT CRITERION CLASSIC WOEVENS **COLOR** C00302 TWINE **INSTALLED** MONOLITHIC

Specifications



Interface 3mm Criterion LVT was created with safety in mind for patients and caregivers. Superior static load performance mitigates musculoskeletal issues with ease of push/pull. As you move from nora by Interface premium rubber flooring to LVT, no transition strip enables ease of rolling loads and cleaning in support of infection control protocol.

Product Number	
Criterion Classic Woodgrains	C001
Criterion Classic Stones	C002
Criterion Classic Wovens	C003
Product Construction	Luxury Vinyl Tile
Class / ASTM F1700	Class III Printed Vinyl Plank
Wear Layer Thickness	22 mil
Total Thickness	3 mm
Backing Class	Commercial Grade
Finish	Ceramor™ Coating
Nominal Dimensions	
Criterion Classic Woodgrains	12.5 cm x 1 m (4.923 in x 39.38 in)
Criterion Classic Stones & Criterion Classic Wovens	50 cm x 50 cm (19.69 in x 19.69 in)
Indoor Air Quality	GREENGUARD Gold FloorScore® Certified CDPH 01350 Compliant
Environmental Certifications	NSF/ANSI 332 Silver
Carbon Offsets	Carbon Neutral Floors™
End of Life	Fully Recyclable LVT to Carpet Tile Backing
Installation Method	
Criterion Classic Woodgrains	Ashlar, Herringbone



www.interface.com

United States Headquarters

1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters

233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.52128

Brazilian Headquarters

Rua Surubim, 577 - Conjuntos
73/74 7o Andar
04571-050 - São Paulo - SP
+ 55 11 2196 0900

Latin American Headquarters

Montes Urales # 415 Piso 6
Col. Lomas de Chapultepec
México City, D.F. 11000
Mexico
+ 52 55 6395 5100

CIM# IFS00848 11/2019

Installation Method
Criterion Classic Stones &
Criterion Classic Wovens

Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn



All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see our full LVT product disclaimer @ interface.com.



Climate change is undeniable. And reversible. Our mission is to prove it.
Join the #ClimateTakeBack and help create a climate fit for life.