



# Free Wheeling

Lodestar

The Free Wheeling collection centers around the idea that we must free up our mind from the everyday stresses and chaos that we encounter. The gentle movement in Lodestar's patterns evoke a sense of calm and create an environment that allows us to relax, recharge, refocus and redirect. This affords us the clarity we need to drown out the noise and clutter of this fast-paced world.

Featuring large amounts of cut pile and heavy texture, Lodestar's patterns showcase two distinct finishes depending on orientation.





DURKAN



Lodestar 989 Excitement (over pile view)  
Cover: Lodestar 989 Excitement (into pile view), Molveno 905 Tin Lizzy





# Molveno

RIGID ENHANCED RESILIENT TILE

Enduring beauty and everyday brawn come together in Molveno enhanced resilient tile, a rigid core collection with realistic natural wood grain and industrial chic concrete aesthetics. Designed for the unique demands of hospitality, Molveno creates stunningly durable click installations with advanced waterproofing technology and superior dimensional stability. Molveno Stones exude a modern but natural touch in hospitality flooring using high definition visuals. Molveno Woods offer an embossed-in-register wood grain texture and subtle color play of warm and cool tones. Molveno's innovative attached pad also delivers the quietest guestroom experience in the industry.



## FEATURES

- 10 stunning wood colors and 5 modern stone colors
- Overall plank thickness at 6.2 mm w/ attached cushion
- Embossed in Register and wire brush texture wood visuals
- Waterproof – water or excessive moisture will not damage the floor
- 20 mil wear layer provides scratch and scuff resistance
- Installs over most existing hard surface flooring
- Superior dimensional stability
- No adhesive or underlayment required
- Immediate occupancy
- FloorScore® Certified



Molveno Woods 858 Warmstone, Molveno Stones 988 Cityscape

# Weldlok®

STANDARD PERFORMANCE BACKING

Weldlok® is Durkan's standard broadloom backing system specifically designed for commercial applications. The Weldlok backing is laminated to our products utilizing a commercial thermoset adhesive. This adhesive is designed to encapsulate and penetrate the carpet back stitch in the main application coat, while the second application coat secures the secondary backing to the carpet substrate for a cost effective performance standard.

## PERFORMANCE

- Standard backing specifically designed for commercial applications
- Excellent pattern match capabilities
- For use with direct glue or stretch in installations
- 10 year Limited Warranty
- Excellent choice for most commercial environments

## BUDGET


- Standard performance backing system for the most budget conscious projects

## SUSTAINABILITY

- Recyclable
- A minimum of 45% recycled content\*
- Certified Gold in accordance with NSF/ANSI 140
- CRI Green Label Plus certified
- May contribute to or comply with LEEDv4, Living Building Challenge and WELL Building Standard
- Declare Label, HPD and EPD information available
- Red List Free

## SERVICE

- Products available through Quickship offering (up to 2,000 square yards within 10 business days)



\*Recycled content claim third party verified by UL (Underwriters Laboratory)  
Total recycled content of the product style varies by backing type, face weight and fiber type

# Specifications

## Lodestar MH401

### DESIGN

Size	12' width (3.66m)
Surface Appearance	Level Patterned Cut & Loop
Fiber Type	Colorstrand® SD Nylon
Tufted Weight	32 oz/yd <sup>2</sup> (1,085 g/m <sup>2</sup> )
Dye Method	Solution Dyed
Pattern Repeat	36" (W) x 56.2" (L)
Colors Available	7

### PERFORMANCE

Construction	Tufted
Gauge	1/12" (47.00 rows per 10cm)
Stain Release Technology	Sentry Plus Stain Protection
Soil Release Technology	Sentry Soil Protection
Backing Material	Weldlok®
Flammability	ASTM E 648 - Class 1 (Glue Down)
Smoke Density	ASTM E 662 - Less than 450
Static Propensity	AATCC - 134 Under 3.5 KV

### SUSTAINABILITY

Certification	Declare Red List Free
Indoor Air Quality	Green Label Plus Certified #8216

### SERVICE

Warranties	Lifetime Limited Wear Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static
------------	---



Mohawk Group warrants its adhesives for the life of the original installation only when a Mohawk Group style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Group adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

**These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.**

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit [www.mohawkgroup.com](http://www.mohawkgroup.com)



877-3RE-CYCL



♻️ Produced with recycled materials

