



Digital Weave

COLLECTION

GLOBAL HAND

style 10506
color 00410

patcraft®

MODULAR
Digital Weave COLLECTION



ARTCLOTH
style 10505
color 00450

MODULAR

Digital Weave COLLECTION



MICRO-WEAVE

style 10507

color 00410

 Interdeco™

MODULAR

Digital Weave COLLECTION



MICRO-WEAVE

style 10507
color 00450

ARTCLOTH

style 10505
color 00450

MODULAR

Digital Weave COLLECTION

Interdeco™

MICRO-WEAVE

style 10507
colors 00410, 00450, 00496

Product Specifications | MODULAR

Artcloth

style **I0505**
 tile size **18" x 36" | 45.7 CM x 91.4 CM**

pile fiber & type **ECOSOLUTION Q® NYLON**
 tufted yarn weight (ASTM-D5848) **20 OZ. | 678.1 G/M²**
 dye method **100% SOLUTION DYED**
 gauge **1/12" | 47.2 PER 10 CM**
 stitches (ASTM-D5793-95) **11 PER INCH | 43 PER 10 CM**
 total thickness (ASTM-D6860) **.224" | 5.69 MM**
 density **6,000 | 12.27 KILOTEX**
 secondary backing **ECOWORX® TILE**

Global Hand

style **I0506**
 tile size **18" x 36" | 45.7 CM x 91.4 CM**

pile fiber & type **ECOSOLUTION Q® NYLON**
 tufted yarn weight (ASTM-D5848) **20 OZ. | 678.1 G/M²**
 dye method **100% SOLUTION DYED**
 gauge **1/12" | 47.2 PER 10 CM**
 stitches (ASTM-D5793-95) **11 PER INCH | 43 PER 10 CM**
 total thickness (ASTM-D6860) **.230" | 5.84 MM**
 density **6,792 | 12.27 KILOTEX**
 secondary backing **ECOWORX® TILE**

Micro-Weave

style **I0507**
 tile size **18" x 36" | 45.7 CM x 91.4 CM**

pile fiber & type **ECOSOLUTION Q® NYLON**
 tufted yarn weight (ASTM-D5848) **20 OZ. | 678.1 G/M²**
 dye method **100% SOLUTION DYED**
 gauge **1/12" | 47.2 PER 10 CM**
 stitches (ASTM-D5793-95) **11 PER INCH | 43 PER 10 CM**
 total thickness (ASTM-D6860) **.228" | 5.79 MM**
 density **7,129 | 12.27 KILOTEX**
 secondary backing **ECOWORX® TILE**

Recommended Installation Methods

