

Starfloor Click Collections

LUXURY VINYL TILES

The best
hassle-free,
modular
and stylish
flooring.

Interdeco

 **Tarkett**









TABLE OF CONTENTS

1. LUXURY VINYL TILES COLLECTIONS	4
2. TARKETT HUMAN-CONSCIOUS DESIGN™	6
3. HOW TO CLEAN LUXURY VINYL TILES	8
4. ROOMS RECOMMENDED	10
5. STARFLOOR CLICK 30/30PLUS	12
6. STARFLOOR CLICK SOLID 55/55PLUS	58
7. STARFLOOR CLICK ULTIMATE COLLECTIONS	104

LUXURY VINYL TILES COLLECTIONS

The Tarkett LVT offer has four different multilayered ranges, each one with its own unique features. All ranges are resilient flooring, durable, practical and easy to clean and install.

You can renovate your entire home or just one room, with all the furniture still in place. You can even install the flooring directly on your existing subfloor. Take a look at the table below for details.

 BENEFITS COLLECTIONS	DESIGNS	RESISTANCE	INSTALLATION OVER CERAMICS	DIMENSIONAL STABILITY	EASY TO CLEAN	ACOUSTIC	WITHSTANDS WATER*	PHTHALATE FREE	INDOOR AIR QUALITY	WEAR LAYER	THICKNESS	CLASS OF USE	PRICE
Starfloor Click 30	30	Standard	N/A	Standard From 10°C to 28°C	✓	3dB	✓	✓	Low VOC	0,30mm	4mm		€
Starfloor Click Solid 55	30	Medium	✓ Joints up to ≤4 mm wide & 2mm deep	Fibertech technology From 10 to 45°C	✓	5dB	✓	✓	Ultra Low VOC	0,55mm	5mm		€ €
Starfloor Click Ultimate 30	18	High	✓ Joints up to 6mm wide & 3mm deep	RCC technology From 10°C to 50°C	✓	18dB	✓	✓	Low VOC	0,30mm	5mm		€ €
Starfloor Click Ultimate 55	21		✓ Joints up to 8mm wide & 3mm deep	RCC technology From 10°C to 60°C		19dB		✓	Low VOC	0,55mm	6,5mm		€ € €

* Following Tarkett's installation instructions

TARKETT HUMAN-CONSCIOUS DESIGN™

Today, more than ever, home is where people spend a big part of their day.



People are looking for healthier and more modular spaces, where they feel relaxed and comfortable. They need a place where each family member can enjoy his or her own personal space. At Tarkett we strive to contribute to people's health and wellbeing by improving indoor air quality. We deliver on this through Human-Conscious Design™ which is our commitment to stand with present and future generations. To create spaces that are good for the people and for the planet. And to do it every day through 3 commitments:

- **Deep Human understanding**


Everything we do starts by understanding our customer's need for today and tomorrow. Our goal is to accompany and help them create their perfect home project, at the right value. By offering a complete choice of stylish and long-lasting flooring solutions, we aim to create a unique heaven of comfort, whatever the circumstances.

- **Conscious choices. For people and the planet**

When it comes to people and the planet, we don't consider one without the other. We deliver pioneering solutions that lead to healthier and more sustainable solutions at Home.

- **With you. Every step of the way**

Trust and dependability define our approach. We commit to the flawless execution of each and every space.



The technological advances in **digital printing**, used for some designs in Starfloor Click Solid 55, offer high definition scanning of real wood and ceramics, resulting in a less visible repetition.

This creates better design authenticity that can perfectly imitate almost any natural material, like wood, stone and tile.

Our LVT products offer a wide range of design options, so you can create a stylish and modular space that suits your lifestyle and that evokes a feeling of well-being when you enter a room. You can select random colours and patterns, mix and match different textures or choose from a range of surfaced finishes.



At Tarkett, we're passionate about healthier living. Today, we spend a lot of time at home learning, working, playing and relaxing. So offering high quality good materials and good indoor air quality can make a difference.

INDOOR AIR QUALITY

We commit to giving you healthier spaces for more indoor time.

Our LVT products showcase low to ultra low Volatile Organic Compound (VOC) emissions. But, what does this actually mean for you? To put it simply, this means that you made a conscious choice to choose a better flooring so that now the indoor air you breathe is clearer.

VOC levels of our LVT ranges are **10 to 100 times lower** than the strictest European regulations.

GOOD MATERIALS

We believe in and commit to only using good materials.

We demand to know all the material components we use in products so that we can give you full and unrivalled information on the impact they have on your health and the environment. Our Cradle to Cradle® certification – a how-to guide on choosing good materials – demonstrates our commitment to health and sustainability standards. Complete transparency from us, means peace of mind for you.

Our LVT collections are **100% phthalate-free.**

CIRCULAR ECONOMY

We are committed to creating a circular economy.

We aim to close the loop on waste, preserving natural resources and reducing the impact of climate change. Additionally, we maximize the recycled content in all our products and prioritize end-of-life recycling. We want to protect our planet today and for future generations.

Starfloor Click Solid 55/55Plus range contains **35% recycled materials.** Our LVT collections are 100% recyclable.



EASY TO CLEAN, MEANS EASY TO MAINTAIN

Today, people spend more time indoors with the development of home office and homeschooling. As a result, they are more concerned with having a clean home. This is why it has become even more important to use materials that are simple, fast & easy to maintain.

All our vinyl floors are coated with a special surface treatment (PUR) that makes them resistant to scratches or stains, and need little water for cleaning. Plus, this range is affordable when on a budget.



When applied regularly, these tips will help keep your floor looking as good as the day you laid it:



Daily: wipe or vacuum



Once a week or more: wipe the floor with a damp mop or a cloth moistened with warm water and a neutral detergent.



Whenever necessary: remove dust with a broom or vacuum cleaner to avoid dust and dirt build-up



ROOMS RECOMMENDED

Each collection has specific technical characteristics and offers unique benefits. Based on your unique style, technical needs and budget we can recommend the collection that best suits your personal home design project.




COLLECTIONS & BENEFITS	STARFLOOR CLICK 30	STARFLOOR CLICK SOLID 55	STARFLOOR CLICK ULTIMATE 30	STARFLOOR CLICK ULTIMATE 55
ROOMS				
Bedroom	✓	✓	✓	✓
Children room	✓	✓	✓	✓
Home office	✓	✓	✓	✓
Entrance/hallway		✓		✓
Living room		✓		✓
Kitchen		✓	✓	✓
Bathroom			✓	✓

STARFLOOR CLICK 30/30PLUS


Little hassle and low budget

If you're looking for a simple yet durable solution, for a small or bigger interior design project, Starfloor Click 30/30PLUS is what you need. This range brings choice, style and simplicity to your project, giving your unique taste and imagination a place to bloom.

The collection offers:



DESIGNS



INSTALLATION




Natural effects and textures that are engraved onto your planks to recreate a natural feel.



Simple and easy angle-to-angle click system that locks perfectly into place.

- ① Reinforced Polyurethane (PUR) Treatment Layer: simple and easy maintenance
- ② Transparent wear layer: high durability
- ③ Printed design layer: many design possibilities
- ④ PVC Core layer: dimensional stability and resistance
- ⑤ Angle-to-angle click system: ease of installation



INDOOR AIR QUALITY



STARFLOOR CLICK 30 COLLECTION

COUNTRY OAK

	Light Brown 36002000 18,3 x 122 cm
	Cold Grey 36002001 18,3 x 122 cm
	Light Beige 36002002 18,3 x 122 cm



CHARM OAK

	Snow 36002003 18,3 x 122 cm
	Cold Grey 36002004 18,3 x 122 cm
	Beige 36002005 18,3 x 122 cm



COSY OAK

	Beige 35998014 18,3 x 122 cm
	Brown 35998015 18,3 x 122 cm
	Grey 35998016 18,3 x 122 cm



CERUSED OAK

	Beige 35998005 18,3 x 122 cm
	Brown 35998006 18,3 x 122 cm


SMOKED OAK

	Light Grey 35998007 18,3 x 122 cm
	Dark Grey 35998008 18,3 x 122 cm

SCANDINAVIAN WOOD

	Beige 35998012 18,3 x 122 cm
	White 35998013 18,3 x 122 cm

COLORED PINE

	Grey 35998002 18,3 x 122 cm
---	--

BEECH

	Natural 35998010 18,3 x 122 cm
---	---

SOFT OAK

	Natural 35998011 18,3 x 122 cm
---	---



WASHED PINE

	Snow 35998003 18,3 x 122 cm
---	--

TEAK

	Natural 35998009 18,3 x 122 cm
---	---

PUZZLE

	Light Blue 36001006 31 x 60,05 cm
	Grey 36001007 31 x 60,05 cm

SLATE

	Grey 35994005 31 x 60,3 cm
	Anthracite 35994006 31 x 60,3 cm


CUBE 3D

	Grey 36001005 31 x 60,05 cm
---	--

RETRO

	Grey Beige 36001004 31 x 60,05 cm
	Black White 36001001 31 x 60,05 cm
	Orange Blue 36001003 31 x 60,05 cm
	Indigo 36001002 31 x 60,05 cm

SCRATCHED METAL

	Grey 35994004 31 x 60,3 cm
---	---

COUNTRY OAK

The Country Oak, with its registered embossing, is a traditional and classic wood. Its timeless elegance is reassuring.



COUNTRY OAK
Light Beige

Dimensions:
18,3 x 122 cm

EXTREME
PROTECTION

15
years
GUARANTEE
RESIDENTIAL
USE

4V

4 sides beveled
4V, standard

LIGHT BROWN
36002000
Corresponding skirting 26640786



COLD GREY
36002001
Corresponding skirting 26640787



LIGHT BEIGE
36002002
Corresponding skirting 26640788



*Minimum Order
Quantity

COUNTRY OAK
LIGHT BROWN
36002000

Scale 1:2



Scale 1:6

COUNTRY OAK
LIGHT BEIGE
36002002

Scale 1:2



Scale 1:6

COUNTRY OAK
COLD GREY
36002001

Scale 1:2



Scale 1:6

CHARM OAK

The Charm Oak is a classic and charming limed wood. Its embossed in register surface brings extra authenticity and its delicate style adds softness and wellness in interiors.



CHARM OAK
Cold Grey

Dimensions:
18,3 x 122 cm

EXTREME
PROTECTION

15
years
GUARANTEE
RESIDENTIAL
USE

4V

4 sides beveled
4V, standard

SNOW
36002003
Corresponding skirting 26640789



COLD GREY
36002004
Corresponding skirting 26640790



BEIGE
36002005
Corresponding skirting 26640791



CHARM OAK
BEIGE
36002005




Scale 1:6

CHARM OAK
SNOW
36002003



Scale 1:6

CHARM OAK
COLD GREY
36002004



Scale 1:6


PUZZLE

The Puzzle is a relooking of the traditional cement tiles. The patterns play with the geometric and triangular shapes, in a pastel of blue and grey.




PUZZLE
Light Blue

LIGHT BLUE
36001006
Corresponding skirting 26640796



GREY
36001007
Corresponding skirting 26640797



**EXTREME
PROTECTION**

**15 years
GUARANTEE
RESIDENTIAL
USE**

4V

4 sides beveled
4V, standard

Dimensions:
31 x 60,05 cm

PUZZLE
LIGHT BLUE
36001006

Scale 1:2



Scale 1:6

PUZZLE
GREY
36001007

Scale 1:2



Scale 1:6

COSY OAK

The Cosy Oak is a balance between a traditional, rustic and trendy wood. This will bring a warm atmosphere in your home.



COSY OAK
Beige

Dimensions:
18,3 x 122 cm

EXTREME
PROTECTION

15
years
GUARANTEE
RESIDENTIAL
USE

4V

4 sides beveled
4V, standard

BEIGE
35998014
Corresponding skirting 26640792



BROWN
35998015
Corresponding skirting 26640793



GREY
35998016
Corresponding skirting 26640794



COSY OAK
BEIGE
35998014

Scale 1:2



Scale 1:6

COSY OAK
GREY
35998016

Scale 1:2



Scale 1:6

COSY OAK
BROWN
35998015

Scale 1:2



Scale 1:6

SLATE

The Slate is an authentic and natural stone. It creates a traditional ambiance in your interior.



SLATE
Anthracite

GREY
35994005
Corresponding skirting 26640784



ANTHRACITE
35994006
Corresponding skirting 26640785



**EXTREME
PROTECTION**

**15 years
GUARANTEE
RESIDENTIAL
USE**

4V

4 sides beveled
4V, standard

Dimensions:
31 x 60,3 cm

**SLATE
GREY**
35994005

Scale 1:2



Scale 1:6

**SLATE
ANTHRACITE**
35994006

Scale 1:2



Scale 1:6

RETRO

The Retro is a patchwork of vintage cement tiles. It follows the trend by mixing the traditional patterns. It adds a bohemian and creative style.



RETRO
Black White

EXTREME
PROTECTION

15
years
GUARANTEE
RESIDENTIAL
USE

4V

4 sides beveled
4V, standard

Dimensions:
31 x 60,05 cm

BLACK WHITE
36001001
Corresponding skirting 26640730



INDIGO
36001002
Corresponding skirting 26640729



ORANGE BLUE
36001003
Corresponding skirting 26640731



GREY BEIGE
36001004
Corresponding skirting 26640783



RETRO
GREY BEIGE
36001004



Scale 1:6

Scale 1:2



RETRO
ORANGE BLUE
36001003



Scale 1:6

Scale 1:2



RETRO
BLACK WHITE
36001001



Scale 1:6

Scale 1:2



RETRO
INDIGO
36001002



Scale 1:6

Scale 1:2



CERUSED OAK

The Cerused Oak is a trendy lightwood. The variations of colors in the planks play with the contrasts and create a realistic effect.

This design offers a lively range of colors and structures. Several planks within a box can therefore differ greatly.



CERUSED OAK
Brown

CERUSED OAK
BEIGE
35998005

Scale 1:2



Scale 1:6

CERUSED OAK
BROWN
35998006

Scale 1:2



Scale 1:6

BEIGE
35998005
Corresponding skirting 26640707



BROWN
35998006
Corresponding skirting 26640708



4 sides beveled
4V, standard

Dimensions:
18,3 x 122 cm

SMOKED OAK

Smoked Oak is an authentic wood with cracks and saw effects. Its look will add personality to any room in your house.



SMOKED OAK
Dark Grey

LIGHT GREY
35998007
Corresponding skirting 26640710



DARK GREY
35998008
Corresponding skirting 26640711



**EXTREME
PROTECTION**

**15 years
GUARANTEE
RESIDENTIAL
USE**


4V

4 sides beveled
4V, standard

Dimensions:
18,3 x 122 cm

**SMOKED OAK
LIGHT GREY**
35998007

Scale 1:2




Scale 1:6



**SMOKED OAK
DARK GREY**
35998008

Scale 1:2



Scale 1:6



Interdeco

STARFLOOR CLICK
30/30PLUS

SCANDINAVIAN WOOD

The Scandinavian style plays with the omnipresence of white in combination with clean lines and soft materials. It creates a sense of warmth, light and wellbeing.



SCANDINAVIAN WOOD
White

BEIGE
35998012
Corresponding skirting 26640734



WHITE
35998013
Corresponding skirting 26640735



**EXTREME
PROTECTION**

**15 years
GUARANTEE
RESIDENTIAL
USE**

4V

4 sides beveled
4V, standard

Dimensions:
18,3 x 122 cm

SCANDINAVIAN WOOD
BEIGE
35998012

Scale 1:2




Scale 1:6



SCANDINAVIAN WOOD
WHITE
35998013

Scale 1:2



Scale 1:6



CUBE 3D

The Cube 3D is inspired by the traditional pattern in the cement tile. It creates a graphic and optical effect. Its style is modern and timeless in a cameo of grey.



CUBE 3D
White

GREY
36001005
Corresponding skirting 26640795



EXTREME
PROTECTION


15 years
GUARANTEE
RESIDENTIAL
USE

4V

4 sides beveled
4V, standard

Dimensions:
31 x 60,05 cm

CUBE 3D
GREY
36001005



Scale 1:2



Scale 1:6


COLORED PINE

The colored Pine is an original painted wood. It adds a colored and trendy touch to your decoration.



COLORED PINE
Grey

GREY
35998002
Corresponding skirting 26640802



EXTREME
PROTECTION

15 years
GUARANTEE
RESIDENTIAL
USE

4V

4 sides beveled
4V, standard

Dimensions:
18,3 x 122 cm

COLORED PINE
GREY
35998002

Scale 1:2



Scale 1:6



WASHED PINE

The Washed Pine is a vintage wood. Its light painting and patinas create a soft and authentic effect.



WASHED PINE
Snow

SNOW
35998003
Corresponding skirting 26640702



EXTREME
PROTECTION

15 years
GUARANTEE
RESIDENTIAL
USE

4V

4 sides beveled
4V, standard

Dimensions:
18,3 x 122 cm

WASHED PINE
SNOW
35998003



Scale 1:6

Interdeco

STARFLOOR CLICK
30/30PLUS

TEAK

The Teak adds a warm and exotic touch.



TEAK
Natural

NATURAL
35998009
Corresponding skirting 26640713



EXTREME
PROTECTION

15 years
GUARANTEE
RESIDENTIAL
USE

4V

4 sides beveled
4V, standard

Dimensions:
18,3 x 122 cm

TEAK
NATURAL
35998009



Scale 1:2



Scale 1:6

BEECH

The classic beech, in a natural color, is a timeless wood. It will be in harmony with all styles.



BEECH
Natural

NATURAL
35998010
Corresponding skirting 26640714



EXTREME
PROTECTION

15 years
GUARANTEE
RESIDENTIAL
USE

4V

4 sides beveled
4V, standard

Dimensions:
18,3 x 122 cm

BEECH
NATURAL
35998010

Scale 1:2



Scale 1:6

SOFT OAK

The Soft Oak is an elegant and easy wood. It creates a timeless ambiance.



SOFT OAK
Natural

NATURAL
35998011
Corresponding skirting 26640715



EXTREME
PROTECTION

15 years
GUARANTEE
RESIDENTIAL
USE

4V

4 sides beveled
4V, standard

Dimensions:
18,3 x 122 cm

SOFT OAK
NATURAL
35998011

Scale 1:2



Scale 1:6

SCRATCHED METAL

The trends like to rewrite histories by mixing the styles and recycled objects and materials. The Scratched Metal, old looking metal, with cracks and patinas is inspired by the industrial style.



SCRATCHED METAL
Grey

GREY
35994004
Corresponding skirting 26640728



Dimensions:
31 x 60,3 cm

EXTREME
PROTECTION

15
years
GUARANTEE
RESIDENTIAL
USE

4V

4 sides beveled
4V, standard

SCRATCHED METAL
GREY
35994004

Scale 1:2



Scale 1:6



TECHNICAL DATASHEET

CLASSIFICATION	STANDARD	STARFLOOR CLICK 30
Classification	EN ISO 10582	Heterogeneous Compact Resilient Floorcovering
	EN ISO 10874	Residential: 23 - Commercial: 31
Wear layer binder content	EN ISO 10582	Type I

TECHNICAL CHARACTERISTICS		
Total thickness	EN ISO 24346	4.0 mm
Total weight	ISO 29997-EN430	7,4 kg/m ²
Wear layer thickness	EN ISO 24340	0.30 mm
Locking system		Click
Bevelled edges		Microbevels
Surface treatment (PUR)		Extreme®
Material group - Form of delivery	ISO 24342	35998 - 122 x 18.3 cm = 9 planks/box = 2,01m ² /box 36001 - 60.05 x 31 cm = 9 tiles/box = 1,68 m ² /box 35994 - 60.3 x 31 cm = 9 tiles/box = 1,68m ² /box

PERFORMANCES FOR CE MARKING REQUIREMENTS (EN 14041)		
Declaration of Performance	EN 14041	0131-0035-DoP-2013-07
Reaction to fire	EN ISO 13501-1	B _{fl} -s1 loose laid on concrete and on wood
Electrostatic properties	EN 1815 / EN 1081	<2 kV on concrete / > 10 ⁹ Ohm
Thermal resistance	EN ISO 10456	0.03 m ² K/W
Slip resistance	EN 13893	μ ≥ 0.3

TECHNICAL PERFORMANCES		
Dimensional stability	EN ISO 23999	≤ 0.10%
Impact sound reduction	EN ISO 717-2	ΔL _w 3 dB
Tarkomfort premium combined with Starfloor Click 30	EN ISO 717-2	ΔL _w = 19 db with Starfloor Click 30
Slip resistance	DIN 51130	R9 / R10 depending on embossing
Furniture leg	EN 424	No damage
Castor chair	ISO 4918 - EN 425	No damage
Curl resistant to heat	EN ISO 23999	≤ 2 mm
Light fastness	EN ISO 105-B02 (method 3a)	≥ 6
Residual indentation	EN ISO 24343-1	≤ 0.08 mm
Chemical resistance	EN ISO 26987	Very good
Underfloor heating		Suitable – max. 27°C
Peeling resistance	EN ISO 24345	≥ 50N / 50mm

ENVIRONMENTAL PERFORMANCES		
Total VOC emissions	ISO 16000-9	≤ 100 μg/m ³ (after 28 days)
Recyclable		100%
Plasticizer		Phthalate-free technology


The above information is subject to modification for the benefit of further improvement. (10/20).
According to the European Regulation N° 305/2011 for CE Marking, the Declarations of Performance are available on our website www.tarkett.com
Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

CUSTOMS TARIFF : 4820 5000




STARFLOOR CLICK SOLID 55/55 PLUS


Resistant and modern, modular solutions



7 NEW DESIGNS



This range showcases **7 new modern designs created** with natural materials, among a select range of natural looking colours and highly realistic looks, to help you choose any room's ambiance, anywhere in the house.



INSTALLATION



This collection has a push-down click system that enables an easy and fast installation with few tools only. A perfect solution for a quick renovation.



DIGITAL PRINTING

3 of the new designs were created using digital printing, which is a technology that mimics raw materials and recreates an extremely authentic look and feel, with little visible repetition.



PLUS EFFECT

The PLUS effect or the natural effects and textures are engraved onto your planks to recreate the material's organic feel.



MATT FINISH

The Extra Matt Finish reinforces the authentic beauty of a room's ambiance.




Easy and fast installation thanks to the easy and fast click



Can be installed over ceramics with joints up to $\leq 4\text{mm}$ and 2mm depth.

- ① Reinforced Polyurethane (PUR) Treatment Layer: simple and easy maintenance
- ② Transparent wear layer: high durability
- ③ Printed design layer: many design possibilities
- ④ PVC Core layer: dimensional stability and resistance
- ⑤ Push down click system: ease of installation



RESISTANCE



The collection is made to resist stains from food, scuff marks, heel dents, pets' muddy paws, temperature oscillations, and other small encounters with daily life.



HUMAN CONSCIOUS



We do our best to create flooring that contributes to your well-being and a healthier indoor space, so you can feel outdoor air quality, in your home.



This vinyl collection is now more rigid, resulting in an extra solid flooring.



Fibertech technology achieves good dimensional stability and allows for installation in rooms where there is no extreme variations in temperature.*



Can be installed on floor heating.



We want to preserve the planet for the next generation, so we limit our carbon emissions by reducing our transportation footprint.



* Provided Tarkett installation instructions are fully complied with. Based on Tarkett own criteria.

STARFLOOR CLICK 55 SOLID COLLECTION

HIGHLAND OAK *Colours coordinated with Starfloor Click Ultimate 55*

NEW	Light Natural 36020001 19,05 x 121,1 cm
NEW	Natural 36020002 19,05 x 121,1 cm
NEW	Taupe 36020003 19,05 x 121,1 cm

DELICATE OAK *Colours coordinated with Starfloor Click Ultimate 55*

NEW	Natural 36020004 19,05 x 121,1 cm
NEW	Chesnut 36020005 19,05 x 121,1 cm
NEW	Brown 36020006 19,05 x 121,1 cm

PATINA ASH

NEW	Warm Natural 36021160 19,05 x 121,1 cm
------------	---

ALPINE OAK

NEW	Warm Natural 36021180 19,05 x 121,1 cm
------------	---

VALENCIA

NEW	Anthracite 36022002 32,38 x 60,1 cm
------------	--

LUNI

NEW	White 36023001 49,05 x 99,1 cm
------------	---

VENEZO

NEW	Fresh 36022001 32,38 x 60,1 cm
------------	---

SCANDINAVIAN OAK

Medium Grey 36021104 19,05 x 121,1 cm	Light Beige 36021100 19,05 x 121,1 cm
Dark Grey 36021105 19,05 x 121,1 cm	Medium Beige 36021101 19,05 x 121,1 cm

CONTEMPORARY OAK

Brown 36024112 24,05 x 149,1 cm
Natural 36024111 24,05 x 149,1 cm

ENGLISH OAK

Beige 36021024 19,05 x 121,1 cm	Natural 36021027 19,05 x 121,1 cm
Grey Beige 36021029 19,05 x 121,1 cm	Light Beige 36021028 19,05 x 121,1 cm

MODERN OAK

White 36021144 19,05 x 121,1 cm
Classical 36021146 19,05 x 121,1 cm
Beige 36021145 19,05 x 121,1 cm

ANTIK OAK

White 36024133 24,05 x 149,1 cm
Anthracite 36024007 24,05 x 149,1 cm

COMPOSITE

Black 36022074 32,38 x 60,1 cm	Cool Grey 36022073 32,38 x 60,1 cm
---	---

VINTAGE ZINC

Black 36022094 32,38 x 60,1 cm	Silver 36022096 32,38 x 60,1 cm
---	--

HIGHLAND OAK

An elegant and contemporary wood, available in different, natural colours and hues that highlight its big 'cathedrales', its distinctive patterns. Its refined, delicate and timeless design make it easy to pair with a concrete or stone flooring.

Colours coordinated with Starfloor Click Ultimate 55



HIGHLAND OAK
Natural



Dimensions:
19,05 x 121,1 cm



No bevel,
0V, with MOQ
of 6 pallets



2 sides beveled
2V, with MOQ
of 6 pallets



4 sides beveled
4V, standard

LIGHT NATURAL

36020001
Corresponding skirting 26646135



NATURAL

36020002
Corresponding skirting 26646136




TAUPE

36020003
Corresponding skirting 26646137



HIGHLAND OAK
LIGHT NATURAL
36020001

Scale 1:2



Scale 1:6

HIGHLAND OAK
TAUPE
36020003

Scale 1:2



Scale 1:6

HIGHLAND OAK
NATURAL
36020002

Scale 1:2



Scale 1:6

DELICATE OAK

A chic country wood, Delicate Oak was chosen for its rustic and authentic traits. This wood brings out your bohemian spirit that sometimes enjoys a touch of modernity. Its comfortable and cozy feel creates a cocoon-like atmosphere where you can take a break and breathe.

Colours coordinated with Starfloor Click Ultimate 55



DELICATE OAK
Brown

EXTREME
PROTECTION

20 years
GUARANTEE
RESIDENTIAL
USE

Dimensions:
19,05 x 121,1 cm



No bevel,
0V, with MOQ
of 6 pallets



2 sides beveled
2V, with MOQ
of 6 pallets



4 sides beveled
4V, standard


NATURAL
36020004
Corresponding skirting 26646138




CHESNUT
36020005
Corresponding skirting 26646139



BROWN
36020006
Corresponding skirting 26646140



DELICATE OAK
NATURAL
36020004




Scale 1:6

DELICATE OAK
CHESNUT
36020005



Scale 1:6

DELICATE OAK
BROWN
36020006



Scale 1:6

PATINA ASH

As a perfect example of a calm, linear wood structure the Patina Ash comes without any knots which is creating a very subtle and calm ambiance for all living spaces. It can be paired with any other design, because of its sleek and smooth appearance.



PATINA ASH
Warm Natural

WARM NATURAL
36021160
Corresponding skirting 26646185

EXTREME
PROTECTION

20 years
GUARANTEE
RESIDENTIAL
USE

Dimensions:
19,05 x 121,1 cm



No bevel,
0V, with MOQ
of 6 pallets



2 sides beveled
2V, with MOQ
of 6 pallets



4 sides beveled
4V, standard



PATINA ASH
WARM NATURAL
36021160

Scale 1:2



Scale 1:6

ALPINE OAK

A carefully selected rustic but classic oak with tiny cracks and well-balanced knots. A true elegant design which is creating a modern yet authentic look. It is a good combination with mineral designs, as long as it has a rustic or contemporary look to it.



ALPINE OAK
Warm Natural

WARM NATURAL
36021180
Corresponding skirting 26646186

EXTREME
PROTECTION

20 years
GUARANTEE
RESIDENTIAL
USE

Dimensions:
19,05 x 121,1 cm



No bevel,
0V, with MOQ
of 6 pallets



2 sides beveled
2V, with MOQ
of 6 pallets



4 sides beveled
4V, standard



ALPINE OAK
WARM NATURAL
36021180



Scale 1:2



Scale 1:6

VALENCIA

Valencia was designed as an allover flooring with an easy and random cut. A classic colour with tone-on-tone designs gives it a very balanced and homogenous look. The cement tile and random effect of the design, gives it a nice finishing touch.



VALENCIA
Natural

ANTHRACITE
36022002
Corresponding skirting 26646145

EXTREME
PROTECTION

20 years
GUARANTEE
RESIDENTIAL
USE

Dimensions:
32,38 x 60,1 cm




No bevel,
0V, with MOQ
of 6 pallets



2 sides beveled
2V, with MOQ
of 6 pallets



4 sides beveled
4V, standard



VALENCIA
ANTHRACITE
36022002

Scale 1:2



Scale 1:6



LUNI

Marble is back and trendier than ever. A delicate, rare and elegant material, it's the future star of your home. Marble is no longer only found in luxurious hotels or museums, but in your interior as well.



LUNI
White

WHITE
36023001
Corresponding skirting 26646144

**EXTREME
PROTECTION**

**20
years
GUARANTEE
RESIDENTIAL
USE**

Dimensions:
49,05 x 99,1 cm



No bevel,
0V, with MOQ
of 6 pallets




2 sides beveled
2V, with MOQ
of 6 pallets



4 sides beveled
4V, standard




LUNI
WHITE
36023001



Scale 1:2

Scale 1:6



Interdeco

STARFLOOR CLICK
SOLID 55/55PLUS

VENEZO

Terrazzo is now everywhere! We see it on the floors and ceilings, and all types of accessories. It can be playful, somber or rustic and can be found anywhere in the house. This look has been designed very delicately in order create a simple and soft result. Its multicolored surface can be paired with any other flooring.



VENEZO
Fresh

FRESH
36022001
Corresponding skirting 26646143

EXTREME
PROTECTION

20 years
GUARANTEE
RESIDENTIAL
USE

Dimensions:
32,38 x 60,1 cm




No bevel,
0V, with MOQ
of 6 pallets




2 sides beveled
2V, with MOQ
of 6 pallets



4 sides beveled
4V, standard



VENEZO
FRESH
36022001



Scale 1:6

Interdeco

STARFLOOR CLICK
SOLID 55/55PLUS

SCANDINAVIAN OAK

Wide grains with the touch of white oiling and a colour range of warm beige and cold grey shades are representing the nordic decoration style.

The colour shades are paying attention to this Scandinavian appearance.



SCANDINAVIAN OAK
Medium Beige



Dimensions:
19,05 x 121,1 cm



No bevel,
0V, with MOQ
of 6 pallets



2 sides beveled
2V, with MOQ
of 6 pallets



4 sides beveled
4V, standard

MEDIUM GREY

36021104
Corresponding skirting 26646015



DARK GREY

36021105
Corresponding skirting 26646016



LIGHT BEIGE

36021100
Corresponding skirting 26646132



MEDIUM BEIGE

36021101
Corresponding skirting 26646017



SCANDINAVIAN OAK
MEDIUM GREY
36021104

Scale 1:2



Scale 1:6

SCANDINAVIAN OAK
LIGHT BEIGE
36021100

Scale 1:2



Scale 1:6

SCANDINAVIAN OAK
DARK GREY
36021105

Scale 1:2



Scale 1:6

SCANDINAVIAN OAK
MEDIUM BEIGE
36021101

Scale 1:2



Scale 1:6

CONTEMPORARY OAK

Beautiful balanced and a perfect stage for timeless interiors. With subtle gradients from light to dark inside the plank, this design is creating beautiful soft waves on the floor. Small details, which are never too obvious are completing this state-of-the-art design.



CONTEMPORARY OAK
Natural

BROWN
36024112
Corresponding skirting 26646133

EXTREME
PROTECTION

20
years
GUARANTEE
RESIDENTIAL
USE

Dimensions:
24,05 x 149,1 cm



No bevel,
0V, with MOQ
of 6 pallets



2 sides beveled
2V, with MOQ
of 6 pallets



4 sides beveled
4V, standard



NATURAL
36024111
Corresponding skirting 26646020



CONTEMPORARY OAK
BROWN
36024112

Scale 1:2



Scale 1:6

CONTEMPORARY OAK
NATURAL
36024111

Scale 1:2



Scale 1:6

Interdeco

STARFLOOR CLICK
SOLID 55/55PLUS

ENGLISH OAK

A noble oak pattern with a rustic touch.

English Oak is working very well with design codes around country living and the simplicity of raw ambiances with added patina.



ENGLISH OAK
Natural

**EXTREME
PROTECTION**

**20
years
GUARANTEE
RESIDENTIAL
USE**

Dimensions:
19,05 x 121,1 cm



No bevel,
0V, with MOQ
of 6 pallets



2 sides beveled
2V, with MOQ
of 6 pallets



4 sides beveled
4V, standard

BEIGE
36021024
Corresponding skirting 26646127



GREY BEIGE
36021029
Corresponding skirting 26646012



NATURAL
36021027
Corresponding skirting 26646011



LIGHT BEIGE
36021028
Corresponding skirting 26646128



ENGLISH OAK
BEIGE
36021024

Scale 1:2



Scale 1:6

ENGLISH OAK
NATURAL
36021027

Scale 1:2



Scale 1:6

ENGLISH OAK
GREY BEIGE
36021029

Scale 1:2



Scale 1:6

ENGLISH OAK
LIGHT BEIGE
36021028

Scale 1:2




Scale 1:6

MODERN OAK

Classic pattern which is as timeless as the colour range. Modern Oak is fitting every demand and lifestyle.

The natural surface structure provides a natural feel and touch and is adding serenity to every interior.



MODERN OAK
Beige



Dimensions:
19,05 x 121,1 cm



No bevel,
0V, with MOQ
of 6 pallets



2 sides beveled
2V, with MOQ
of 6 pallets



4 sides beveled
4V, standard

WHITE
36021144
Corresponding skirting 26646129



CLASSICAL
36021146
Corresponding skirting 26646131



BEIGE
36021145
Corresponding skirting 26646130



MODERN OAK
WHITE
36021144

Scale 1:2



Scale 1:6

MODERN OAK
BEIGE
36021145

Scale 1:2



Scale 1:6

MODERN OAK
CLASSICAL
36021146

Scale 1:2



Scale 1:6

ANTIK OAK

Vintage but modern. This design is following the trend of finding back materials from the past and turning them into new classic. Subtle sawmarks are underlining this timeless oak pattern to create ambiance which never go out of style.



ANTIK OAK
White




ANTIK OAK
WHITE
36024133

Scale 1:2

Scale 1:6

Interdeco



ANTIK OAK
ANTHRACITE
36024007

Scale 1:2

Scale 1:6

STARFLOOR CLICK
SOLID 55/55PLUS

EXTREME
PROTECTION

20
years
GUARANTEE
RESIDENTIAL
USE

Dimensions:
24,05 x 149,1 cm



No bevel,
0V, with MOQ
of 6 pallets



2 sides beveled
2V, with MOQ
of 6 pallets




4 sides beveled
4V, standard

WHITE
36024133
Corresponding skirting 26646126




ANTHRACITE
36024007
Corresponding skirting 26646125



COMPOSITE



Perfect for minimalistic and industrial interiors with high contrast. Small scratches and cracks are making this decor look very natural. This decor is also a perfect fit with raw wood or metals.




COMPOSITE
Cool Grey

BLACK
36022074
Corresponding skirting 26646134



COOL GREY
36022073
Corresponding skirting 26646014



No bevel,
0V, with MOQ
of 6 pallets




2 sides beveled
2V, with MOQ
of 6 pallets



4 sides beveled
4V, standard

Dimensions:
32,38 x 60,1 cm

COMPOSITE
BLACK
36022074



Scale 1:6




Scale 1:2



COMPOSITE
COOL GREY
36022073



Scale 1:6



Scale 1:2



VINTAGE ZINC

This classic metal design is adding a vintage look to every space without being superficial. The colours are inspired by the natural patina of metals with marks of wear and tear.



VINTAGE ZINC
Black

VINTAGE ZINC
BLACK
36022094

Scale 1:2



Scale 1:6


VINTAGE ZINC
SILVER
36022096

Scale 1:2



Scale 1:6

BLACK
36022094
Corresponding skirting 26646003



SILVER
36022096
Corresponding skirting 26646002



EXTREME
PROTECTION

20 years
GUARANTEE
RESIDENTIAL
USE

Dimensions:
32,38 x 60,1 cm



No bevel,
0V, with MOQ
of 6 pallets



2 sides beveled
2V, with MOQ
of 6 pallets



4 sides beveled
4V, standard



TECHNICAL DATASHEET

Certification & classification	Standards	Starfloor Click Solid 55
Type of floor covering	EN ISO 10582	Heterogeneous Compact Resilient Floorcovering
Classification	EN ISO 10874	Domestic: 23 Commercial: 33
Technical characteristics		
Total thickness	EN ISO 24346	5.0mm
Wear layer thickness	EN ISO 24340	0.55 mm
Total weight	EN ISO 23997	8850 g/m ²
Wear layer binder content	EN ISO 10582	Type I
Dimensions	EN ISO 24342	Planks 121,1 x 19,05cm = 7/box = 1,61m ² /box 149,1 x 24,05cm = 4/box = 1,43m ² /box
		Tiles 60,1x32,38cm = 8/box = 1,56m ² /box 99,1x49,05cm = 3/box = 1,46m ² /box
Surface treatment (PUR)	-	Topcoat PU
High definition Digitally Printed	-	Yes on Starfloor Click Solid 55 DP references
Embossing in Register	-	Yes on Starfloor Click Solid 55 EIR references
Technical performances		
Dimensional stability standard value	EN ISO 23999	≤ 0,15 %
Dimensional stability average measured value	EN ISO 23999	0,10%
Curl resultant to heat	EN ISO 23999	≤ 1 mm
Reaction to fire	EN 13501-1	Bfl-s1 loose laid over concrete substrate
Residual indentation	EN ISO 24343-1	≤ 0,10 mm
Furniture leg	EN 424	No damage
Castor chair	ISO 4918 - EN 425	No damage
Impact sound reduction	EN ISO 717-2	ΔLw = 5 dB
Reduction of in-room impact noise	EN ISO 31-074	Class C (Ln,e,w < 85 dB)
Thermal resistance	EN ISO 10456	0,05 m ² K/W
Light fastness	EN ISO 105-B02 (method 3a)	≥ 6
Chemical resistance	EN ISO 26987	Not affected (0)
Slip resistance	DIN 51130 EN 13893	R9 / R10 depending on embossing μ ≥ 0,30
Peeling resistance	EN ISO 24345	≥ 50N / 50mm
Underfloor heating	-	Suitable - max. 27 °C
Environmental TAG		
VOC emission	ISO 16000-9	≤ 10µg/m ³
Recycled content	-	35%
Recyclable	-	100%
Plasticizer	-	Phthalate-free
CE Marking		
DoP number	-	No 0197- 0010-DoP-2021-02

According to the European Regulation N° 305/2011 for CE Marking, the Declaration of Performance n° 0197- 0010-DoP-2021-02 is available on our website www.tarkett.com
Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

CUSTOMS TARIFF : 4820 5000 00

TARKETT SUSTAINABILITY TAG

100 % Recyclable

PHTHALATE FREE

Optimal Indoor Air Quality
*TVOC AT 28 DAYS

23

33

EXTREME PROTECTION

20 years GUARANTEE RESIDENTIAL USE

European classification EN ISO 10582: 2018

Accessories for STARFLOOR CLICK 30/30PLUS...



UNDERLAYER - FAST-TRACK RENOVATION SYSTEMS



MARATHON® DUAL

- The ready-to-use solution for renovating over an existing subfloor
- Superior performance
- Easy to install and remove

DESCRIPTION

- **Material:** MDF and coniferous woods
- **Density:** 240kg per m³
- **Total thickness:** 6mm
- **Article code:** 24993020
- **Size:** L0.79 x W0.56 m



TARKOMFORT PRO

- Powerful acoustic insulation, reducing both impact sound and in-room noise (13dB).
- Enhanced durability thanks to its high-density, heavy-duty composition (1,500g per m²).
- Simple to install solution with woven anti-slip surface to grip floor covering.

DESCRIPTION

- **Material:** siliconised PET carrier film with high-resistance polyurethane layer and non-woven white fleece backing
- **Total weight:** 1.500g per m²
- **Total thickness:** 1.5mm
- **Article code:** 2499 2020
- **Compatible with:** LVT click (planks and tiles)
- **Size:** L10 x W1 m



...and STARFLOOR CLICK SOLID 55/55PLUS


TRANSITION PROFILES



LVT TRANSITION STRIP GENERAL TRAFFIC

Aluminium transition strip for LVT Click & Loose-Lay used in general traffic areas.
To be screwed.
Elegant finish with smooth surface and no visual screws.
Bendable with radius 60 cm.

- **Size:** 24 mm wide x 6 mm high x 2700 mm long
- **Packaging:** full kit including top profiles and dowls.
10 units of 2,7lm in a cardboard box = 27 lm




Silver NCS.S 2500-N	1451 021
Stainless steel NCS.S 6005-Y20R	1451 022



LVT BENDABLE STOP PROFILE


Aluminium stop profile to be screwed.
Very resistant to wear & traffic
Ribbed surface for slip-resistance
Bendable with radius 80cm

- **Size:** 30 mm wide x 5 mm high inside x 8 mm high outside 30 mm high x 2500 mm long
- **Packaging:** full kit including stop profiles, screws and dowls.
10 units of 2,5lm in a cardboard box = 25 lm



Silver NCS.S 2500-N	1456 011
Stainless steel NCS.S 6005-Y20R	1456 012


SKIRTINGS



PVC DECORATIVE SKIRTING

Compact skirting with decorative film and PUR surface treatment.
Perfectly match all Starfloor Click 55 designs.

- **Packaging:** 195cm x 6cm in packs of 6



STARFLOOR CLICK ULTIMATE 30 & 55


The ultimate, all-proof flooring, for all circumstances



ULTIMATE RESISTANCE



Starfloor Click Ultimate flooring is made to handle life's daily events, wherever they occur—bedrooms, bathrooms, living rooms.



ULTIMATE INSTALLATION



Starfloor Click Ultimate 30 and 55 can be installed step-by-step, directly over ceramic tiles (with joints up to 6mm wide for Starfloor Click Ultimate 30 and up to 8mm for Starfloor Click Ultimate 55).



Stable and strong thanks to its enhanced and improved Rigid-Core Construction (RCC) technology, which is more advanced than the Stone Plastic Composite (SPC) technology.



Easy and fast installation thanks to the 3L TripleLock Click system - it simply clicks together.



Can cover over small bumps and wrinkles commonly found in older or damaged floors, thanks to its rigid core.



No ripple or swell over time, holding its shape and size despite drastic changes in temperature (50°C for Starfloor Click Ultimate 30, 60°C for Starfloor Click Ultimate 55).



Unaffected by water, cold or heat.

① **ULTIMATE PUR SURFACE TREATMENT**

Stain and scratch resistant

② **TRANSPARENT WEAR LAYER**

Highly durable

③ **HIGH DEFINITION DECORATIVE PRINT FILM LAYER**

Many design possibilities

④ **RIGID COMPOSITE CORE (RCC) TECHNOLOGY**


Dimensional stability

⑤ **INTEGRATED ACOUSTIC BACKING**

Acoustic Insulation

⑥ **THE I4F TRIPLE LOCK CLICK SYSTEM**

Easy click system



ULTIMATE DESIGN



Starfloor Click Ultimate can help you express your creative flair. This range is an easy solution for renovating when you first move in.



Natural and neutral colours, drawn from real parquet and mineral floors.



Unique grain-effect surface captures the textures of the material that inspired it.



For the perfect combination, all the designs of a same collection can be easily mixed and matched in order to create zones in open spaces or connect decors between rooms.



ULTIMATE ACOUSTICS



Our innovative, integrated acoustic backing reduces the sound of footsteps. So, as your family walk around without making a sound, you can better concentrate when you work from home.



18dB acoustic insulation for Starfloor Click Ultimate 30.
19dB acoustic insulation for Starfloor Click Ultimate 55.

STARFLOOR CLICK ULTIMATE 30 COLLECTION

GALLOWAY OAK



Grey Brown
36005011
17,8 x 121,3cm



Warm Brown
36005012
17,8 x 121,3cm



Medium Beige
36005013
17,8 x 121,3cm

CASCADE OAK



Smoked
36005008
17,8 x 121,3cm



Aged
36005009
17,8 x 121,3cm



Shaded
36005010
17,8 x 121,3cm

LIGURIA OAK



Nutmeg
36004006
17,8 x 121,3cm



Vanilla
36004007
17,8 x 121,3cm


LAKESIDE OAK



Lime Washed
36004003
17,8 x 121,3cm



Grey Washed
36004004
17,8 x 121,3cm



Light Washed
36004005
17,8 x 121,3cm

VERMONT OAK



Light Beige
36004000
17,8 x 121,3 cm




Medium Grey
36004001
17,8 x 121,3cm




Natural
36004002
17,8 x 121,3cm

DURA



Medium
36006016
30 x 60 cm



Dark
36006017
30 x 60 cm

TARRAGONA



Dark
36006014
30 x 60 cm



Light
36006015
30 x 60 cm

GALLOWAY OAK



Galloway Oak features a rustic look comprised of cracks and tonal variations within individual planks. The Plus Effect adds a unique grain-effect surface that reproduces the natural essence of wood, lending enhanced realism to the entire range.



4 sides beveled
4V, standard

Dimensions:
17,8 x 121,3 cm



GALLOWAY OAK
Grey Brown

GREY BROWN
36005011
Matching skirting 35949011



WARM BROWN
36005012
Matching skirting 35949012



MEDIUM BEIGE
36005013
Matching skirting 35949013



GALLOWAY OAK
GREY BROWN
36005011

Scale 1:2



Scale 1:6

GALLOWAY OAK
WARM BROWN
36005012

Scale 1:2



Scale 1:6

GALLOWAY OAK
MEDIUM BEIGE
36005013

Scale 1:2



Scale 1:6

CASCADE OAK



If you're looking for variety and contrast from your floor, Cascade Oak is the perfect choice. Incorporating the Plus Effect, an engraving technique that recreates wood's natural contours for enhanced realism, this design juxtaposes different shades in matching grains. All 3 design colours can be combined to create even greater tonal variation.




4 sides beveled
4V, standard

Dimensions:
17,8 x 121,3 cm



CASCADE OAK
Aged

SMOKED
36005008
Matching skirting 35949008



AGED
36005009
Matching skirting 35949009



SHADED
36005010
Matching skirting 35949010



Cascade Oak decors have been designed with significant tonal variations for a more natural, untouched look. The colours will consequently differ from one plank to another within the same pack.

CASCADE OAK
SMOKED
36005008



Scale 1:6

CASCADE OAK
AGED
36005009



Scale 1:6

CASCADE OAK
SHADED
36005010



Scale 1:6

LIGURIA OAK

Liguria Oak has a harmonious texture with subtle grain patterns and minimal colourplay. The balanced appearance of this wood evokes a feeling of calm.



LIGURIA OAK
Nutmeg

NUTMEG
36004006
Matching skirting 35949006



VANILLA
36004007
Matching skirting 35949007



Dimensions:
17,8 x 121,3 cm



4 sides beveled
4V, standard

LIGURIA OAK
NUTMEG
36004006

Scale 1:2



Scale 1:6

LIGURIA OAK
VANILLA
36004007

Scale 1:2



Scale 1:6

LAKESIDE OAK

Lakeside Oak is a wide-grained wood with white pores. The washed and limed effects combine with delicate colours to create a sense of serenity and a look that plays well in modern interiors.

Dimensions:
17,8 x 121,3 cm

15
years
GUARANTEE
RESIDENTIAL
USE



4 sides beveled
4V, standard



LAKESIDE OAK
Grey Washed

LIME WASHED
36004003
Matching skirting 35949003



GREY WASHED
36004004
Matching skirting 35949004



LIGHT WASHED
36004005
Matching skirting 35949005



LAKESIDE OAK
LIME WASHED
36004003

Scale 1:2



Scale 1:6

LAKESIDE OAK
GREY WASHED
36004004

Scale 1:2



Scale 1:6

LAKESIDE OAK
LIGHT WASHED
36004005

Scale 1:2



Scale 1:6

VERMONT OAK


Vermont Oak displays distinctive patterns known as 'cathedrals' in its grain and has very few knots, bringing the warm, textured feel of a wood cabin to your home. The colour gradient at the edges points to the beauty of natural wood.

Dimensions:
17,8 x 121,3 cm

15 years
GUARANTEE
RESIDENTIAL
USE



4 sides beveled
4V, standard



VERMONT OAK
Light Beige

LIGHT BEIGE
36004000
Matching skirting 35949000



MEDIUM GREY
36004001
Matching skirting 35949001




NATURAL
36004002
Matching skirting 35949002




VERMONT OAK
NATURAL
36004002




Scale 1:6




VERMONT OAK
LIGHT BEIGE
36004000




Scale 1:6



VERMONT OAK
MEDIUM GREY
36004001



Scale 1:6



DURA


Dura has a polished-concrete design with subtle patterns in 2 warm grey colours.

The grey tones are matched to real cement and combine beautifully with natural oak shades.



DURA
Medium

MEDIUM
36006016
Matching skirting 35949016



DARK
36006017
Matching skirting 35949017



4 sides beveled
4V, standard

Dimensions:
30 x 60 cm

DURA
MEDIUM
36006016

Scale 1:2



Scale 1:6

DURA
DARK
36006017

Scale 1:2



Scale 1:6

TARRAGONA

Tarragona is a traditional terrazzo finished with the look of overcast concrete. This timeless classic in cold grey colours transforms a centuries-old style of flooring into contemporary design.



TARRAGONA
Dark




TARRAGONA
DARK
36006014

Scale 1:2

Scale 1:6



Interdeco



TARRAGONA
LIGHT
36006015

Scale 1:2

Scale 1:6



STARFLOOR CLICK
ULTIMATE COLLECTION

DARK
36006014
Matching skirting 35949014



LIGHT
36006015
Matching skirting 35949015



4 sides beveled
4V, standard

Dimensions:
30 x 60 cm



TECHNICAL DATASHEET

Classification	Standards	STARFLOOR CLICK ULTIMATE 30
CE Marking		EN 14041
Classification	EN 10582	Heterogeneous Compact Resilient Floorcovering
Domestic Classification	EN ISO 10874	23
Commercial Classification		31
Wear layer binder content	EN ISO 10582	Type I
Technical characteristics		
Surface Treatment		PUR Ultimate
Total thickness	EN ISO 24346	5 mm
Wear layer thickness	EN ISO 24340	0.30 mm
Total weight	EN ISO 23997	8,35 kg/m ²
Installation Method		Click
Locking system		i4f®
Beveled edge		4 micro-bevels
Performance for CE marking		
DoP Number		0132-0074-DoP-2019-06
Slip resistance	EN 13893	μ ≥ 0,30
Reaction to fire	EN 13501-1	Bfl-s1 loose laid on concrete and on wood substrate
Thermal resistance	EN ISO 10456	0,05 m ² K/W
Electrical Resistance	EN 1081	>10 ⁹ Ohm
Technical performance		
Impact sound reduction	NF EN ISO 717 / 2	ΔLw 18dB
Noise level index	NF S31-074	Class C (Ln,e,w < 85 dB)
Electrostatical propensity	EN 1815	<2 kV on concrete
Slip resistance	DIN 51130	R9
Furniture leg	ISO 16581	No damage
Residual Indentation	EN ISO 24343-1	≤ 0.10 mm
Chemical resistance	EN ISO 26987	Not affected (0)
Underfloor heating		Yes, maximum 27°C
Curl resultant to heat	EN ISO 23999	≤ 1 mm
Dimensional stability	EN ISO 23999	≤ 0.15%
Light fastness	EN ISO 105-B02	≥ 6
Environmental performances		
Phthalate content		Phthalate free
Total VOC emissions after 28 days	ISO 16000-9	≤ 100μg/m ³
Design characteristics		
Tiles	EN ISO 24342	30 x 60 cm = 9/box = 1,62 m ²
Plank	EN ISO 24342	17,8 x 121,3 cm = 8/box = 1,72 m ²
Number of design available		18

According to the European Regulation N° 305/2011 for CE Marking, the Declaration of Performance n° 0019-001-DoP-2015-01 is available on our website www.tarkett.com
Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

CUSTOMS TARIFF : 4820 5000 00.



*Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).



European classification EN ISO 10582: 2018



Produced under license from I4F
<https://i4f-patents.com>

STARFLOOR CLICK ULTIMATE 55 COLLECTION




HIGHLAND OAK *Colours coordinated with Starfloor Click Solid 55*

NEW		Light Natural 35992020 17,6 x 121,3 cm
NEW		Natural 35992021 17,6 x 121,3 cm
NEW		Taupe 35992022 17,6 x 121,3 cm

DELICATE OAK *Colours coordinated with Starfloor Click Solid 55*

NEW		Natural 35992023 17,6 x 121,3 cm
NEW		Chesnut 35992024 17,6 x 121,3 cm
NEW		Brown 35992025 17,6 x 121,3 cm

WEATHERED OAK

	Natural 35992007 17,6 x 121,3 cm
	Brown 35992008 17,6 x 121,3 cm
	Anthracite 35992009 17,6 x 121,3 cm



BLEACHED OAK

	Grege 35992004 17,6 x 121,3 cm
	Brown 35992006 17,6 x 121,3 cm
	Natural 35992005 17,6 x 121,3 cm



STYLISH OAK

	White 35992003 17,6 x 121,3 cm
	Beige 35992002 17,6 x 121,3 cm
	Natural 35992000 17,6 x 121,3 cm
	Grey 35992001 17,6 x 121,3 cm

BOHEMIAN PINE

	White 35991010 17,6 x 121,3 cm
	Grege 35991011 17,6 x 121,3 cm

TIMELESS CONCRETE

	Light Grey 35993020 30 x 60 cm
	Anthracite 35993021 30 x 60 cm

OLD STONE

	Anthracite 35993023 30 x 60 cm
---	---

HIGHLAND OAK



An elegant and contemporary wood, available in different, natural colours and hues that highlight its big 'cathedrales', its distinctive patterns. Its refined, delicate and timeless design make it easy to pair with a concrete or stone flooring.

Colours coordinated with Starfloor Click Solid 55



HIGHLAND OAK
Natural



4 sides beveled
4V, standard

Dimensions:
17,8 x 121,3 cm

LIGHT NATURAL
35992020
Matching skirting: 26646135



NATURAL
35992021
Matching skirting: 26646136



TAUPE
35992022
Matching skirting: 26646137



HIGHLAND OAK
LIGHT NATURAL
35992020

Scale 1:2



Scale 1:6

HIGHLAND OAK
TAUPE
35992022

Scale 1:2



Scale 1:6

HIGHLAND OAK
NATURAL
35992021

Scale 1:2



Scale 1:6

DELICATE OAK



A chic country wood, Delicate Oak was chosen for its rustic and authentic traits. This wood brings out your bohemian spirit that sometimes enjoys a touch of modernity. Its comfortable and cozy feel creates a cocoon-like atmosphere where you can take a break and breathe.

Colours coordinated with Starfloor Click Solid 55



DELICATE OAK
Brown



4 sides beveled
4V, standard

Dimensions:
17,8 x 121,3 cm


NATURAL
35992023
Matching skirting: 26646138




CHESNUT
35992024
Matching skirting: 26646139



BROWN
35992025
Matching skirting: 26646140



DELICATE OAK
NATURAL
35992023



Scale 1:6

DELICATE OAK
CHESNUT
35992024



Scale 1:6

DELICATE OAK
BROWN
35992025



Scale 1:6

WEATHERED OAK

Rustic and traditional oak with cracks and saw effects. An alive floor.



4 sides beveled
4V, standard

Dimensions:
17,8 x 121,3 cm



WEATHERED OAK
Natural

NATURAL
35992007
Matching skirting: 26646108



BROWN
35992008
Matching skirting: 26646109



ANTHRACITE
35992009
Matching skirting: 26646110



WEATHERED OAK
BROWN
35992008




Scale 1:6

WEATHERED OAK
ANTHRACITE
35992009



Scale 1:6

WEATHERED OAK
NATURAL
35992007



Scale 1:6

BLEACHED OAK

Trendy ceruse oak.
A light and minimalist floor.



4 sides beveled
4V, standard

Dimensions:
17,8 x 121,3 cm



BLEACHED OAK
Grege

GREGE
35992004
Matching skirting: 26646105




BROWN
35992006
Matching skirting: 26646107



NATURAL
35992005
Matching skirting: 26646106




BLEACHED OAK
GREGE
35992004



Scale 1:6

BLEACHED OAK
BROWN
35992006



Scale 1:6

BLEACHED OAK
NATURAL
35992005



Scale 1:6

STYLISH OAK



A classic and elegant oak with a natural colour play which will show some linear structures when installed.
This Oak is a perfect companion to go with bold and rich colours.



4 sides beveled
4V, standard

Dimensions:
17,8 x 121,3 cm




STYLISH OAK
Natural

WHITE
35992003
Matching skirting: 26646104



BEIGE
35992002
Matching skirting: 26646103



NATURAL
35992000
Matching skirting: 26646101



GREY
35992001
Matching skirting: 26646102



STYLISH OAK
WHITE
35992003

Scale 1:2



Scale 1:6

STYLISH OAK
NATURAL
35992000

Scale 1:2



Scale 1:6

STYLISH OAK
BEIGE
35992002


Scale 1:2



Scale 1:6

STYLISH OAK
GREY
35992001

Scale 1:2



Scale 1:6

BOHEMIAN PINE

Vintage and original painted pine.



BOHEMIAN PINE
White

WHITE
35991010
Matching skirting: 26646111



GREGE
35991011
Matching skirting: 26646112



4 sides beveled
4V, standard

Dimensions:
17,6 x 121,3 cm

BOHEMIAN PINE
WHITE
35991010

Scale 1:2



Scale 1:6

BOHEMIAN PINE
GREGE
35991011

Scale 1:2



Scale 1:6

TIMELESS CONCRETE

Selected warm colours which will mix perfectly with wood and warm fabrics. A new cosy concrete in classic tile dimensions.




TIMELESS CONCRETE
Light Grey

LIGHT GREY
35993020
Matching skirting: 26646121



ANTHRACITE
35993021
Matching skirting: 26646122



4 sides beveled
4V, standard

Dimensions:
30 x 60 cm

TIMELESS CONCRETE
LIGHT GREY
35993020

Scale 1:2



Scale 1:6

TIMELESS CONCRETE
ANTHRACITE
35993021

Scale 1:2



Scale 1:6

OLD STONE

Natural and traditional stone.



OLD STONE
Anthracite


Dimensions:
30 x 60 cm

ANTHRACITE
35993023
Matching skirting: 26646124



4 sides beveled
4V, standard

OLD STONE
ANTHRACITE
35993023



Scale 1:2



Scale 1:6



TECHNICAL DATASHEET

CLASSIFICATION	STANDARD	STARFLOOR CLICK ULTIMATE 55
Classification	EN ISO 10582	Heterogeneous Compact Resilient Floorcovering
	EN ISO 10874	Domestic: 23 - Commercial: 33 - Industrial: 42
Wear layer binder content	EN ISO 10582	Type I
TECHNICAL CHARACTERISTICS		
Total thickness	EN ISO 24346	6.5 mm
Total weight	EN ISO 23997	11.3 kg/m ²
Wear layer thickness	EN ISO 24340	0.55 mm
Bevelled edges		Yes - 4 Bevels
Surface treatment (PUR)		Yes - PUR Ultimate
Form of delivery	EN ISO 24342 Planks	176 x 1213 mm = 6 planks/box = .28 m ² /box
	EN ISO 24342 Tiles	300 x 600 mm = 7 tiles/box = 1.26 m ² /box
PERFORMANCES FOR CE MARKING REQUIREMENTS (EN 14041)		
Declaration of Performance	EN 14041	0132-0070-DoP-2018-01
Reaction to fire	EN 13501-1	Br-s1
Electrostatic properties	EN 1815	≤ 2 kV
Thermal resistance	EN ISO 10456	0.05 m ² K/W
Slip resistance	EN 13893	μ ≥ 0.3
TECHNICAL PERFORMANCES		
Dimensional stability	EN ISO 23999	Average measured value 0.05% Required value ≤ 0.15%
Impact sound reduction	EN ISO 717-2	ΔL _w 19 dB
Reduction of in-room impact noise	EN ISO 31-074	Class C (L _{n,e,w} < 85 dB)
Slip resistance	DIN 51130	R9
Furniture leg	EN 424	No damage
Castor chair	ISO 4918 - EN 425	No damage
Curl resistant to heat	EN ISO 23999	≤ 1 mm
Light fastness	EN ISO 105-B02 (method 3a)	≥ 6
Residual indentation	EN ISO 24343-1	≤ 0.05 mm
Chemical resistance	EN ISO 26987	Very good
Underfloor heating		Suitable – max. 27°C
Peeling resistance	EN ISO 24345	≥ 50N / 50mm
ENVIRONMENTAL PERFORMANCES		
Total VOC emissions	ISO 16000-9	≤ 100 µg/m ³ (after 28 days)

The above information is subject to modification for the benefit of further improvement. (10/20).

Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

CUSTOMS TARIFF : 4820 5000 00





Produced under license from I4F
<https://i4f-patents.com>

ACCESSORIES FOR STARFLOOR CLICK ULTIMATE COLLECTIONS

STAIRS

HIGH TRAFFIC ALUMINIUM STAIRNOSE




- To be screwed in
- Very resistant to wear & traffic
- Ribbed surface for slip-resistance
- Elegant finish

L2500 x W40 x H5 mm /10

- Silver 1434 021
- Stainless steel 1434 022

ALUMINIUM SKIRTING BOTTOM



- To be glued
- Elegant finish

L2500 x H27 mm /10



- Silver 26626 021
- Stainless steel 26626 022

VERY HIGH TRAFFIC

- Silver 1434 021
- Stainless steel 1434 022

TRANSITION PROFILES

VERY HIGH TRAFFIC ALUMINIUM TRANSITION PROFILE




- To be screwed in
- Very resistant to very high traffic & rolling loads
- Ribbed surface for slip-resistance

L2700 mm /10

- Silver 1451 011
- Stainless Steel 1451 012

ALUMINIUM TRANSITION STRIP FOR GENERAL TRAFFIC AREAS




- To be screwed in
- Elegant finish with smooth surface and no visual screws.
- Bendable with radius 60cm

L2700 x W24 x H6 mm /10

- Silver 1451 021
- Stainless steel 1451 022


PVC DECORATIVE SKIRTINGS



PVC semi-rigid skirting for decorative use

- White KS80-1411 257

L2500 x H80 mm /20



Compact PVC skirting

Perfectly match all Starfloor Click Ultimate 30 designs

- Decorative film matching collection designs

L2020 x H80 mm /5

Please refer to collection pages for corresponding SAP codes





■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 ■ Belgium: Tarkett N.V. - Tel. +32 52 26 24 11 - Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S - Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy - Tel. +358 9 4257 9000 ■ France: Tarkett SAS - Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH - Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. - Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA - Tel. +352 949 211 8804 ■ Netherlands: Tarkett BV - Tel. +31 416 685 491 ■ Norway: Tarkett AS - Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA - Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L. - Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB - Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH - Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen - Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett org. slozka - Tel. +420 271 001 600 ■ Hungary: Tarkett Polska SP Z.O.O. magyarországi fióktelepe - Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o. o. - Tel. +48 22 16 09 231 ■ Russian Federation: ZAO Tarkett RUS - Tel. +7 495 775 3737 ■ Slovakia: Tarkett Polska, organizačná zložka - Tel. +421 2 48291 317 ■ **South East Europe:** Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA - Tel. +38 (0) 44 35 45 621 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd - Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited - Tel. +852 2511 8716 ■ India: Tarkett Flooring India Pvt. Ltd. - Bangalore - Tel. +91 80 4130 3793 - New Delhi - Tel. +91 11 4352 4073 - Mumbai - Tel. +91 22 2648 8750 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. - Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. - Tel. +1 713 869 5811 / Johnsonite - Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. - Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett - Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur - Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett - Tel. +55 11 9 8410 9310 / +55 11 95494 0069 ■ Mexico /Central America: Tarkett Latam Mexico - Tel. +55 11 98410 9310

UK INT: 2800030099 / NL INT: 2800030100 / TDM INT: 2800030101 / PT INT: 2800030102 / EST INT: 2800030103 / LV INT: 2800030104 / LT INT: 2800030105 / SK INT: 2800030106 / CZ INT: 2800030107 / HG INT: 2800030108 / UA INT: 2800030109 / TME INT: 2800030110 / TK INT: 2800030111 / China INT: 2800030112 / APAC INT: 2800030113 / GDL DESIGN & SAMPLING INT: 2800030114

Due to evolution of standards, characteristics indicated in the text and images in this document are not binding only after confirmation by our departments.
 Design: Avant Post / Photos: Evolution - Getty images - Josiane / Print: Lamazière

