









Resilient Tile: Global Entry, C0015 Antiek | 931 Nimbus

Carpet: New Vintage, GT302 Reawakened and GT303 Rediscovered | 849 Taupe

Global Entry

Global Entry features hardwood species from across the world in a collection of contemporary colors and realistic wood textures. The commercial grade wear layer and M-Force TM Enhanced Urethane finish ensures product performance through the life of the installation.

Antiek hails from Scandinavia where wide, natural woods are regaled for their inherent beauty. Each plank is embossed with a wood texture that perfectly aligns with the grain pattern, a process called "Embossed in Register", achieving the most realistic visual possible in a resilient tile. Colorways span from cool to warm, and specie designs are offered in rustic or clean grades of oak. Antiek planks are 9" wide and 48" long for a look that is authentic to European hardwoods, and a format that installs quickly across large areas.

Morikato takes inspiration from the Japanese word meaning "Forest", offering a vast color line of timeless hardwood visuals like cutting edge charred wood, cerused grains and linear composite styles. The color palette builds on the distressed, reclaimed looks in both cool and warm tones, as well as provides sophisticated upgrades to classic maple, cherry and chestnut hardwood species. The 7" x 48" planks follow current format trends yet are neutral enough to satisfy a wide variety of projects and end use segments.

- Wide range of visuals to accommodate a variety of end use segments and design schemes
- Grain textures in Antiek perfectly align with pattern for the most realistic wood look possible
- M-ForceTM Enhanced Urethane finish for superior wear and scratch resistance
- 20 mil wear layer performs under commercial traffic
- No-polish maintenance reduces costs associated with long-term cleaning
- FloorScore® certified
- QuickShip available



The performance standard for every application, Duracolor fiber is forever stain free, forever sustainable and forever beautiful, guaranteed*. Carpet is easy to maintain with inherent stain resistance and water-only stain removal.

FOREVER STAIN FREE

- Permanent built in protection
- Resists 99% of all stains
- Passes the GSA Test Method for stain resistance:
 AATCC Test Method 175
- Duracolor Warranty: We guarantee it

FOREVER SUSTAINABLE

- Made with 30% recycled content: 25% pre-consumer
 5% post-consumer
- No Chemicals required:
 96% of all common stains clean with just water
- Declare Red List Free:
 Duracolor fiber is Declare red
 list free in accordance with the
 Living Building Challenge

- Lasts Longer: Product life is extended, reducing the impact to your bottom line and to the environment
- Recyclable through Mohawk's ReCover Program

FOREVER BEAUTIFUL

- Available in more than 300 colors
- Unsurpassed colorfastness to light and atmospheric contaminants so colors won't fade
- Unmatched design flexibility without compromising color retention or stain resistance
- Proven track record of success over the past 20 years



Duracolor



Competitor Solution Dyed / Yarn Dyed Blend

^{*} See Mohawk Group official warranty documents for further details at www.mohawkgroup.com

ColorBeat


Solid, all loop textured tile available in 48 colors. Select colors also available as 12x36 plank. Install as a border, inset or accent tile.




Brand	Lees	П	В
Style Name / Number	Reawakened / GT302		St
Construction	Tufted	36	C
Surface Appearance	Patterned Tip Shear	ВҮ	Si
Gauge	1/12" (47.00 rows per 10 cm)	2	G
Dye Method	Solution Dyed	_	D
Fiber Type	duracolor. Premium Nylon		Fi
Stain Release Technology	Permanent, Built into the Fiber		St
Soil Release Technology	Sentry Soil Protection		S
GSA Stain Release Rating	Passes		G
Backing Material	EcoFlex ICT		В
Indoor Air Quality	Green Label Plus Certified # 1098		In
NSF 140	Gold		N
Size	12" x 36" (.3048 m x .9144 m)		Si
Installation Method	Monolithic / Half-Lap / Brick Ashlar /		In
	Basket Weave / Plank Half-Lap /		
	Monolithic Stepping / Random /		
	Herringbone		
Flammability	ASTM E 648 Class 1 (Glue Down)		FI
Smoke Density	ASTM E 662 Less than 450		Sı
Static Propensity	AATCC - 134 Under 3.5 KV		St
Warranties: Lifetime Limited (Carpet Tile Warranty, Lifetime Limited		W
			D

ı	Brand	Lees
۱	Style Name / Number	Rediscovered / GT303
ı	Construction	Tufted
ı	Surface Appearance	Patterned Tip Shear
ı	Gauge	1/12" (47.00 rows per 10 cm)
ı	Dye Method	Solution Dyed
ı	Fiber Type	duracolor. Premium Nylon
ı	Stain Release Technology	Permanent, Built into the Fiber
ı	Soil Release Technology	Sentry Soil Protection
ı	GSA Stain Release Rating	Passes
ı	Backing Material	EcoFlex ICT
ı	Indoor Air Quality	Green Label Plus Certified # 1098
ı	NSF 140	Gold
ı	Size	12" x 36" (.3048 m x .9144 m)
ı	Installation Method	Monolithic / Half-Lap / Brick Ashlar
ı		Basket Weave / Plank Half-Lap /
ı		Monolithic Stepping / Random /
ı		Herringbone
ı	Flammability	ASTM E 648 Class 1 (Glue Down)
ı	Smoke Density	ASTM E 662 Less than 450
ı	Static Propensity	AATCC - 134 Under 3.5 KV
ı	Warranties: Lifetime Limited (Carpet Tile Warranty, Lifetime Limited
ı	Duracolor Stain Warranty, Life	etime Static

For ColorBeat and LVT spec information, visit our website at www.mohawkgroup.com





Mohawk Industries, Inc. warrants its adhesives for the life of the original installation only when a Mohawk Industries style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Industries adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

These patterms contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.

Duracolor by Mohawk Stain Resistant System passes GSA requirements for permanent stain resistance. Under GSA requirements stain resistant carpets must score no less than 8.0 (10.0 is best) on the AATCC Red 40 Stain Scale. Carpet samples must first be exposed to 100 revolutions of the Taber abrader (1,000-gram weight per H-18 wheel) and then the abraded area must be stain tested using AATCC tested using AATCC test method 175.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit www.mohawkgroup.com















Reawakened

Collection New Vintage Style Name Reawakened Style Number GT302 **Product Type** Carpet Tile 12" X 36" Size Tufted Construction

Installation Monolithic, Half Lap, Brick Ashlar, Basket

Feature	Description
Backing Material	Ecoflex Nxt
Fiber Type	Duracolor® Tricor Premium Nylon
Dye Method	Solution Dyed
Installation Methods	Monolithic, Half Lap, Brick Ashlar, Basket
Stitches per Inch	11 (43.31 per 10cm)
Density	5944
Tufted Pile Weight	18.00 oz/yd2 (610 g/m2)
Surface Texture	Patterned Tip Shear



Recommended Installation Methods



Basket Weave

Brick Ashlar









Half Lap

Herringbone

Monolithic

Monolithic Stepping













Colorways



Classic

Color code: 148 GT302 Style number:




Rare

Color code: 263 Style number: GT302



Unique

473 Color code: Style number: GT302





Superior

Color code: 589 Style number: GT302



Ripe

Color code: 661 Style number: GT302



Finest

Color code: 728 Style number: GT302



Prime

Color code: 837 GT302 Style number:



Flawless

Color code: 849 Style number: GT302



Tradition

Color code: 861 GT302 Style number:



Simple

Color code: 937 Style number: GT302



Ideal

Color code: 949 Style number: GT302



Top Notch

957 Color code: Style number: GT302



Mature

Color code: 969 Style number: GT302



Masterly

989 Color code: Style number: GT302

Performance

Feature	Description
Gauge	1/12 (47.00 rows per 10 cm)
Stain Release Technology	Pass
Foot Traffic Recommendation TARR	Heavy
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Soil Release Technology	EcoSentry Soil Protection











Sustainability

Feature	Description
Beyond Carbon Neutral	This product is 100% carbon neutral plus an additional 5% offset
Carbon Handprint	-0.062 kg CO2e/ft2
Embodied Carbon	1.24 kg CO2e/ft2
Total Recycled Content	57%
Pre-Consumer Recycled Content	57%
NSF 140	EcoFlex NXT - NSF 140 Gold
Indoor Air Quality	GLP 1171
TVOC Range	0.5 mg/m3 or less
Red List Free	True
Declare Label	Nylon Modular Carpet on EcoFlex NXT
Mindful Materials	Participates in Mindful Materials Library
Take Back Program	ReCover Program
Health Product Declaration	HPD 2.1 EcoFlex NXT Gold - 1000 ppm
Environmental Claims Validation	EPD EcoFlex NXT
Global Green Tag	GreenRate Level A, LCARate Silver Plus
LEED Credit Potential	LEED Eligible

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Duracolor Stain Warranty, Lifetime Static









Rediscovered

Collection New Vintage Style Name Rediscovered Style Number GT303 **Product Type** Carpet Tile 12" X 36" Size Tufted Construction

Installation Monolithic, Half Lap, Brick Ashlar, Basket

Feature	Description
Backing Material	EcoFlex NXT
Fiber Type	Duracolor® Tricor Premium Nylon
Dye Method	Solution Dyed
Installation Methods	Monolithic, Half Lap, Brick Ashlar, Bask
Stitches per Inch	11 (43.31 per 10cm)
Density	6612
Tufted Pile Weight	18.00 oz/yd2 (610 g/m2)
Surface Texture	Patterned Tip Shear



Recommended Installation Methods

Brick Ashlar



Basket Weave





Half Lap





Monolithic



Herringbone

Monolithic Stepping













Colorways



Classic

Color code: 148
Style number: GT303



Rare

Color code: 263 Style number: GT303



Unique

Color code: 473
Style number: GT303



Distinguished

Color code: 566
Style number: GT303



Superior

Color code: 589
Style number: GT303



Ripe

Color code: 661 Style number: GT303



Finest

Color code: 728
Style number: GT303



Prime

Color code: 837 Style number: GT303



Flawless

Color code: 849 Style number: GT303



Tradition

Color code: 861 Style number: GT303



Simple

Color code: 937
Style number: GT303



Ideal

Color code: 949 Style number: GT303



Top Notch

Color code: 957
Style number: GT303



Mature

Color code: 969
Style number: GT303



Masterly

Color code: 989
Style number: GT303

Performance

Feature	Description
Gauge	1/12 (47.00 rows per 10 cm)
Stain Release Technology	Pass
Foot Traffic Recommendation TARR	Heavy
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Soil Release Technology	EcoSentry Soil Protection









Sustainability

Feature	Description
Beyond Carbon Neutral	This product is 100% carbon neutral plus an additional 5% offset
Carbon Handprint	-0.062 kg CO2e/ft2
Embodied Carbon	1.24 kg CO2e/ft2
Total Recycled Content	57%
Pre-Consumer Recycled Content	57%
NSF 140	EcoFlex NXT - NSF 140 Gold
Indoor Air Quality	GLP 1171
TVOC Range	0.5 mg/m3 or less
Red List Free	True
Declare Label	Nylon Modular Carpet on EcoFlex NXT
Mindful Materials	Participates in Mindful Materials Library
Take Back Program	ReCover Program
Health Product Declaration	HPD 2.1 EcoFlex NXT Gold - 1000 ppm
Environmental Claims Validation	EPD EcoFlex NXT
Global Green Tag	GreenRate Level A, LCARate Silver Plus
LEED Credit Potential	LEED Eligible

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Duracolor Stain Warranty, Lifetime Static







