


Cover Image: Lichen Micro Bloom & Macro Bloom | 976 Dust Cloud; Lichen Groundcover | 949 Rock Face (Vertical Ashlar)



### www.interdecord.com







### Lichen Collection Receives Living Product Challenge Petal Certification

Mohawk Group is proud to offer the first floor covering ever to achieve Living Product Challenge Petal Certification. With the Lichen Collection, we are setting a higher standard to help ensure products contribute to healthy spaces, are designed to inspire and will give back to the environment more than they take.



### PLACE PETAL

### Responsible Place & Habitat Impacts

Improving the ecoregion of our Glasgow, VA, plant by maintaining two National Wildlife Federation Certified Habitats and an apiary, as well as being a founding member of Businesses for the Bay.

### Habitat Exchange

Donating part of Lichen product profits to the Appalachian Trail Conservancy. The Conservancy's mission is to protect and preserve the 2200 miles of the Appalachian Trail and ensure its natural beauty and cultural heritage can be shared and enjoyed for generations to come.



### WATER PETAL

#### **Net Positive Water**

Saving more water than is used to create Lichen by retrofitting all of Morehouse College in Atlanta with low-flow shower heads.



### **HEALTH & HAPPINESS PETAL**

### **Net Positive Material Health**

Ensuring all materials and processes that make Lichen are safe.

#### Human Thriving

Providing Glasgow, VA, employees with rich connections to the natural world and continual health and wellness support.



### MATERIALS PETAL

### The Red List

Achieving Declared Red List Free status for the Lichen Collection

### Responsible Industry

Offering total ingredient transparency through our Declare Label.



### **BEAUTY PETAL**

### Positive Handprinting

Creating a larger handprint than footprint in relation to Lichen's impact on water.

### Inspiration & Education

Educating the public about the ecological innovations and community partnerships behind Lichen.

#### Beauty & Spirit


Using biophilic design principles to create Lichen, which help to enrich our connection to the natural world.







Lichen Field Overlay | 939 Cortex and 969 Substrate (Herringbone)




Lichen Micro Bloom & Macro Bloom | 937 Frosted Shield (Vertical Ashlar)





# Lichen Collection Colorways

Lichen patterns are derived from different growth forms and colorations of their natural inspirations, found in thriving ecosystems throughout the world.




Lichen Micro Bloom & Macro Bloom | 975 Felt Finish



Lichen Micro Bloom & Macro Bloom | 963 Firedot




Lichen Micro Bloom & Macro Bloom | 952 Orange Sea



Lichen Micro Bloom & Macro Bloom | 937 Frosted Shield




Lichen Micro Bloom & Macro Bloom | 941 Goldspeck



Lichen Micro Bloom & Macro Bloom | 976 Dust Cloud




# Lichen Collection Colorways (cont.)



Lichen Micro Bloom & Macro Bloom | 945 Silva



Lichen Micro Bloom & Macro Bloom | 954 Everbloom




Lichen Micro Bloom & Macro Bloom | 956 Iced Moss



Lichen Macro Bloom | 956 Iced Moss



Lichen Field Overlay | 969 Substrate (top) and 939 Cortex (bottom)



Lichen Groundcover | 949 Rock Face


## www.interdecord.com

# **Interdeco**<sup>™</sup>


### Installation Inspirations


The installation ideas featured here are a small sampling of the infinite possibilities offered in the Lichen Collection.





Lichen Micro Bloom & Macro Bloom | 952 Orange Sea, 941 Goldspeck; Lichen Groundcover | 949 Rock Face (Vertical Ashlar)







Lichen Micro Bloom & Macro Bloom | 941 Goldspeck (Vertical Ashlar)



Lichen Micro Bloom & Macro Bloom | 941 Goldspeck; Lichen Groundcover | 949 Rock Face (Vertical Ashlar)






Lichen Micro Bloom & Macro Bloom | 937 Frosted Shield (Vertical Ashlar)





# Installation Inspirations






Lichen Micro Bloom & Macro Bloom | 963 Firedot (Herringbone)






Lichen Micro Bloom & Macro Bloom | 956 Iced Moss (Vertical Ashlar)






Lichen Micro Bloom & Macro Bloom | 975 Felt Finish; Lichen Groundcover | 949 Rock Face (Vertical Ashlar)






Lichen Micro Bloom & Macro Bloom | 976 Dust Cloud. 945 Silva; Lichen Groundcover | 949 Rock Face (Vertical Ashlar)






Lichen Macro Bloom | 975 Felt Finish, 963 Firedot, 952 Orange Sea, 937 Frosted Shield, 976 Dust Cloud, 945 Silva, 954 Everbloom, 956 Iced Moss (Vertical Ashlar)



**Interdeco**<sup>™</sup>

# www.interdecord.com



Lichen Micro Bloom & Macro Bloom | 952 Orange Sea; Lichen Groundcover | 949 Rock Face (Vertical Ashlar)



The performance standard for every application, Duracolor fiber is forever stain free, forever sustainable and forever beautiful, guaranteed\*. Carpet is easy to maintain with inherent stain resistance and water-only stain removal.

### FOREVER STAIN FREE

- Permanent built in protection
- Resists 99% of all stains
- Passes AATCC Test Method 175 combined with pre-abrasion meeting GSA requirements for stain resistance
- Duracolor Warranty: We guarantee it

### FOREVER SUSTAINABLE

- Made with 30% recycled content: 25% pre-consumer & 5% post-consumer
- No Chemicals required: 96% of all common stains clean with just water
- Declare Red List Free: Duracolor fiber is Declare red list free in accordance with the Living Building Challenge

- Lasts Longer: Product life is extended, reducing the impact to your bottom line and to the
- Recyclable through Mohawk's ReCover Program

### FOREVER BEAUTIFUL

- Available in more than 300 colors
- Unsurpassed colorfastness to light and atmospheric contaminants so colors won't fade
- Unmatched design flexibility without compromising color retention or stain resistance
- Proven track record of success over the past 20 years



Duracolor



Competitor Solution Dyed / Yarn Dyed Blend



### www.interdecord.com

# EcoFlex<sup>™</sup> NXT

carpet tile backing



• Provides permanent tile dimensional stability

PERFORMANCE

- Tiles are impervious to moisture damage from spills and water extraction cleaning
- Main body of tile provides an effective moisture barrier (not applicable at the seams)
- Available on select running line products and on special order basis with low minimums on all Mohawk carpet tile product.
- Construction features superior tuft bind that is highly resistant
- Able to be installed in high moisture conditions up to 99% RH with Flexlok Tab System



- 40% lighter than traditional carpet tile = cost savings in shipping
- Superior construction offers reliability for the life of your installation
- Polyolefin backing reduces floor prep needs saving both time and cost



### SUSTAINABILITY

- Contains no plasticizers
- Contains a minimum of 35% pre-consumer recycled content based on total product weight\*
- Certified at the Gold Level in accordance with NSF/ANSI 140


- EcoFlex NXT may contribute to or comply with LEED®v4, Living Building Challenge and the Well Being Standard
- CRI Green Label Plus certified
- Living Building Challenge: Red List Free



• Engineered performance for an overall better after sales service experience

<sup>\*</sup> See Mohawk Group official warranty documents for further details at www.mohawkgroup.com

<sup>\*</sup> Recycled content claim third party verified by UL (Underwriters Laboratory)





### www.interdecord.com

## Specifications

Collection Lichen

Style Names Groundcover, Field Overlay, Micro Bloom, Macro Bloom

Product Type Carpet Tile

DESIGN

12"x36" (.3048m x .9144m) Surface Appearance Textured Patterned Loop Fiber Type Duracolor® Premium Nylon

Dye Method Solution Dyed

Installation Methods

Monolithic, Monolithic Stepping, Half-Lap, Brick Ashlar, Vertical Ashlar Ground Cover, Micro Bloom

and Macro Bloom Basketweave, Random, Herringbone, Plank Half-Lap

Field Overlay Half-Lap, Brick Ashlar, Vertical Ashlar, Basketweave, Random, Herringbone,

Plank Half-Lap

Colors Available

Groundcover Field Overlay Micro Bloom / Macro Bloom



PERFORMANCE

Construction Tufted

1/12" (47.00 rows per 10cm) Gauge Stain Release Technology Permanent, Built into the Fiber

GSA Stain Release Technology Passes

Soil Release Technology Sentry Soil Protection Backing Material

EcoFlex NXT

ASTM E 648 - Class 1 (Glue Down) Flammability Smoke Density ASTM E 662 - Less than 450 AATCC - 134 Under 3.5 KV Static Propensity



SUSTAINABILITY

Certification Living Product Challenge Petal Certified; Declare Red List Free

Indoor Air Quality Green Label Plus Certified #1171 NSF 140 Gold

SERVICE

Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Warranty

and Lifetime Static Warranty

















Mohawk Group warrants its adhesives for the life of the original installation only when a Mohawk Group style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Group adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from

Duracolor by Mohawk Stain Resistant System passes AATCC Test Method 175 combined with pre-abrasion meeting GSA requirements for stain resistance. Under GSA requirements stain resistant carpets must score no less than 8.0 (10.0 is best) on the AATCC Best Method 175 combined with pre-abrasion meeting GSA requirements for stain resistance. Under GSA requirements stain resistant carpets must score no less than 8.0 (10.0 is best) on the AATCC Best do show that the abraded rear must be stain tested using AATCC tested using AATCC test method 175 cets method 175.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit www.mohawkgroup.com













Mohawk Group 160 South Industrial Blvd. Calhoun, GA. 30701

1-800-554-6637 mohawkgroup.com

SKU#