





www.interfacehospitality.com

United States Headquarters 1280 West Peachtree Street NW Atlanta, GA 30309 1.800.634.6032

Canadian Headquarters 233 Lahr Drive Belleville, ON K8N 5S2 1.800.267.2149 ext.52128

Brazilian Headquarters Rua Surubim, 577 - Conjuntos 73/74 7° Andar 04571-050 - São Paulo - SP + 55 11 2196 0900

Latin American Headquarters

Montes Urales # 415 Piso 6 Col. Lomas de Chapultepec México City, D.F. 11000 Mexico + 52 55 6395 5100

11/2019 CIM# IFS00846

Interface[®] Hospitality









Contents

Painted Light | 04 Windswept Terrain | 14 Winter Chill | 24 Morning Haze | 32

Specifications | 42 Index | 52 Why Modular Flooring | 53 Morning Haze32Winter Chill24Windswept Terrain14O4

No matter how far away we may travel, we all desire a quiet place to rest. A place to unwind. A place to recharge. A place to remind us of home—different, but still familiar.

Why not transform that "home away from home" feeling with a biophilic point of view? The natural world is restorative to the mind and the body, and we approach the design of a guest room in much the same way—a private, calming retreat that allows for connection, introspection, and relaxation.

The Guest Rooms Collection is a study in how texture, pattern and color can influence the experience of a space. We have assembled 19 of our standard RMS carpet styles into color palettes that evoke four distinct shades of nature. Pair with our LVT as an inset area rug, or play with differing textures, patterns and custom colors for a unique guest room floor.








Painted Light






















Windswept Terrain






B PRODUCT: Textured Woodgra SIZE: 25cm × 1 m COLOR: Antique Dark Oak INSTALLATION: Ashlar

A PRODUCT: RMS 701 SIZE: 25cm × 1m COLOR: Dusk INSTALLATION: Ashlar

PAGE 14 PRODUCT: RMS 704 SIZE: 25cm × 1m COLOR: Hot Cocoa INSTALLATION: Ashlar















Winter Chill









B PRODUCT: Natural Woodgra SIZE: 25cm × 1m COLOR: Madagascar INSTALLATION: Ashlar

A PRODUCT:RMS 706 SIZE: 25cm × 1m COLOR: Smokey INSTALLATION: Ashlar

PAGE 24 PRODUCT: RMS 511 SIZE: 25cm x 1 m COLOR: Grey Shimmer INSTALLATION: Ashlar
























Morning Haze






Minterdeco

A PRODUCT: RMS 101 SIZE: 25cm × 1m COLOR: 186877 (CUSTOM) INSTALLATION: Ashlar

PAGE 34 PRODUCT: RMS 703 SIZE: 25cm × 1m COLOR: Retreat INSTALL ATION: Ashlar

















Product **SWTS 110**

PRODUCT SPECIFICATIONS

SWTS 110 Style: 127800AK00 (25cm x 1m) Backing System

Soil / Stain Protection

Total Recycled Content

Protekt^{2™}

Pile Thickness

0.139 in., 3.5 mm

Pile Density

4,921 oz/yd2

Installation

GLP0820

Ashlar, Herringbone

CRI Green Label Plus

76%

GlasBac[™] Tile

Yarn System 100% Recycled Content Nylon

Yarn Manufacturer

Aquafil

Color System

100% Solution Dyed

Construction Tufted Sheared

Lifetime Antimicrobial Intersept[®]

COLORLINE



104615 PEARL



104617 CANVAS



104618 LUNAR





104620 CLOVE

Product **RMS 101**

PRODUCT SPECIFICATIONS

RMS	101
Style:	1237602500 (50cm x §
Style:	123760AK00 (25cm x
-	
	ng System
GlasB	ac™ Tile
Yarn S	System
	Consumer Content Nylo
1 031 0	
Yarn I	Manufacturer
Univer	rsal
Color	System
100%	Solution Dyed
	,
Const	truction
Tufted	Cut & Loop
Lifetir	ne Antimicrobial
	opt®
Interse	











*186876 CUSTOM



Protekt^{2™} Pile Thickness 0.145 in., 3.7 mm Pile Density 4,469 oz/yd2 **Total Recycled Content** 67% 67-71%*

Soil / Stain Protection

Installation Quarter-Turn Ashlar, Herringbone*

CRI Green Label Plus GLP0820

*Minimum order required and upcharge does apply. Contact your local representative for more information.

RMS 102

Style: 1271902500 (50cm x 50cm) Backing System

PRODUCT SPECIFICATIONS

GlasBac[™] Tile Yarn System 100% Recycled Content Nylon

Yarn Manufacturer Aquafil

Product

RMS 102

Color System 100% Solution Dyed

Construction Tufted Pattern Loop

Lifetime Antimicrobial Intersept[®]

COLORLINE





103543 QUARTZ



102333 PALM

102332 MUSHROOM

Soil / Stain Protection

Protekt^{2™} **Pile Thickness**

0.139 in., 3.5 mm Pile Density

76%

5,439 oz/yd2 **Total Recycled Content**

Installation Quarter-Turn

CRI Green Label Plus GLP0820

Lifetime Antimicrobial



9624 WALNUT



103550 QUARTZ



102334 MUSHROOM

Color System 100% Solution Dyed

Construction Tufted Pattern Loop
























RMS 103

Product

RMS 103

PRODUCT SPECIFICATIONS

Style: 1272002500 (50cm x 50cm)

Backing System

GlasBac[™] Tile

Yarn System

100% Recycled Content Nylon

Yarn Manufacturer

Soil / Stain Protection Protekt^{2™}

Pile Thickness 0.144 in., 3.7 mm

Pile Density 5,500 oz/yd2

Total Recycled Content 76%

Installation Quarter-Turn

CRI Green Label Plus GLP0820









103548 WHEAT



103552 CYPRESS



102335 PALM

Product **RMS 202**

PRODUCT SPECIFICATIONS

RMS 202	Soil / Stain Protection
Style: 1396402500 (50cm x 50cm)	Protekt ^{2™}
Backing System	Pile Thickness
GlasBac [∞] Tile	0.160 in., 4.1 mm
Yarn System	Pile Density
100% Recycled Content Nylon	4,950 oz/yd²
Yarn Manufacturer	Total Recycled Content
Aquafil	76%
Color System	Installation
100% Solution Dyed	Brick, Quarter-Turn
Construction	CRI Green Label Plus

GLP0820

Tufted Loop Cut Loop

Lifetime Antimicrobial Intersept®

COLORLINE



100042 TAN

Product **RMS 303**

PRODUCT SPECIFICATIONS

RMS 3	03
Style: 1	395402500 (50cm x 50cm)
Backin	ig System
GlasBa	c [™] Tile
Yarn S	ystem
100% I	Recycled Content Nylon
Yarn M Aquafil	anufacturer
	System Solution Dyed
Constr	uction
Tufted I	Loop Cut Loop

Lifetime Antimicrobial Intersept[®]

COLORLINE



Soil / Stain Protection Protekt^{2™} Pile Thickness 0.145 in., 3.7 mm Pile Density

5,214 oz/yd2 **Total Recycled Content**

76% Installation

Brick, Quarter-Turn **CRI** Green Label Plus

GLP0820

PRODUCT SPECIFICATIONS

RMS 506

RMS 506

Product

Style: 139620AK00 (25cm x 1m) Style: 139620AB00 (50cm x 1m) Backing System

GlasBac[™] Tile Yarn System

100% Recycled Content Nylon Yarn Manufacturer

Aquafil

Color System 100% Solution Dyed

Construction Tufted Sheared

Lifetime Antimicrobial Intersept[®]

Soil / Stain Protection Protekt^{2™}

Pile Thickness 0.160 in., 4.1 mm

Pile Density 4,950 oz/yd²

Total Recycled Content

76% Installation

Ashlar, Herringbone

CRI Green Label Plus GLP0820








100643 PECAN











103586 WILLOW

103588 EBONY













100643 PECAN









103588 EBONY

PROD

PRODUCT SPECIFICATIONS	
RMS 507	Soil / Stain Protection
Style: 125530AK00 (25cm x 1m)	Protekt²™
Backing System	Pile Thickness
GlasBac [™] Tile	0.115 in., 2.9 mm
Yarn System	Pile Density
100% Recycled Content Nylon	5,009 oz/yd²
Yarn Manufacturer	Total Recycled Content
Aquafil	75%
Color System	Installation
100% Solution Dyed	Ashlar, Herringbone
Construction	CRI Green Label Plus
Tufted Cut & Loop	GLP0820
Lifetime Antimicrobial	* Please visit our website to see

Intersept[®]

COLORLINE



104605 SPEARMINT



104606 TAFFY



105026 AGAVE



105024 SEAL



105025 CLOVE



104608 BUTTERSCOTCH



104607 LATTE

Product **RMS 508**

PRODUCT SPECIFICATIONS

Soil / Stain Protection

Total Recycled Content

Protekt^{2™}

Pile Thickness

0.115 in., 2.9 mm

Pile Density

5,009 oz/yd2

Installation

GLP0820

Ashlar, Herringbone

CRI Green Label Plus

* Please visit our website to see

additional colors for this product.

75%

Soil / Stain Protection	RMS 508		
Protekt ^{2™}	Style: 125540AK00 (25cm x 1m)		
Pile Thickness	Backing System		
0.115 in., 2.9 mm	GlasBac [∞] Tile		
Pile Density	Yarn System		
5,009 oz/yd ²	100% Recycled Content Nylon		
Total Recycled Content 75%	Yarn Manufacturer Aquafil		
Installation	Color System		
Ashlar, Herringbone	100% Solution Dyed		
CRI Green Label Plus	Construction		
GLP0820	Tufted Cut & Loop		
* Please visit our website to see additional colors for this product.	Lifetime Antimicrobial		

COLORLINE







104611 TAFFY



105032 AGAVE



105030 SEAL





104613 BUTTERSCOTCH



104612 LATTE

Product **RMS 509**

PRODUCT SPECIFICATIONS

RMS 509 Style: 124750AK00 (25cm x 1m)

Backing System GlasBac[™] Tile

Yarn System 100% Recycled Content Nylon

Yarn Manufacturer Aquafil

100% Solution Dyed

Tufted Cut & Loop

COLORLINE







104597 POPLAR



104598 WALNUT



RMS 510

Aquafil

Soil / Stain Protection Protekt^{2™}

Pile Thickness 0.122 in., 3.1 mm

Pile Density

76%

Installation

5,607 oz/yd2 **Total Recycled Content**

Ashlar, Herringbone

CRI Green Label Plus GLP0820

COLORLINE

Intersept[®]












187716 SEA SHORE





Lifetime Antimicrobial

Intersept®

Product **RMS 510**

PRODUCT SPECIFICATIONS

Style: 125560AK00 (25cm x 1m)

Backing System

GlasBac[™] Tile

Yarn System 100% Recycled Content Nylon

Yarn Manufacturer

Color System

100% Solution Dyed

Construction

Tufted Cut & Loop

Lifetime Antimicrobial

Soil / Stain Protection Protekt^{2™}

Pile Thickness 0.086 in., 2.2 mm

Pile Density 6,698 oz/yd2

Total Recycled Content 75%

Installation Ashlar, Herringbone

CRI Green Label Plus GLP0820





105170 GREY SHIMMER

187713 GLACIAL TERRAIN



187714 TROPICAL JUNGLE

187715 MOUNTAIN DESERT

PRODUCT SPECIFICATIONS

RMS 511	Soil / Stain Protection	
Style: 125570AK00 (25cm x 1m)	Protekt² [∞]	
Backing System	Pile Thickness	
GlasBac [™] Tile	0.092 in., 2.3 mm	
Yarn System	Pile Density	
100% Recycled Content Nylon	6,261 oz/yd²	
Yarn Manufacturer	Total Recycled Content	
Aquafil	75%	
Color System	Installation	
100% Solution Dyed	Ashlar, Herringbone	
Construction	CRI Green Label Plus	
Tufted Cut & Loop	GLP0820	

Lifetime Antimicrobial Intersept[®]

COLORLINE



105179 GREY SHIMMER



PRODUCT SPECIFICATIONS

RMS 6	07
Style: 1	271702500 (50cm x 50cm)
Backin	g System
GlasBa	c [™] Tile
Yarn S	ystem
100%	Recycled Content Nylon
Yarn M Aquafil	anufacturer
Color 	System
100% 3	Solution Dyed
Constr	uction
Tufted	^D attern Loop


Lifetime Antimicrobial Intersept[®]

COLORLINE

9265 CAMEL



103572 SAND



103573 IVORY



103575 PUTTY

Soil / Stain Protection

Pile Thickness 0.124 in., 3.1 mm Pile Density 6,968 oz/yd2 **Total Recycled Content** Installation

CRI Green Label Plus GLP0820

Protekt^{2™}

77%

Monolithic

RMS 701

Product

PRODUCT SPECIFICATIONS

RMS 701 Style: 161690AK00 (25cm x 1m)

Backing System GlasBac[™] Tile Yarn System

100% Recycled Content Nylon Yarn Manufacturer

Aquafil Color System

100% Solution Dyed

Construction Tufted Sheared

Lifetime Antimicrobial Intersept[®]

COLORLINE





106342 DUSK



106343 RETREAT



106344 DREAM





Soil / Stain Protection RMS 702

Protekt^{2™}

Pile Thickness

Pile Density

8,276 oz/yd2

Installation

GLP0820

Ashlar, Herringbone

CRI Green Label Plus

* Please visit our website too see

additional colors for this product.

76%

0.087 in., 2.2 mm

Total Recycled Content

Backing System GlasBac[™] Tile

Product

Yarn System

Aquafil Color System

100% Solution Dyed Construction Tufted Sheared

Lifetime Antimicrobial Intersept®

COLORLINE



106375 EVENING



106376 DUSK









*Every product featured in the Guest Rooms Collection can be custom colored.











106379 MELLOW

RMS 702

PRODUCT SPECIFICATIONS

Style: 161760AK00 (25cm x 1m)

100% Recycled Content Nylon

Yarn Manufacturer

Soil / Stain Protection Protekt^{2™}

Pile Thickness

0.088 in., 2.2 mm

Pile Density 7,773 oz/yd2

Total Recycled Content 76%

Installation Ashlar, Herringbone

CRI Green Label Plus GLP0820

* Please visit our website too see additional colors for this product.













PRODUCT SPECIFICATIONS

FRUDUCI SFECIFICATIONS	
RMS 703	Soil / Stain Protection
Style: 161770AK00 (25cm x 1m)	Protekt² [∞]
Backing System	Pile Thickness
GlasBac [™] Tile	0.102 in., 2.6 mm
Yarn System	Pile Density
100% Recycled Content Nylon	6,353 oz/yd²
Yarn Manufacturer	Total Recycled Content
Aquafil	75%
Color System	Installation
100% Solution Dyed	Brick
Construction	CRI Green Label Plus
Tufted Sheared	GLP0820
Lifetime Antimicrobial	* Please visit our website too see
Intersept®	additional colors for this product.

COLORLINE





106388 DUSK

106389 RETREAT



106390 DREAM



106391 MELLOW



106392 DEW

Product

RMS 704

PRODUCT SPECIFICATIONS

Soil / Stain Protection

Total Recycled Content

CRI Green Label Plus

Protekt^{2™}

Pile Thickness

Pile Density

7,373 oz/yd²

Installation

GLP0820

76%

Ashlar

0.083 in., 2.1 mm

RMS 704 Style: 125630AK00 (25cm x 1m))
Backing System GlasBac [™] Tile	
Yarn System 100% Recycled Content Nylon	
Yarn Manufacturer Aquafil	
Color System 100% Solution Dyed	
Construction Tufted Cut & Loop	

Lifetime Antimicrobial Intersept[®]

COLORLINE





106419 SIESTA



106420 DAWN



106421 PEACE





106423 TWILIGHT

Product **RMS 705**

PRODUCT SPECIFICATIONS

RMS 705 Style: 125640AK00 (25cm x 1m)

Backing System GlasBac[™] Tile

Yarn System 100% Recycled Content Nylon

Yarn Manufacturer Aquafil

Color System 100% Solution Dyed Construction

Tufted Cut & Loop Lifetime Antimicrobial

Intersept®

COLORLINE









106433 PEACE





Soil / Stain Protection Protekt^{2™}

Pile Thickness 0.078 in., 2.0 mm

Pile Density 7,846 oz/yd²

Total Recycled Content 76%

Installation Ashlar, Herringbone

CRI Green Label Plus GLP0820

Lifetime Antimicrobial

Intersept®

COLORLINE





106407 SIESTA



106408 DAWN







106410 SMOKEY





Product



GlasBac[™] Tile Yarn System

100% Recycled Content Nylon Yarn Manufacturer

Aquafil Color System

100% Solution Dyed Construction

Tufted Cut & Loop

RMS 706

PRODUCT SPECIFICATIONS

Style: 125620AK00 (25cm x 1m)

Backing System

Soil / Stain Protection Protekt^{2™}

Pile Thickness 0.083 in., 2.1 mm

Pile Density 7,373 oz/yd2

Total Recycled Content 76%

Installation Ashlar, Herringbone

CRI Green Label Plus GLP0820













Index FEATURED PRODUCTS

PRODUCT	COLOR	PAGE	PRODUCT	COLOR	PAGE
SWTS 110	104616 VANILLA 104617 CANVAS FULL COLORLINE	9 9 44	RMS 701	106342 DUSK 106341 EVENING 106343 RETREAT	17 29 38, 40
RMS 101	186877 (CUSTOM) 100078 LINEN	37 44	_	106345 MELLOW FULL COLORLINE	40 51
RMS 102	103545 CYPRESS FULL COLORLINE	13 45	RMS 702	106380 DEW 23	18, 20, 21, 23 23 31
RMS 103	102334 MUSHROOM 103550 QUARTZ	13 18		106378 DREAM 106379 MELLOW FULL COLORLINE	31 38 51
RMS 202	FULL COLORLINE 100042 TAN	45 8,46	RMS 703	106388 DUSK 106387 EVENING	21, 22, 23 28
RMS 303	100100 BEIGE	8, 46	_	106390 DREAM 28	28, 29 34, 38, 39
RMS 506	103585 BIRCH 103588 EBONY FULL COLORLINE	18 32 47	RMS 704	FULL COLORLINE 106420 DAWN 106418 HOT COCOA	52 COVER 20
RMS 507	105025 CLOVE 104605 SPEARMINT FULL COLORLINE	19 41, 43 48	_	106418 HOT COCOA 106423 TWILIGHT 106419 SIESTA FULL COLORLINE	30 42 52
RMS 508	104612 LATTE 104610 SPEARMINT FULL COLORLINE	10 41 48	RMS 705	106430 HOT COCOA 106434 SMOKEY 106435 TWILIGHT	14, 20, 21 32 32
RMS 509	104595 BEECH 104597 POPLAR FULL COLORLINE	3, 23 12 49	RMS 706	FULL COLORLINE 106410 SMOKEY 106411 TWILIGHT	53 27, 33 33
RMS 510	187714 TROPICAL JUNGLE 187715 MOUNTAIN DESERT 187713 GLACIAL TERRAIN FULL COLORLINE	7 22 30, 31 49	_	106407 SIESTA FULL COLORLINE	40, 43 53
RMS 511	105179 GREY SHIMMER	24, 29, 50	_		
RMS 607	103573 IVORY 103574 KHAKI	4, 11 13	_		

ADDITIONAL PRODUCTS

103575 PUTTY

FULL COLORLINE

39

50

PRODUCT	COLOR	PAGE
NATURAL WOODGRAINS	A00204 BEECH A00208 SAND DUNE A00202 MADAGASCAR A00205 STORM	COVER, 7 8, 10 27 38, 40, 41
TEXTURED WOODGRAINS	A00401 DISTRESSED WALNUT A00406 ANTIQUE LIGHT OAK A00409 ASH WALNUT A00416 ANTIQUE DARK OAK A00429 GREYWOOD	3 11 13 17, 18, 19, 20, 23 42, 43
STUDIO SET	A00702 PEWTER	32, 33
ON LINE	103783 MUSHROOM 105259 FOG 105263 TITANIUM	10 22 28, 31

Carbon Neutral Floors Our Carbon Neutral Floors program is annually verified by a third party.

Sustainable Assessment for Carpet The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.

CRI Green Label Plus An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.

Environmental Product Declaration (EPD) A statement of product ingredients and environmental impacts over the entire lifecycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and the LCA must be third party verified.



Flexibility

Keep Your Floor Beautiful. Modular flooring allows you to play with pattern and design without having to special order sizes. And the same flexibility that lets you create your floor helps you keep it looking good because in-house staff can easily replace individual tiles that become damaged or heavily soiled-no down time or outside contractors required.

WHY MODULAR FLOORING?



Intersept[®]

Mold Protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria - guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



Sustainable Choice

Environmental Responsibility. More than 95% of Interface products manufactured in the Americas carry the GreenCircle Certified Environmental Facts label, which has verified that standard Interface products are manufactured using 99% renewable energy and offer a minimum of 66% and 80% total recycled content when backed with GlasBac and GlasBacRE backing respectively.



CushionBac Renew[™]

Get Comfortable. Enjoy greater comfort underfoot and improved acoustics with our high performance CushionBac Renew backing. The 21 oz. felt cushion provides less resistance to footfalls and increased sound absorption to create a more comfortable environment overall. As one of our low carbon options, CushionBac Renew also offers a total product recycled content of up to 76% (up to 25% postconsumer content), and can be recycled into our GlasBac[™]RE backing.



TacTiles™

No Glue Installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering carpet tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.

Minterdeco



Less Waste

Save Money. Interface Hospitality's modular flooring averages just 3.9% installation waste compared to as much as 18% or more with patterned roll carpet. Use our non directional styles with an average of 1.5% waste and save even more. That means more of your flooring investment stays on the floor-not in a dumpster.



Carbon Neutral Floors[™]

Create a Climate Fit for Life. All of the flooring products sold by Interface - carpet tile, LVT, and rubber - are carbon neutral and third party verified. We've taken a holistic approach to achieve carbon neutrality, first through reducing the carbon footprint of our products and then using carbon offsets for the remainder, including the emissions from raw materials, our manufacturing processes and product use to end of life.



ReEntry[™]

Closing the Loop. We want our carpet tile and LVT back. Through our ReEntry program we reclaim and recycle our used carpet tile and LVT and turn it into new flooring. We'll even take many of our competitors' products. The result? Products with up to 89% total recycled content, including as much as 27% post-consumer content.