

www.interface.com

United States Headquarters
1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters
233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.52128

Brazilian Headquarters
Rua Surubim, 577 - Conjuntos
73/74 7º Andar
04571-050 - São Paulo - SP
+ 55 11 2196 0900

Latin American Headquarters
Montes Urales # 415 Piso 6
Col. Lomas de Chapultepec
México City, D.F. 11000
Mexico
+ 52 55 6395 5100

05/2019

World Woven Collection



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.

Interface®

Interdeco™

In Interface studios around the world, designers work together to decipher trend and interpret it through the lens of local textile histories – from Japan to the UK, the Americas to Australia. In this process, one thing becomes very clear: the most elegant solutions are often the simplest. World Woven™ Collection, the 2016 addition to our global library of styles, is deeply influenced by this lesson.


Uncomplicated, hand crafted and imperfect are often the terms of beauty today. In a way, this seems more authentic and more accessible. Familiar objects conjure a sense of security, comfort and well-being. The World Woven Collection draws heavily from textile patterns and woven structures that embody all these things.

At the core of the collection are four patterns that were inspired by classic woolen textiles, rooted in the traditions of plain woven fabrics made for fashion, upholstery and home accessories that are still so essential today. The colors recall undyed wools with just a bit of contrast.

To complement this carefully curated set, are two color studies – one soft, less manicured and one flat and orderly. Following nature's method, each is comprised of many hues mingled together to create a more vivid rendering of color.

For the first time, we've attached three FLOR® by Interface styles, designed especially for the World Woven Collection. Collins Cottage™ and Scottish Sett™ revive the noble houndstooth and plaid while Mod Café™ renews the playful and optimistic patterns of the 1950s. These complimentary patterns can be included in a floor composition to define space, create area rugs or combine with the balance of the collection to add interest and detail.

World Woven Collection is six Skinny Planks™ and three FLOR squares, each with eight colors and made with 100% recycled content nylon. All nine styles weave together our current predilections with memories we share of some of the most enduring textiles of the past. They are simple, elegant fabrics that keep us warm and lift our spirits.







www.interface.com

PRODUCT WW870 COLORS 105343 LINEN WEFT, 105344 FLANNEL WEFT INSTALLED PATTERN BY TILE



PRODUCT WW880 COLOR 105362 BLACK LOOM
PRODUCT WW890 COLOR 105389 RAFFIA DOBBY INSTALLED PATTERN BY TILE









DARSWELL ROOM

WW870 Colorline



105343 LINEN WEFT



105344 FLANNEL WEFT



105345 CHARCOAL WEFT



105346 BLACK WEFT



105347 BROWN WEFT



105348 NATURAL WEFT



105349 RAFFIA WEFT



105350 SISAL WEFT

Specifications

Modular, 25cm x 1m	138930AK00
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.104 in., 2.6 mm
Pile Density	7,962
Total Recycled Content	72%
Indoor Air Quality	CRI Green Label Plus #GLP0820






WW880 Colorline



105359 LINEN LOOM



105360 FLANNEL LOOM



105361 CHARCOAL LOOM



105362 BLACK LOOM



105363 BROWN LOOM



105364 NATURAL LOOM



105365 RAFFIA LOOM



105366 SISAL LOOM

Specifications

Modular, 25cm x 1m	128200AK00
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Sheared
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.119 in., 3.0 mm
Pile Density	7,563
Total Recycled Content	77%
Indoor Air Quality	CRI Green Label Plus #GLP0820



WW890 Colorline



105383 LINEN DOBBY



105384 FLANNEL DOBBY



105385 CHARCOAL DOBBY



105386 BLACK DOBBY



105387 BROWN DOBBY



105388 NATURAL DOBBY





105389 RAFFIA DOBBY



105390 SISAL DOBBY

Specifications

Modular, 25cm x 1m	128240AK00
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.123 in., 3.1 mm
Pile Density	8,780
Total Recycled Content	78%
Indoor Air Quality	CRI Green Label Plus #GLP0820







PRODUCT WW990 COLOR 105383 LINEN DOBBY INSTALLED ASHLAR
FLOR PRODUCT MOD CAFE COLOR 105423 STAR CHARCOAL INSTALLED MONOLITHIC

www.interface.com



PRODUCT WW865 COLOR 105371 FUCHSIA WARP
PRODUCT WW880 COLOR 105363 BROWN LOOM INSTALLED PATTERN BY TILE


Interdeco





Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.





PRODUCT WW880 **COLOR** 105359 LINEN LOOM
PRODUCT WW890 **COLOR** 105385 CHARCOAL DOBBY **INSTALLED** ASHLAR




PRODUCT WW890 **COLORS** 105386 BLACK DOBBY, 105388 NATURAL DOBBY
INSTALLED PATTERN BY TILE




PRODUCT WW870 **COLORS** 105347 BROWN WEFT, 105350 SISAL WEFT
PRODUCT WW895 **COLOR** 105381 GLEN WEAVE **INSTALLED** ASHLAR





PRODUCT WW870 **COLORS** 105343 LINEN WEFT, 105344 FLANNEL WEFT
INSTALLED PATTERN BY TILE




Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.




PRODUCT WW880 **COLOR** 105362 BLACK LOOM
PRODUCT WW890 **COLOR** 105389 RAFFIA DOBBY **INSTALLED** PATTERN BY TILE




PRODUCT WW865 **COLOR** 105371 FUCHSIA WARP
PRODUCT WW880 **COLOR** 105363 BROWN LOOM **INSTALLED** PATTERN BY TILE



PRODUCT WW880 **COLOR** 105364 NATURAL LOOM
FLOOR PRODUCT SCOTTISH SETT™ **COLOR** 105434 PLAID NATURAL **INSTALLED** PATTERN BY TILE




PRODUCT WW880 **COLOR** 105366 SISAL LOOM
PRODUCT WW890 **COLOR** 105390 SISAL DOBBY **INSTALLED** PATTERN BY TILE





www.interface.com


PRODUCT WW865 COLOR 105369 HIGHLAND WARP
PRODUCT WW895 COLOR 105377 HIGHLAND WEAVE **INSTALLED** PATTERN BY TILE



PRODUCT WW860 COLOR 105354 BLACK TWEED
PRODUCT WW865 COLOR 105369 HIGHLAND WARP
PRODUCT WW895 COLOR 105377 HIGHLAND WEAVE **INSTALLED** PATTERN BY TILE

 Interdeco™





PRODUCT WW860 COLOR 105352 FLANNEL TWEED
PRODUCT WW865 COLOR 105368 LOCH WARP INSTALLED ASHLAR



PRODUCT WW880 COLOR 105860 FLANNEL LOOM INSTALLED ASHLAR
FLOR PRODUCT MOD CAFE COLOR 106421 STAR LINEN INSTALLED MONOLITHIC





WW860 Colorline



105351 LINEN TWEED



105352 FLANNEL TWEED



105353 CHARCOAL TWEED



105354 BLACK TWEED



105355 BROWN TWEED



105356 NATURAL TWEED



105357 RAFFIA TWEED



105358 SISAL TWEED

Specifications

Modular, 25cm x 1m	128190AK00
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.065 in., 1.7 mm
Pile Density	9,415
Total Recycled Content	76%
Indoor Air Quality	CRI Green Label Plus #GLP0820





WW895 Colorline




105375 HEATHER WEAVE



105376 LOCH WEAVE



105377 HIGHLAND WEAVE



105378 MOORLAND WEAVE



105379 FUCHSIA WEAVE



105380 AUTUMN WEAVE




105381 GLEN WEAVE



105382 DALE WEAVE

Specifications

Modular, 25cm x 1m	128220AK00
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.116 in., 2.9 mm
Pile Density	9,310
Total Recycled Content	78%
Indoor Air Quality	CRI Green Label Plus #GLP0820



WW865 Colorline



105367 HEATHER WARP



105368 LOCH WARP



105369 HIGHLAND WARP



105370 MOORLAND WARP



105371 FUCHSIA WARP



105372 AUTUMN WARP




105373 GLEN WARP



105374 DALE WARP

Specifications

Modular, 25cm x 1m	128210AK00
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.057 in., 1.4 mm
Pile Density	10,737
Total Recycled Content	76%
Indoor Air Quality	CRI Green Label Plus #GLP0820





PRODUCT WW865 COLOR 105368 LOCH WARP
PRODUCT WW870 COLOR 105346 BLACK WEFT INSTALLED PATTERN BY TILE

www.interface.com



PRODUCT WW895 COLOR 105379 FUCHSIA WEAVE FLOR PRODUCT COLLINS COTTAGE
COLOR 105415 HOUND CHARCOAL INSTALLED PATTERN BY TILE


 Interdeco





www.interface.com

PRODUCT WW860 COLOR 105351 LINEN TWEED INSTALLED ASHLAR



 Interdeco

PRODUCT WW860 COLORS 105356 NATURAL TWEED, 105357 RAFFIA TWEED
PRODUCT WW895 COLOR 105381 GLEN WEAVE INSTALLED PATTERN BY TILE




FLOR PRODUCT SCOTTISH SETT COLOR 105431 PLAID CHARCOAL
PRODUCT WW860 COLOR 105353 CHARCOAL TWEED INSTALLED PATTERN BY TILE

www.interface.com




PRODUCT WW860 COLOR 105354 BLACK TWEED
PRODUCT WW865 COLOR 105379 GLEN WARP
PRODUCT WW895 COLOR 105378 MOORLAND WEAVE INSTALLED PATTERN BY TILE

Interdeco



www.interface.com

PRODUCT WW860 COLOR 105358 SISAL TWEED
PRODUCT WW890 COLOR 105390 SISAL DOBBY INSTALLED PATTERN BY TILE




Interdeco

PRODUCT WW865 COLOR 105372 AUTUMN WARP INSTALLED ASHLAR



Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.




PRODUCT WW865 **COLOR** 105369 HIGHLAND WARP
PRODUCT WW895 **COLOR** 105377 HIGHLAND WEAVE **INSTALLED** PATTERN BY TILE




PRODUCT WW860 **COLOR** 105354 BLACK TWEED
PRODUCT WW865 **COLOR** 105369 HIGHLAND WARP
PRODUCT WW895 **COLOR** 105377 HIGHLAND WEAVE **INSTALLED** PATTERN BY TILE





PRODUCT WW865 **COLOR** 105374 DALE WARP **PRODUCT** WW895
COLOR 105382 DALE WEAVE **INSTALLED** PATTERN BY TILE





PRODUCT WW880 **COLOR** 105364 NATURAL LOOM **PRODUCT** WW895
COLOR 105380 AUTUMN WEAVE **INSTALLED** PATTERN BY TILE




Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.




PRODUCT WW865 **COLOR** 105368 LOCH WARP
PRODUCT WW870 **COLOR** 105346 BLACK WEFT **INSTALLED** PATTERN BY TILE




PRODUCT WW895 **COLOR** 105379 FUCHSIA WEAVE **FLOR PRODUCT** COLLINS COTTAGE
COLOR 105415 HOUND CHARCOAL **INSTALLED** PATTERN BY TILE



PRODUCT WW860 **COLORS** 105356 NATURAL TWEED, 105357 RAFFIA TWEED
PRODUCT WW895 **COLOR** 105381 GLEN WEAVE **INSTALLED** PATTERN BY TILE



PRODUCT WW860 **COLOR** 105354 BLACK TWEED
PRODUCT WW865 **COLOR** 105373 GLEN WARP
PRODUCT WW895 **COLOR** 105378 MOORLAND WEAVE **INSTALLED** PATTERN BY TILE



FLOR PRODUCT SCOTTISH SETT COLOR 105429 PLAID LINEN
PRODUCT WW860 COLOR 105351 LINEN TWEED INSTALLED PATTERN BY TILE

www.interface.com



FLOR PRODUCT COLLINS COTTAGE COLOR 105416 HOUND BLACK INSTALLED NON DIRECTIONAL

Interdeco




FLOR PRODUCT COLLINS COTTAGE COLOR 105415 HOUND CHARCOAL
 INSTALLED NON DIRECTIONAL FLOR PRODUCT SCOTTISH SETT
 COLOR 105431 PLAID CHARCOAL INSTALLED NON DIRECTIONAL

www.interface.com


Collins Cottage Colorline (FLOR by Interface)




105413 HOUND LINEN



105415 HOUND CHARCOAL



105416 HOUND BLACK



105417 HOUND BROWN



105418 HOUND NATURAL



105419 HOUND RAFFIA

Specifications

Modular, 50cm x 50cm	1282302500
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dyed
Construction	Loop Pile
Lifetime Antimicrobial	Intersept®
Pile Thickness	0.145 in., 3.7 mm
Pile Density	6,455
Total Recycled Content	64%
Indoor Air Quality	CRI Green Label Plus #GLP0820



NON DIRECTIONAL

View these products and order samples on flor.com.





Mod Café Colorline (FLOR by Interface)




105421 STAR LINEN



105422 STAR FLANNEL



105423 STAR CHARCOAL



105424 STAR BLACK



105425 STAR BROWN



105426 STAR NATURAL



105427 STAR RAFFIA



105428 STAR SISAL

Specifications

Modular, 50cm x 50cm	1282802500
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Pile Thickness	0.121 in., 3.1 mm
Pile Density	8,628
Total Recycled Content	65%
Indoor Air Quality	CRI Green Label Plus #GLP0820



FLOR PRODUCT MOD CAFÉ. COLORS 105421, STAR LINEN; 105426
STAR NATURAL. INSTALLED PATTERN BY TILE

Scottish Sett Colorline (FLOR by Interface)



105429 PLAID LINEN



105430 PLAID FLANNEL



105431 PLAID CHARCOAL



105432 PLAID BLACK



105433 PLAID BROWN



105434 PLAID NATURAL

Specifications

Modular, 50cm x 50cm	1283002500
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dyed
Construction	Loop Pile
Lifetime Antimicrobial	Intersept®
Pile Thickness	0.143 in., 3.6 mm
Pile Density	7,301
Total Recycled Content	65%
Indoor Air Quality	CRI Green Label Plus #GLP0820



NON DIRECTIONAL

View these products and order samples on flor.com.



Interdeco™

FLOR PRODUCT SCOTTISH SETT COLOR 105435 PLAID RAFFIA INSTALLED NON DIRECTIONAL

Why Our Modular Flooring?



Modular Flooring

Performance and flexibility. Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcurl, no tapping and no rippling effect, yet are easy to selectively replace. Our modular carpet is easier to handle than bulky roll carpet and produces an average of just 3-4% waste compared to roll carpet's average of 14%. And it installs seamlessly with our LVT, no transition strips needed.



Carbon Neutral Floors™

Create a climate fit for life. All Interface flooring sold globally is third party verified carbon neutral. We've taken a holistic approach to achieve carbon neutrality, first through reducing the carbon footprint of our products and then using carbon offsets for the remainder, including the emissions from raw materials, our manufacturing processes and product use to end of life.



TacTiles®

No glue installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.



Intersept®

Mold protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria—guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



ReEntry®

Recyclable is now a reality. Through our ReEntry program and partnerships with our fiber suppliers and recycling centers throughout North America, separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon while separated GlasBac®, GlasBacRE, similar competitive backings and our own LVT are recycled into new GlasBacRE non-virgin PVC backing using our Cool Blue™ technology. The result? Products with up to 89% total recycled content, including as much as 27% post-consumer content.



Sustainable Choice

Environmental responsibility. More than 95% of Interface products manufactured in the Americas carry the GreenCircle Certified Environmental Facts label, which has verified that standard Interface products are manufactured using 99% renewable energy and offer a minimum of 66% and 80% total recycled content when backed with GlasBac and GlasBacRE backing respectively.

Transparency and certified sustainability leadership come standard on all Interface products, including published ingredients in HPDs (Health Product Declarations) or Declare Labels. In addition, more than 99% of our products globally have a published EPD (Environmental Product Declaration), which evaluates consistent factors based on full life cycle assessment (LCA). And, all Interface products with GlasBacRE backing are certified to the Platinum level of the NSF/ANSI 140 Sustainable Assessment for Carpet. GlasBac backed products meet the Gold level. NSF/ANSI 140 certified products contribute toward a USGBC or CaGBC LEED credit.

Samples

Order samples at www.interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500	Canada 1.866.398.3192
Brazil + 55 11 2196 0900	Latin America + 52 55 6395 5100

www.interface.com

Register at www.interface.com to:

- Browse products and order samples
- View carpet in a variety of room scenes
- Browse floor designs, change colors, view as a grid or in a room, download and share
- Use our LEED Calculator
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

InterCircle™ Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

Third Party Certification



Bureau Veritas – All Interface flooring sold globally is third party verified carbon neutral.



Environmental Product Declaration (EPD) – A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



Sustainable Assessment for Carpet – The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



CRI Green Label Plus – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.



Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.