









Luxury Vinyl Tile: Global Entry, C0015 Antiek | 931 Nimbus Carpet: Modern Antiquities, MD005 Reborn Wisdom and MD006 Nomadic Wanderer | 849 Taupe

Global Entry

Access the world through Mohawk Group's premier collection of commercial luxury vinyl tile: Global Entry. Antiek and Morikato travel the globe to bring hardwood species from across the planet in contemporary colors and realistic wood textures. Made with 23% bio-based content and protected by commercial grade wear layer with M-Force™ Enhanced Urethane, these timeless LVT products perform through the life of the installation.

Style: Antiek hails from Scandinavia where wide, natural woods are regaled for their inherent beauty. Each plank is embossed with a wood texture that perfectly aligns with the grain pattern, a process called "Embossed in Register", achieving the most realistic visual possible in luxury vinyl plank. Colorways span from cool to warm, and specie designs are offered in rustic or clean grades of oak. Antiek planks are 9" wide and 48" long for a look that is authentic to European hardwoods, and a format that installs quickly across large areas.

Style: Morikato takes inspiration from the Japanese word for "Forest," offering a vast color line of timeless hardwood visuals like cutting edge charred wood, cerused grains and linear composite styles. The color palette builds on the distressed, reclaimed looks in both cool and warm tones, as well as provides sophisticated upgrades to classic maple, cherry and chestnut hardwood species. The 7" x 48" planks follow current format trends yet are neutral enough to satisfy a wide variety of projects and end use segments.

Recommended Applications

Appropriate for light to heavy commercial traffic including applications in the following areas:

- Healthcare non aseptic areas of hospitals, senior living and medical office buildings
- Retail high traffic stores
- Hospitality rooms and public space
- Corporate lobbies, corridors, break rooms and offices
- Education university centers, cafeterias, classrooms and dormitories

Selling Features

- Contains 23% bio-based content and is FloorScore® certified for healthy indoor air quality
- Wide range of visuals to accommodate a variety of end use segments and design schemes
- Grain textures in Antiek perfectly align with pattern for the most realistic wood look possible
- M-Force[™] Enhanced Urethane adds extra layer of protection from scratching and scuffing
- 20 mil wear layer performs under commercial traffic
- No-polish maintenance reduces costs associated with long-term cleaning

Color Effects

Solid, all loop textured tile available in 48 colors. Select colors also available as 12x36 plank. Install as a border, inset or accent tile.



EcoFlex[™] ICT

Modular backing



EcoFlex[™] ICT is a premium vinyl modular backing system containing a minimum of 35% recycled content. With over 15 years in the marketplace, its ultra dense construction is engineered to offer superior performance while giving greater cushioning properties.



PERFORMANCE

- Unsurpassed dimensional stability - no growing or shrinking
- Constructed with an ultra dense five layer cushion backing system
- Main body of tile provides an effective moisture barrier (not applicable at the seams)
- Tiles are impervious to moisture damage from spills and water extraction cleaning
- Construction features superior tuft bind that is highly resistant to edge ravel
- Proven performance for over 15 years



BUDGET

 Superior construction offers reliability for the life of your installation



SUSTAINABILITY

- EcoFlex ICT contains 35% minimum pre consumer recycled content by total weight*
- Recyclable through Durkan's ReCover program
- EcoFlex ICT may contribute to or comply with LEED® credits MR 4.0, IEQ 4.3 and Innovation credit for NSF 140
- CRI Green Label Plus certified
- Free of EPA phthalates of concern

- Certified at the Gold Level in accordance with NSF/ANSI 140 the Sustainability Assessment for Carpet
- NSF/ ANSI 140 Platinum level version available with a minimum of 10% post-consumer recycled content



SERVICE

• Engineered performance for an overall better after sales service experience

^{*} Recycled content claim third party verified by UL (Underwriters Laboratory)

	Brand Style Name / Number	
	Construction	Tufted
1	Surface Appearance	Patterned Tip Shear
	Gauge	1/12" (47.00 rows per 10 cm)
	Dye Method	Solution Dyed
	Fiber Type	duracolor. Premium Nylon
	Stain Release Technology	Sentry Plus Stain Protection
	Soil Release Technology	Sentry Soil Protection
	GSA Stain Release Rating	Passes
	Backing Material	EcoFlex ICT
	Indoor Air Quality	Green Label Plus Certified # 1098
	NSF 140	Gold
	Size	12" x 36" (.3048 m x .9144 m)
	Installation Method	Monolithic / Half-Lap / Brick Ashlar /
		Basket Weave / Plank Half-Lap /
		Monolithic Stepping / Random /
		Herringbone
	Flammability	ASTM E 648 Class 1 (Glue Down)
	Smoke Density	ASTM E 662 Less than 450
	Static Propensity	AATCC - 134 Under 3.5 KV
	Warranties: Lifetime Limited (Carpet Tile Warranty, Lifetime Limited
	Duracolor Stain Warranty, Life	etime Static


12BY36

ľ	Brand	Durkan
1	Style Name / Number	Nomadic Wanderer / MD006
1	Construction	Tufted
1	Surface Appearance	Patterned Tip Shear
1	Gauge	1/12" (47.00 rows per 10 cm)
1	Dye Method	Solution Dyed
ı	Fiber Type	duracolor. Premium Nylon
ı	Stain Release Technology	Sentry Plus Stain Protection
ı	Soil Release Technology	Sentry Soil Protection
ı	GSA Stain Release Rating	Passes
ı	Backing Material	EcoFlex ICT
ı	Indoor Air Quality	Green Label Plus Certified # 1098
ı	NSF 140	Gold
ı	Size	12" x 36" (.3048 m x .9144 m)
ı	Installation Method	Monolithic / Half-Lap / Brick Ashlar /
ı		Basket Weave / Plank Half-Lap /
ı		Monolithic Stepping / Random /
ı		Herringbone
ı	Flammability	
ı	Smoke Density	ASTM E 662 Less than 450
ı	Static Propensity	AATCC - 134 Under 3.5 KV
	Warranties: Lifetime Limited (Carpet Tile Warranty, Lifetime Limited
Duracolor Stain Warranty, Lifetime Static		

12BY36

For Color Effects and Antiek spec information, visit our website at durkan.com.

Installation Instructions:





Mohawk Industries, Inc. warrants its adhesives for the life of the original installation only when a Mohawk Industries style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Industries adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Moving Along Collection are recommended at entryways to reduce soiling.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit durkan.com









