

A photograph of a single, bright green apple with a short stem, resting on a stack of several books. The books have various colored covers, including pink, yellow, and green. The background is a dark, textured blue. The text 'Cubic & Cubic Colours' is written vertically in white, with 'Cubic' appearing twice, separated by an ampersand. The text 'for Education' is written vertically below the second 'Cubic'.

Cubic™ & Cubic Colours™
for Education

Interface®

It's only in our synthetic world that we want uniform perfection – one shade, no variation. If nature doesn't work that way, then why should we? Like fallen leaves on the forest floor, stones in the riverbed and flowers in a field, each Cubic and Cubic Colours carpet tile is unique; yet when installed, they blend into a cohesive pattern. As two of Interface's groundbreaking i2® non directional products, Cubic and Cubic Colours can be installed using tiles from multiple dye lots and tiles can be set in any direction, which means there's less waste during production and installation.

Cubic is offered in 33 neutral colorways. And, with Cubic Colours' dazzling selection of 21 colors ranging from bold primaries to candy-coated pastels to rich blues and greens, you can add a creative kick to any environment from pre-school to elementary classrooms to higher education.

At Interface, we believe that where our students learn matters. That's why we're proud to support Green Apple, an initiative from the Center for Green Schools at the U.S. Green Building Council (USGBC). Green Apple is a global movement to put all children in healthy, high-performing and sustainable schools within this generation. This goes hand-in-hand with our own Mission Zero®, which keeps us focused on eliminating all of our environmental impacts by 2020.








KALEIDOSCOPE MADE WITH PRODUCT CUBIC COLORS 3692 DIMENSION, 4288 GEOMETRY
PRODUCT CUBIC COLOURS COLORS 7264 GREEN, 7259 PAINTED DESERT INSTALLED NON DIRECTIONAL


Kaleidoscope

What do you get when you mix together any of our i2 non directional carpet tiles? The wonderfully unexpected logic that is Kaleidoscope. It's so easy. Start by choosing four colors in a 40/30/20/10 ratio (in the example below we used two colors each from our top selling Cubic and Cubic Colours) and then randomly mix them on the floor. The end result is an eye-catching, one-of-a-kind design. You literally can't go wrong with this winning formula, which creates simple, snappy style for any classroom, corridor or media center.

A	B	D	A
B	C	A	A
C	B	C	B
A	B	A	B
A	D	A	C



A. 40% B. 30% C. 20% D. 10%







Cubic™ Colorline




CUBIC 4287 SHAPE
CUBIC + 172422 SHAPE




CUBIC 4288 GEOMETRY
CUBIC + 178448 GEOMETRY




CUBIC 4289 MATRIX
CUBIC + 178449 MATRIX




CUBIC 4290 PERIMETER
CUBIC + 178450 PERIMETER




CUBIC 4291 SQUARE
CUBIC + 171794 SQUARE




CUBIC 4292 AREA
CUBIC + 172673 AREA




CUBIC 4293 GRID
CUBIC + 178451 GRID




CUBIC 4294 SURFACE
CUBIC + 178452 SURFACE




CUBIC 4295 SYMMETRY
CUBIC + 178453 SYMMETRY




CUBIC 4296 TRANSVERSE
CUBIC + 178454 TRANSVERSE




CUBIC 4851 MEASUREMENT
CUBIC + 178455 MEASUREMENT




CUBIC 4852 INTERIOR
CUBIC + 178456 INTERIOR




CUBIC 4853 ANGLE
CUBIC + 178457 ANGLE




CUBIC 4855 OPTIC
CUBIC + 178458 OPTIC




CUBIC 4856 STRUCTURE
CUBIC + 178459 STRUCTURE




CUBIC 4857 FUNCTIONAL
CUBIC + 178460 FUNCTIONAL




CUBIC 4858 FORM
CUBIC + 172058 FORM




CUBIC 4860 AXIS
CUBIC + 178461 AXIS




CUBIC 6383 BALANCE
CUBIC + 178462 BALANCE




CUBIC 6384 COMPOSITION
CUBIC + 178463 COMPOSITION



CUBIC 6385 VERTICAL
CUBIC + 178464 VERTICAL




CUBIC 6386 HORIZONTAL
CUBIC + 178465 HORIZONTAL




CUBIC 6387 DEPTH
CUBIC + 178466 DEPTH




CUBIC 6388 CONCEPT
CUBIC + 178467 CONCEPT




CUBIC 6389 SUPPORTS
CUBIC + 178468 SUPPORTS




CUBIC 6390 LENGTH
CUBIC + 178469 LENGTH




CUBIC 6391 WIDTH
CUBIC + 178470 WIDTH




CUBIC 6392 DIMENSION
CUBIC + 178471 DIMENSION




CUBIC 6393 HEIGHT
CUBIC + 178313 HEIGHT



CUBIC 6394 DIAGONAL
CUBIC + 178472 DIAGONAL



CUBIC 6395 CONSTRUCTION
CUBIC + 178473 CONSTRUCTION



CUBIC 6396 MOVEMENT
CUBIC + 178474 MOVEMENT



CUBIC 6397 PURPOSE
CUBIC + 178475 PURPOSE

Specifications Cubic™



Modular, 50 cm x 50 cm	1380102500
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.093 in., 2.4 mm
Pile Density	6,968
Fiber Modification Ratio	1.9 - 2.2
Total Recycled Content	60%
Indoor Air Quality	CRI Green Label Plus #GLP0820



NON DIRECTIONAL

Cubic™ +




Modular, 50 cm x 50 cm	19J5102500
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.115 in, 2.9 mm
Pile Density	6,261
Fiber Modification Ratio	1.9 - 2.2
Total Recycled Content	60%
Indoor Air Quality	CRI Green Label Plus #GLP0820




NON DIRECTIONAL

Also available on some state government contracts.


Cubic Colours™ Colorline




7248 PARROT




7249 BLUE LAGOON




7251 IRIDESCENT




7252 ABALONE




7253 CHAMELEON




7254 NORTHERN LIGHTS




7255 MOSAIC




7256 KALEIDOSCOPE




7257 TAPESTRY




7258 CARNIVAL




7259 PAINTED DESERT



7260 SUNFLOWER




7261 YELLOW




7262 ORANGE




7263 RED




7264 GREEN




7265 TEAL



7266 BLUE



7267 VIOLET



7268 MAGENTA



7269 BLACK

Specifications



Modular, 50 cm x 50 cm	1382902500
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protek ² ®
Pile Thickness	0.093 in., 2.4 mm
Pile Density	6,968
Fiber Modification Ratio	1.9 - 2.2
Total Recycled Content	60%
Indoor Air Quality	CRI Green Label Plus #GLP0820



NON-DIRECTIONAL



PRODUCT CUBIC COLOR 6396 MOVEMENT, 6393 HEIGHT INSTALLED NON DIRECTIONAL
PRODUCT SYNCOPATION™ COLOR 6494 MARGARITA, PRODUCT SUPER FLOR™ COLOR 609156 INDIAN SPICE
PRODUCT FLOR® COLOR 603188 BLACK-BROWN



PRODUCT CUBIC COLOR 4292 AREA INSTALLED NON DIRECTIONAL

Why Our Modular Carpet?



i2® Modular Carpet

Minimize Waste & Save Money.

Interface's i2 styles have mergeable dye lots. That means i2 tiles from different dye lots always blend with tiles of the same color, even when individual tiles are selectively replaced years later. This minimizes the need for attic stock and saves money. And i2 styles that install non directionally generate an average of only 1.5% installation waste as compared to 3-4% for typical modular carpet and an average of 14% for traditional roll carpet.



Cool Carpet™

Help Stop Global Warming and Earn a LEED® Innovation Credit. ALL

Interface modular carpet sold in North America is third party verified climate neutral Cool Carpet. Cool Carpet zeros out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet. And climate neutral verified Cool Carpet may be eligible for a USGBC or CaGBC LEED Innovation Credit.



TacTiles®

No Glue Installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.

Samples

Order samples at www.interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500	Canada 1.866.398.3192
---------------------------------	--------------------------

Brazil + 55 11 2196 0902	Latin America + 55 11 2196 0900
-----------------------------	------------------------------------

www.interface.com

Register at www.interface.com to:

- Order samples
- View carpet in a variety of room scenes and even upload your own room
- Use our LEED Calculator
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

InterCircle™ Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

Third Party Certification

cool carpet™

Cool Carpet – Our third party verified carbon offset program zeroes out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet.



Environmental Product Declaration (EPD) – A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



Sustainable Assessment for Carpet – The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



CRI Green Label Plus – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.



Intersept®

Mold Protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria — guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is low in toxicity, water insoluble and contains no arsenic, heavy metals, phenols or formaldehyde.



ReEntry® 2.0

Recyclable is Now a Reality. Our ReEntry 2.0 program uses innovative technology that gives us the ability to cleanly separate the face fiber and backing of nearly any carpet type. Separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon, while separated GlasBac® and similar competitor backings are recycled into new GlasBac®RE non-virgin PVC backing using our Cool Blue™ technology. The result? Products with up to 81% total recycled content, including as much as 35% post-consumer content.



Sustainable Choice

Environmental Responsibility. Interface was the industry's first to earn an EPD (Environmental Product Declaration), which evaluates consistent factors based on full lifecycle assessment (LCA). We achieved an EPD based on our Convert™ products and have now expanded our EPDs into four categories covering more than 90% of our products.

In addition, all Interface products with GlasBacRE backing meet the Platinum level of the NSF/ANSI 140 Sustainable Assessment for Carpet. GlasBac or NexStep® backed products meet the Gold level. All may contribute toward a USGBC or CaGBC LEED Innovation Credit.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.



Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

www.interface.com

United States Headquarters

1503 Orchard Hill Road
LaGrange, GA 30240
1.800.336.0225 ext.6511

Canadian Headquarters

233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.2128

Latin American Headquarters

Rua Surubim, 577 - Conjuntos
73/74 7º Andar
04571-050 - São Paulo - SP
+ 55 11 2196 0900

CIM # IFS00618 05/2013



Mission Zero:

our promise to eliminate any
negative impact our company
may have on the environment
by the year 2020.