

HOLISTIC

HOLISTIC / HOLISTIC SHADES / HOLISTIC THRIVE

patcraft®





Holistic's **ExoGuard® top-coat offers** resistance against soil, stains, scratches, scuffs and abrasions, as well as chemicals and damage from alcohol-based hand sanitizers.

EXOGUARD® FINISH

Offers enhanced durability for protection against scratching, staining, and scuffing — resulting in ease of maintenance.



Continuous solid resin constructed to withstand high demanding environments.



Recommended applications include high performance, high traffic end use applications including healthcare and education.

Education Use					
Cafeteria	✓				
Classroom	✓				
Corridors	✓				
Lab	√ +				
Lounge	✓				
Restrooms	√ +				
Utility/Storage	√ +				


√ = recommended

 \checkmark + = highly recommended

Healthcare Use	
Cafeteria	✓
Corridors	√ +
Critical/ICU	√ +
Dialysis	√ +
Doctor's Office	√ +
Physical Therapy	√ +
Elevators	√ +
Emergency Room	√ +
Exam/Procedure Rooms	√ +
Lab	√ +
Labor and Delivery	√ +
Lobbies	✓
Lounge	✓
Nurse's Station	√ +
Operating Room	√ +
Patient Rooms	√ +
Pharmacy	√ +
Restrooms	√ +
Utility/Storage	√ +









WELD ROD COLOR RECOMMENDATIONS





230PC | HOLISTIC SHADES COLORS*

calm WEL100 T	evolve WEL104 T	tranquil WEL105 T	radiant WEL111 T	rest WEL120 T	natural WEL130 T
rejuvenate WEL144 T	recharge WEL163	transform WEL240	bubbly WEL485	uplift WEL515 T	center WEL520 T

230PC | HOLISTIC THRIVE COLORS*

pep WEL100 H	steady WEL104 H	poise WEL105 H	zen WEL110	prosper WEL111 H	stir WEL114
elate WEL120 H	expand WEL121	grow WEL130 H	anchored WEL144 H	advance WEL155	shine WEL211
flux WEL323	bloom WEL325	blossom WEL326	serenity WEL327	flourish WEL330	balance WEL350
flow WEL405	spunk WEL411	sprout WEL415	become WEL490	grounded WEL496	grit WEL515 H
repose WEL518	still WEL520 H	zeal WEL535	rise WEL560	zest WEL668	glow WEL675
ease WEL700	vigor WEL750	rooted WEL761	reflect WEL860	dash WEL865	revive WEL991







 $\textbf{HOLISTIC} \ \ \text{in dawn, aspire and refresh}$







$\textbf{HOLISTIC SHADES} \ in \ radiant$









$\textbf{HOLISTIC SHADES} \ \mathsf{in} \ \mathsf{calm} \ \ / \ \ \textbf{HOLISTIC THRIVE} \ \ \mathsf{in} \ \mathsf{reflect}$





HOLISTIC | homogeneous sheet

PRODUCT SPECIFICATIONS

HOLISTIC

style / I422V

product size $78.94 \text{ in } \times 65.94 \text{ ft } \mid 2 \text{ m} \times 20.1 \text{ m}$

47.84 sq yds/roll | 40 sq m/roll

construction commercial homogeneous sheet

total thickness 0.079" | 2 mm finish ExoGuard™ installation glue down

HOLISTIC SHADES

style / 1690V

product size 78.74 in x 65.62 ft | 2 m x 20 m

47.84 sq yds/roll | 40 sq m/roll

construction commercial homogeneous sheet

 $\begin{array}{ll} \mbox{total thickness} & 0.079" \mid 2 \mbox{ mm} \\ \mbox{finish} & \mbox{ExoGuard}^{\mbox{\scriptsize TM}} \\ \mbox{installation} & \mbox{glue down} \end{array}$

HOLISTIC THRIVE

style / I691V

product size $78.74 \text{ in x } 65.62 \text{ ft } \mid 2 \text{ m x } 20 \text{ m}$

47.84 sq yds/roll | 40 sq m/roll

construction commercial homogeneous sheet

 $\begin{array}{ll} \mbox{total thickness} & 0.079" \mid 2 \mbox{ mm} \\ \mbox{finish} & \mbox{ExoGuard}^{\mbox{\scriptsize TM}} \\ \mbox{installation} & \mbox{glue down} \end{array}$

INSTALLATION METHODS

REVERSE



SUSTAINABILITY CERTIFICATIONS

FLOORSCORE®

CERTIFIED

ENVIRONMENTAL PRODUCT DECLARATION (EPD)
CERTIFIED