www.interface.com

United States Headquarters 1503 Orchard Hill Road LaGrange, GA 30240 1.800.336.0225 ext.56511

Canadian Headquarters

233 Lahr Drive Belleville, ON K8N 5S2 1.800.267.2149 ext.52128

Brazilian Headquarters

Rua Surubim, 577 - Conjuntos 73/74 7° Andar 04571-050 - São Paulo - SP + 55 11 2196 0900


Latin American Headquarters

Montes Urales # 415 Piso 6 Col. Lomas de Chapultepec México City, D.F. 11000 Mexico + 52 55 6395 5100

CIM #IFS00798 02/2018



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.



Aerial[™] Flying Colors

POW! The Aerial[™] Collection just got a boost of color. Pure color tiles connect to "color-full" tiles; colorful tiles connect to transition tiles; and transition tiles connect to the strong, neutral foundation that skyrocketed Aerial from the start.

Aerial Planks, Aerial Squares and Aerial Neighborhood[™] are now joined by Aerial Flying Colors, creating a library of 87 tiles in a full range of vibrant and neutral colors in squares and Skinny Planks.[™]


Aerial Flying Colors introduces two more styles to the Aerial Planks offering—AE315 and AE317, along with more colorways for both AE311 and On Line™ Use AE315 to blend a spray of color to a neutral ground, creating that signature Interface transition tile, or cast a soft hue across the entire floor plane. Use AE317 to make a bold leap with a vibrant, mixed-hue approach to each colorway.

There are thirteen color sequences presented with an On Line bright at the top and a neutral at the bottom to accent, define and set color direction. But don't just look up and down—look left and right across the full array to find your own unique combination.

The entire Aerial Collection is made with 100% recycled content nylon and is part of our i2[®] product family with benefits like mergeable dye lots that enhance selective replacement. These are just a couple of steps we take toward creating a climate fit for life. Join the **#ClimateTakeBack** movement.


RODUCT AE311 COLOR 105807 BISCUIT PRODUCT AE315 COLOR 105820 BISCUIT/EUCALYPTUS PRODUCT AE317 COLOR 105833 EUCALYPTUS INSTALLED PATTERN BY TILE **Z**Interdeco

		rdeco



ZInterdeco

PRODUCT AE311 COLOR 105803 MUSHROOM INSTALLED ASHLAR





On Line (Brights)

 Modular, 25cm x 1m
 138700AK00

 Backing System
 GlasBac® Tile

 Yarn Manufacturer
 Aquafil

 Yarn System
 100% Recycled

 Color System
 100% Solution Dyed

 Construction
 Tufted Textured Loop

 Lifetime Antimicrobial
 Intersept®

 Soil/Stain Protection
 Protekt2®

 Pile Thickness
 0.123 in 3.1 mm

 Pile Density
 6,146

 Total Recycled Content
 72%

 Indoor Air Quality
 CRI Green Label Plus #GLP0820

AE317

 Modular, 25cm x 1m
 163270AK00

 Backing System
 GlasBac® Tile

 Yarn Manufacturer
 Aquafil

 Yarn System
 100% Recycled

 Content Type 6 Nylon
 100% Solution Dyed

 Construction
 Tufted Textured Loop

Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®} Pile Thickness 0.101 in 2.6 mm Pile Density 6,059 Total Recycled Content 71% Indoor Air Quality CRI Green Label Plus #GLP0820

AE315

 Modular, 25cm x 1m
 163230AK00

 Backing System
 GlasBac® Tile

 Yarn Manufacturer
 Aquafil

 Yarn System
 100% Recycled

 Content Type 6 Nylon
 Construction

 100% Solution Dyed
 Constructoon

 Lifetime Antimicrobial
 Intersept®

 Soil/Stain Protection
 Protekt2®

 Pile Thickness
 0.090 in 2.3 mm

 Pile Density
 6,400

 Total Recycled Content
 71%

 Indoor Air Quality
 CRI Green Label Plus #GLP0820

i2

i2,

AE311

 Modular, 25cm x 1m
 138830AK00

 Backing System
 GlasBac® Tile

 Yarn Manufacturer
 Aquafil

 Yarn System
 100% Recycled

 Content Type 6 Nylon
 Construction Dyed

 Construction
 Tufted Textured Loop

Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®} Pile Thickness 0.097 in 2.5 mm Pile Density 5.567 Total Recycled Content 70% Indoor Air Quality CRI Green Label Plus #GLP0820



On Line (Neutrals)

Modular, 25cm x 1n	n 138700AK00	Lifetime Antimicrobial	Intersept®
Backing System	GlasBac [®] Tile	Soil/Stain Protection	Protekt ^{2®}
Yarn Manufacturer	Aquafil	Pile Thickness	0.123 in 3.1 mm
Yarn System	100% Recycled	Pile Density	6,146
	Content Type 6 Nylon	Total Recycled Content	72%
Color System	100% Solution Dyed	Indoor Air Quality	CRI Green Label Plus
Construction	Tufted Textured Loop		#GLP0820





105833 EUCALYPTUS



105821 GRASS



105824 PERSIMMON



105822 CITRON







105825 POPPY



105826 BERRY






105827 MAGENTA



105828 IRIS





105829 AZURE




105830 AQUAMARINE



105831 EMERALD



105832 LEAF





105820 BISCUIT/EUCALYPTUS

www.interface.com



105808 MUSHROOM/GRASS



105809 FOG/CITRON



105810 CHESTNUT/MARIGOLD



105811 GREIGE/PERSIMMON



105812 LOAM/POPPY



105813 IRON/BERRY





105815 SMOKE/IRIS



105816 GRANITE/AZURE



105817 MIST/AQUAMARINE



105818 TOPAZ/EMERALD







105807 BISCUIT

www.interface.com





105803 MUSHROOM



104669 FOG



104671 CHESTNUT

104673 IRON

105804 LOAM



104675 INK



104674 SMOKE





104668 MIST



105806 TOPAZ



104670 TAUPE

On Lineutrals

105836 EUCALYPTUS

www.interface.com

105264 GRASS



105268 CITRON



105269 MARIGOLD



105834 PERSIMMON



103801 POPPY



105272 BERRY



105275 MAGENTA



105274 IRIS







105266 AQUAMARINE



105265 EMERALD





103785 BISCUIT



103783 MUSHROOM





103782 COFFEE



105259 FOG



103781 LOAM



105263 TITANIUM



103786 INK



103787 PEWTER



105260 GRANITE



103791 CLOUD



103784 TOPAZ





www.interface.com

nterriero"

PRODUCT AE311. COLOR 104672 GREIGE PRODUCT AE315. COLOR 105811 GREIGE/PERSIMMON PRODUCT AE317. COLOR 105824 PERSIMMON. INSTALLED PATTERN BY TILE

and the second

AND DESCRIPTION OF

1 111

PRODUCT AE311 COLOR 104673 IRON PRODUCT AE317 COLOR 105828 IRIS INSTALLED PATTERN BY TILE **2**Interdeco

PRODUCT AE311 COLOR 105806 TOPAZ PRODUCT AE315 COLOR 105818 TOPAZ/EMERALD PRODUCT AE317 COLOR 105831 EMERALD INSTALLED PATTERN BY TILE

www.interface.com



www.interface.com

Minterdeco

The Party States of the NAME ADDRESS ATTACK ADDRESS TOTAL ADDRESS ADDR tion along Strengs-s-asing Strengs, status States and the state of the local division o Cash In the linest distance where we see the or Response Annual Stations Toution and ager the line 다 빠 눈 난 an within the same work and sior Staffild all THE OWNER LEWIS LANSING MICH. ្រុំ្រីទាំងឆ្នាំង

PRODUCT AE317 COLOR 105824 PERSIMMON PRODUCT AE315 COLOR 105811 GREIGE/PERSIMMON

PRODUCT AE311 COLOR 104672 GREIGE INSTALLED PATTERN BY TILE

the last state of the last state and the state of the last NAME AND ADDRESS OF 1000

the state of the s the different Manufacture and the other states of Same State Labor State Posts In Carolin Managine, States, Spirit, Spirit, Spirit, NAME ADDRESS STATUTORS AND ADDRESS OF the slight literature shall shall be

NAME AND ADDRESS OF

.

spinster of Column 2 and 2 in case

and a state of the AND ADD. AND A PRIME OF LOT AN Color Print NUCL ADDRESS PROVIDE ADDR NAME ADDRESS A The second se in Indiana Annual Managor Station ा मेरे की (~ 뉴니 다리) 건국라 4 ' (~ 숙제 IN INCOMENTS OF THE PARTY OF TH which the witness manhout 2 rates when AND ADDRESS OF TAXABLE ADDRESS OF

1.0


PRODUCT AE317 COLORS 105830 AQUAMARINE, 105824 PERSIMMON PRODUCT AE315 COLORS 105817 MIST/AQUAMARINE, 105811 GREIGE/PERSIMMON PRODUCT AE311 COLORS 104668 MIST, 104672 GREIGE INSTALLED PATTERN BY TILE

Statement and the American Statement Statement Statement 1 10 Institution and a state which which it wanted it and the state of t TO THE PLANE a latent Annual Manual Institut addings: 48 Jan ADDREY TO AN ADDRESS OF TAXABLE P MALINE MORES (*) \$255 and pression, planted (1992), hannels, \$2000, married \$20 statute statute badow NAMES OF A PARTY OF A or standy frames, reader static warms from a the rate and the first state of the state and state NAMES AND POST OFFICE ADDRESS OF

> PRODUCT AE317 COLOR 105825 POPPY PRODUCT AE315 COLOR 105812 LOAM/POPPY PRODUCT AE311 COLOR 105804 LOAM INSTALLED PATTERN BY TILE

MInterdeco

PRODUCT AE311 COLOR 104673 IRON PRODUCT AE315 COLOR 105813 IRON/BERRY PRODUCT AE317 COLOR 105826 BERRY INSTALLED PATTERN BY TILE











PRODUCT AE315 COLOR 105817 MIST/AQUAMARINE PRODUCT AE317 COLOR 105830 AQUAMARINE INSTALLED PATTERN BY TILE

2Interdeco


PRODUCT AE317 COLOR 105831 EMERALD PRODUCT ON LINE COLOR 105265 EMERALD PRODUCT AE311 COLOR 105805 GRANITE INSTALLED PATTERN BY TILE

For more inspiration, visit interface.com/AerialFlyingColors






PRODUCT AE311 COLOR 105807 BISCUIT PRODUCT AE315 COLOR 105820 BISCUIT/EUCALYPTUS PRODUCT AE317 COLOR 105833 EUCALYPTUS INSTALLED PATTERN BY TILE







PRODUCT AE317 COLORS 105830 AQUAMARINE, 105824 PERSIMMON PRODUCT AE315 COLORS 105817 MIST/AQUAMARINE, 105811 GREIGE/ PERSIMMON PRODUCT AE311 COLORS 104668 MIST, 104672 GREIGE INSTALLED PATTERN BY TILE






PRODUCT AE311 COLOR 104673 IRON PRODUCT AE317 COLOR 105828 IRIS INSTALLED PATTERN BY TILE







PRODUCT AE317 COLOR 105824 PERSIMMON PRODUCT AE315 COLOR 105811 GREIGE/PERSIMMON PRODUCT AE311 COLOR 104672 GREIGE INSTALLED PATTERN BY TILE


For more inspiration, visit interface.com/AerialFlyingColors







PRODUCT AE311 COLOR 104673 IRON PRODUCT AE315 COLOR 105813 IRON/BERRY PRODUCT AE317 COLOR 105826 BERRY INSTALLED PATTERN BY TILE






PRODUCT ON LINE COLOR 105836 EUCALYPTUS PRODUCT AE317 COLOR 105833 EUCALYPTUS PRODUCT AE311 COLOR 105807 BISCUIT INSTALLED PATTERN BY TILE






PRODUCT AE317 COLOR 105824 PERSIMMON PRODUCT AE315 COLOR 105811 GREIGE/PERSIMMON PRODUCT AE311 COLOR 104672 GREIGE INSTALLED PATTERN BY TILE






PRODUCT AE317 COLOR 105822 CITRON PRODUCT AE315 COLOR 105809 FOG/CITRON PRODUCT AE311 COLOR 104669 FOG INSTALLED PATTERN BY TILE

For more inspiration, visit interface.com/AerialFlyingColors




PRODUCT AE311 COLORS 105804 LOAM, 105803 MUSHROOM, 105807 BISCUIT INSTALLED PATTERN BY TILE









PRODUCT AE317 COLOR 105832 LEAF PRODUCT AE311 COLOR 104669 FOG INSTALLED PATTERN BY TILE





PRODUCT AE317 COLORS 105829 AZURE, 105822 CITRON PRODUCT AE315 COLORS 105816 GRANITE/AZURE, 105809 FOG/CITRON PRODUCT AE311 COLORS 105805 GRANITE, 104669 FOG INSTALLED PATTERN BY TILE






PRODUCT AE315 COLOR 105817 MIST/AQUAMARINE PRODUCT AE317 COLOR 105830 AQUAMARINE INSTALLED PATTERN BY TILE

Let us make it yours

Interface Design Services can support your project from concept to completion, to help you think through your coolest ideas at any stage of your creative process.










Explore

YOU'LL KNOW IT WHEN YOU SEE IT

Call your rep, or schedule a consultation with our expert design team to translate your inspiration into product selections, color palettes and custom styles.



Refine

CONTEXT IS EVERYTHING

We'll create beautiful and distinct configurations to assist you in visualizing or communicating your ideas 3-dimensionally.



SEE THE WHOLE PICTURE

Our designers create to-scale floor plan layouts that calculate overall waste and act as an installation guide for your flooring contractor, all while expressing your vision within the context of your own drawings.

Why Our Modular Carpet?



i2[®] Modular Carpet

Minimize Waste & Save Money. Interface's i2 styles have mergeable dye lots. That means i2 tiles from different dye lots always blend with tiles of the same color, even when individual tiles are selectively replaced years later. This minimizes the need for attic stock and saves money. And i2 styles that install non directionally generate an average of only 1.5% installation waste as compared to 3-4% for typical modular carpet and an average of 14% for traditional roll carpet.

Cool Floor™

The Low Carbon Option. Help stop climate change. ALL Interface modular flooring sold in North America is third party verified climate neutral Cool Floor. We start by using low-carbon materials and manufacturing processes, then Cool Floor zeros out all remaining greenhouse gas (GHG) emissions associated with the entire life cycle of your flooring, from raw material extraction through use and recycling.



TacTiles[®]

No Glue Installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.



Intersept[®]

Mold Protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria-guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



ReEntry[®]

Recyclable is Now a Reality. Through our ReEntry program and partnerships with our fiber suppliers and recycling centers throughout North America, separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon while separated GlasBac[®], GlasBacRE and similar competitor backings are recycled into new GlasBacRE non-virgin PVC backing using our Cool Blue[™] technology. The result? Products with up to 89% total recycled content, including as much as 27% post-consumer content.



Sustainable Choice

Environmental Responsibility. Many Interface products carry the GreenCircle Certified Environmental Facts label, which has verified that standard Interface products offer a minimum of 66% and 80% total recycled content when backed with GlasBac® and GlasBacRE backing respectively, using 99% renewable energy.

In addition, more than 99% of our products globally have a published EPD (Environmental Product Declaration), which evaluates consistent factors based on full life cycle assessment (LCA). And, all Interface products with GlasBacRE backing meet the Platinum level of the NSF/ ANSI 140 Sustainable Assessment for Carpet. GlasBac or NexStep® Backed products meet the Gold level. All may contribute toward a USGBC or CaGBC LEED Innovation Credit.

Samples

Order samples at www.interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States Canada 1.877.605.1500 1.866.398.3192

Brazil Latin America + 55 11 2196 0900 + 52 55 6395 5100

www.interface.com

life cycle of a product. A comprehensive

which both the EPD and LCA must be

third party verified.

life cycle assessment (LCA) is performed

Register at www.interface.com to: · Browse products and order samples · View carpet in a variety of room scenes · Use the Floors design tool to create layouts you can save or share · Use our LEED Calculator · Check order status and inventory availability · Sign up to get the latest information on Interface products and news

InterCircle[™]Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

Third Party Certification



Cool Floor - Our third party verified carbon offset program zeroes out all greenhouse gas (GHG) emissions associated with the entire life cycle of your floor




Sustainable Assessment for (EPD) - A statement of product ingredients Carpet - The only carpet sustainability and environmental impacts over the entire standard in North America that evaluates the environmental impact of carpet for its entire lifecycle. to ISO standards to develop an EPD, after

CRI Green Label Plus - An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help mprove indoor air quality.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.





We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.