



Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

[www.interface.com](http://www.interface.com)

**United States Headquarters**  
1280 West Peachtree Street NW  
Atlanta, GA 30309  
1.800.634.6032

**Canadian Headquarters**  
233 Lahr Drive  
Belleville, ON K8N 5S2  
1.800.267.2149 ext.52128

**Brazilian Headquarters**  
Rua Surubim, 577 - Conjuntos  
73/74 7º Andar  
04571-050 - São Paulo - SP  
+ 55 11 2196 0900

**Latin American Headquarters**  
Montes Urales # 415 Piso 6  
Col. Lomas de Chapultepec  
Mexico City, 11000  
Mexico  
+52 55 5520 0195  
+52 55 2791 6812

CIM # IFS00852 02/2020

# Brushed Lines | LVT



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.



Interface®

Earth is the ultimate influencer. Even in the most industrial of spaces, we find traces of the natural world. Worn edges. Organic forms. Dusty colors. They ground us, connect us to the here and now.


Could we achieve that same effect with different materials?


The diffused linear texture of Brushed Lines evokes the familiar qualities of hard surfaces with a light-capturing quality that sparkles on the floor. Its subtle design features 16 solid colors ranging from warm and cool neutrals to pops of earthy, mineral-like tones. Given space, Brushed Lines delivers modern refinement inspired by raw and natural motifs.

Pair Brushed Lines LVT with SoundChoice™ backing with Interface carpet tiles for an integrated flooring system of hard and soft in planks and squares. Interface modular floors allow you to move from surface to surface without the need for transition strips.

Brushed Lines LVT is fully recyclable through our ReEntry™ program and contains a significant percentage of recycled content. As part of our global portfolio, all of the flooring products that we sell - carpet tile, LVT and rubber - are carbon neutral. Impactful on the floor. Impactful on the planet.

**Carbon Neutral Floors™**





[www.interface.com](http://www.interface.com)

PRODUCT BRUSHED LINES COLORS A01608 SANDALWOOD, A01611 MOUSSE INSTALLED ASHLAR




LVT PRODUCT BRUSHED LINES COLOR A01612 SOFT SHADOW INSTALLED ASHLAR  
CARPET PRODUCT NY+LON STREETS™ | READE STREET™ COLOR 105756 IRON PLATE INSTALLED MONOLITHIC

## Specifications

Product Number	A016
Product Construction	High Performance Luxury Vinyl Tile
Class / ASTM F1700	Class III Printed Vinyl Tile
Wear Layer Thickness	22 mil
Total Thickness	4.5 mm
Backing Class	Commercial Grade
Finish	Ceramor™ Coating
Nominal Dimensions	25cm x 1m (9.845 in x 39.38 in)
Indoor Air Quality	GREENGUARD Gold FloorScore® Certified for low-VOC emissions CDPH 01350 Compliant
Carbon Offsets	Carbon Neutral Floors™
Environmental Certifications	NSF/ANSI 332, Contributes to IEO: <i>Low Emitting Materials</i> ; M&R: <i>EPD</i> and <i>EPR</i>
LEED v4	Fully Recyclable LVT to Carpet Tile Backing through ReEntry™
End of Life	
Installation Methods	Ashlar, Herringbone

For recycled content information, view the full product specification on [interface.com](http://interface.com).



All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see our full LVT product disclaimer at [interface.com](http://interface.com).

## Brushed Lines™ Colorline



A01602 ALABASTER



A01613 BLUSH



A01604 GALENA



A01614 HONEY



A01605 GRAPHITE



A01615 HENNA



A01606 KOHL



A01616 ROUGE



A01608 SANDALWOOD



A01618 CELADON



A01609 PARAFFIN



A01619 EUCALYPTUS



A01611 MOUSSE



A01620 TEAL OXIDE




A01612 SOFT SHADOW



A01622 DEEP COBALT





Interface Modular Resilient Sound Choice™ LVT and Modular Carpet allow you to seamlessly move from hard to soft surfaces. No transition strip needed.

LVT PRODUCT BRUSHED LINES COLOR A01605 GRAPHITE  
CARPET PRODUCT NY+LON STREETS | WHEELER STREET™ COLOR 105655 SLATE SQUARE

Why Our Modular Resilient Sound Choice™ LVT?

## Integrated System.

*Say goodbye to transition strips and doubling up.* Our Sound Choice LVT is made to work as a system with our modular carpet. The compatible size and height of our products allows you to integrate modular carpet for an inset rug or an adjacent field – no transition strip required. You'll avoid doubling up on materials and save money.

## Real Flexibility.

*Create a unique look that lasts.* Interface modular resilient LVT extends the life of your floor. From simple maintenance like damp mopping to selectively replacing damaged tiles, your flooring investment will stand the test of time - beautifully and effortlessly.

## Circular System.

*Keep flooring out of the landfill.* Our modular resilient LVT is produced with a controlled material stream so it can be reclaimed and recycled into our GlasBac™RE recycled content carpet backing through our ReEntry™ program.

## Noise Reduction.

*Silence distractions.* Interface is helping create +Positive spaces™ with our LVT with Sound Choice backing. Sound Choice is a specially formulated backing developed for superior noise reduction, offering you best-in-class performance for reduced impact sound and floor to floor sound transmission.



## High Performance from Top to Bottom.

1. *Ceramor™ Coating.* Minimizes everyday scratching and scuffing.
2. *Wear Layer.* High quality layer enabling 15 years of resilience and performance.
3. *Print Film.* Provides outstanding visuals of natural materials and Interface innovative designs.
4. *Core Sheet.* Creates a thickness for a stronger core and reduces telegraphing from beneath.
5. *Fiberglass.* Adds dimensional stability and controlled flexibility.
6. *Core Sheet.* Creates a thickness for a stronger core and reduces telegraphing from beneath.
7. *Sound Choice™ Backing.* Provides comfort and superior acoustic performance.

## Third Party Certification.

**Third Party Certification**  
Our Carbon Neutral Floors program is annually verified by a third party.



*Carbon Neutral Floors.* All of the flooring products that we sell—carpet tile, LVT and rubber—are carbon neutral. We've taken a holistic approach to achieve carbon neutrality, first through reducing the carbon footprint of our products and then using carbon offsets for the remainder.

*Environmental Product Declaration (EPD).* Interface LVT products are covered by an EPD. An EPD provides a comprehensive statement of product ingredients and environmental impacts based upon life cycle assessment performed to ISO standards.

*Sustainable Assessment.* Interface LVT meets the certification standards of the NSF/ANSI 332 Sustainability Assessment for Resilient Floor Coverings. This standard evaluates the environmental impact of resilient floor covering for its entire life cycle.

*Indoor Air Quality.* All Interface modular flooring products meet the highest standards for indoor air quality. Interface LVT is GREENGUARD Gold and FloorScore® Certified and CDPH 01350 compliant, assuring very low emissions of VOCs.

